

引用文献

- Basgöze,Z., David N.White,D.N.,Johannes Burge,J. & Emily A. Cooper,E.A. 2020 Natural statistics of depth edges modulate perceptual stability. *Journal of Vision* 20(8):10, 1–21.
- Beintema, J. A., & van den Berg, A. V. (1998). Heading detection using motion emplates and eye velocity gain fields. *Vision Research*, 38(14), 2155–2179.
- Beylerian,M., Hessc,R.F., Matontib,F., Denisa,D., Chavaneb,F. & Reynaudc, A. 2020 Interocular suppressive interactions in amblyopia depend on spatial frequency. *Vision Research* 168, 18–28.
- Carrillo,S.A., Baldwin,A.S. & Hess,R.F. 2020 Factors limiting sensitivity to binocular disparity in human vision: Evidence from a noise-masking approach. *Journal of Vision*, 20(3):9, 1–14.
- Chauhan,T., Y. Héjja-Brichard & Cottreau,B.R. 2020 Modelling binocular disparity processing from statistics in natural scenes. *Vision Research* 176, 27–39.
- Chen,Z. & Saunders,J.A. 2020 Multiple texture cues are integrated for perception of 3D slant from texture. *Journal of Vision* 20(7):14, 1–23.
- Cretenoud,A.F, Grzeczkowski,L., Bertamin,M. & Herzog M. H. 2020 Individual differences in the Müller-Lyer and Ponzo illusions are stable across different contexts. *Journal of Vision* 20(6):4, 1–14.
- Evans,L.,Champion,R.A.,Montaldi,D. & Paul A. Warren,P.A. 2020 Detection of scene-relative object movement and optic flow parsing across the adult lifespan. *Journal of Vision* 20(9):12, 1–18.
- Fujii,F. & Seno,T.(2020) The Effect of Optical Flow Motion Direction on Vection Strength. *i-Perception* 11(1), 1–13.
- Goutcher,R. & Paul B. Hibbard,P.B. 2020 Impairment of cyclopean surface processing by disparity-defined masking stimuli. *Journal of Vision* 20(2):1, 1–18.
- Harasawa,M.,Sawahata,Y.,Komine,K. & Shioiri,S. 2020 Effects of content and viewing distance on the preferred size of moving images. *Journal of Vision* 20(3):6, 1–14.
- Hataji,Y., Kuroshima,H. & Kazuo Fujita 2020 Dynamic Corridor Illusion in Pigeons: Humanlike Pictorial Cue Precedence Over Motion Parallax Cue in Size Perception. *i-Perception*, 11(2), 1–13.
- Hülemeier,A. & Lappe,M. 2020 Combining biological motion perception with optic flow analysis for self-motion in crowds. *Journal of Vision* 20(9):7, 1–15.

- Karimpur,H., Eftekharifar,S. Troje,N.F. & Fiehler,K. 2020 Spatial coding for memory-guided reaching in visual and pictorial spaces. *Journal of Vision*, 20(4):1, 1–12.
- Kingdom,F.A.A., Yared, K.C., Hibbardb,P.B. & Mayb,K.A. 2020 Stereoscopic depth adaptation from binocularly correlated versus anticorrelated noise: Test of an efficient coding theory of stereopsis. *Vision Research* 166 60–71.
- Mamassiana, P. & Marina Zannolib, M. 2020 Sensory loss due to object formation. *Vision Research* 174, 22–40.
- Metzgera,B. A. & Beck,D.M. 2020 Probing the mechanisms of probe-mediated binocular rivalry. *Vision Research* 173, 21–28.
- Peltier,N.E.,Angelaki,D.E. & DeAngelis,G.C. 2020 Optic flow parsing in the macaque monkey. *Journal of Vision* 20(10):8, 1–27.
- Pickard-Jones, B. & Ayelet Sapir,G.d'A. 2020 3D shape-from-shading relies on a light source prior that does not change with age. *Vision Research* 177, 2020, 88-96.
- Radó,J.,Sári,Z.,Buzás,P. & Jandó,J. 2020 Calibration of random dot stereograms and correlograms free of monocular cues. *Journal of Vision* 20(4):3, 1–18.
- Qiu, S.X.,Caldwell, You,.J.Y., & Mendola,J.D. **2020** Binocular rivalry from luminance and contrast. *Vision Research* 175 , 41–50
- Sato,F., Laeng,J., Nakauchi,S. & Minami,T. 2020 Cueing the Necker cube: Pupil dilation reflects the viewing-from-above constraint in bistable perception. *Journal of Vision* 20(4):7, 1–14.
- Schmidt,F.,Fleming,R.W. & Valsecchi,M. 2020 Softness and weight from shape: Material properties inferred from local shape features. *Journal of Vision* 20(6):2, 1–20.
- Steinwurzel,C.,Animali,S.,Cicchini,G.M.,Morrone,M,C. & Paola Binda,P. (2020) Using psychophysical performance to predict short-term ocular dominance plasticity in human adults. *Journal of Vision* 20(7):6, 1–13.
- Sun,Q.,Zhang,H.,Alais,D. & Li,L.(2020) Serial dependence and center bias in heading perception from optic flow. *Journal of Vision* 20(10):1, 1–15.
- Wang,M.,McGraw, P. & Ledgeway,T. 2020 Short-term monocular deprivation reduces inter-ocular suppression of the deprived eye. *Vision Research* 173, 29–40.
- Wu,W., Hatoria,Y., Tsenga,C., Matsumiya, K., Kuriki,I. & Shioiri,S. 2020 A motion-in-depth model based on inter-ocular velocity to estimate direction in depth. *Vision Research* 172, 11-26.

- Xie,M. Niehorster,D.C., Lappe,M. & Li,L. 2020 Roles of visual and non-visual information in the perception of scene-relative object motion during walking. *Journal of Vision* 20(10):15, 1–11.
- Yang,Z., Shi,J.,Xiao,X.,Yuan, X.,Wang,D., Li,H.. & Xu,W. 2020 Influences of Experience and Visual Cues of Virtual Arm on Distance Perception. *i-Perception* Vol. 11(1), 1–17.
- Yonas, A., Kuskowski, M., & Sternfels, S. (1979). The role of frames of reference in the development of responsiveness to shading information. *Child Development*, 495-500.
- Zhang,W.,Rezvani,Z.,Richard J. A., vanWezel,R.J.A. & Laurens A. M. H. Kirkels,L.A.M.H. 2020 Monocular and binocular opto-locomotor reflex biases for random dot motion in mice. *Journal of Vision* 20(2):6, 1–12.
- Zosky,J.E., Vickery,T.J., Walter,K.A. & Michael D. Dodd,M.D.(2020) Object-based warping in three-dimensional environments. *Journal of Vision* 20(6):16, 1–20.

参考文献

- Acerbi, L., Vijayakumar, S., & Wolpert, D. M. (2014). On the origins of suboptimality in human probabilistic inference. *PLoS Computational Biology*, 10(6), 1–23.
- Adelson, E. H., & Bergen, J. R. (1985). Spatiotemporal energy models for the perception of motion. *Journal of the Optical Society of America*, 2, 284–321.
- Baker, D. H., Meese, T. S., & Hess, R. F. (2008). Contrast masking in strabismic amblyopia: Attenuation, noise, interocular suppression and binocular summation. *Vision Research*, 48(15), 1625–1640.
- Berardi, N., Pizzorusso, T., & Maffei, L. (2000). Critical periods during sensory development. *Current Opinion in Neurobiology*, 10(1), 138–145.
- Beck, J. M., Ma, W. J., Pitkow, X., Latham, P. E., & Pouget, A. (2012). Not noisy, just wrong: the role of suboptimal inference in behavioral variability. *Neuron*, 74(1), 30–39.
- Beverley, K. I., & Regan, D. (1973). Evidence for the existence of neural mechanisms selectively sensitive to the direction of movement in space. *The Journal of Physiology*, 235, 17–29.
- Binda, P., & Lunghi, C. (2017). Short-term monocular deprivation enhances physiological pupillary oscillations. *Neural Plasticity*, 2017, 6724631.
- Blake, R., Westendorf, D., & Fox, R. (1990). Temporal perturbations of binocular rivalry. *Attention, Perception, & Psychophysics*, 48(6), 593–602.
- Blakemore, C., Garey, L. J., & Vital-Durand, F. (1978). The physiological effects of monocular deprivation and their reversal in the monkey's visual cortex. *Journal of Physiology*, 283, 223–262.
- Bosten, J. M., Goodbourn, P. T., Lawrence-Owen, A. J., Bargary, G., Hogg, R. E., & Mollon, J. D. (2015). A population study of binocular function. *Vision Research*, 110(Part A), 34–50.
- Brascamp, J., Klink, P., & Levelt, W. (2015). The 'laws' of binocular rivalry: 50 years of Levelt's propositions. *Vision Research*, 109, 20–37.
- Burge, J., McCann, B. C., & Geisler, W. S. (2016). Estimating 3D tilt from local image cues in natural scenes. *Journal of Vision*, 16(13):2, 1–25.
- Chauhan, T., Masquelier, T., Montlibert, A., & Cottreau, B. (2018). Emergence of binocular disparity selectivity through Hebbian learning. *The Journal of Neuroscience*, 38(44), 9563–9578.
- Cooper, M., & Pettigrew, J. (1979). A neurophysiological determination of the vertical horopter in the cat and owl. *Journal of Comparative Neurology*, 184(1), 1–25.
- Costello, M. C., Bloesch, E. K., Davoli, C. C., Panting, N. D., Abrams, R. A., &

- Brockmole, J. R. (2015). Spatial representations in older adults are not modified by action: Evidence from tool use. *Psychology and Aging*, 30, 656–668.
- Cottereau, B., McKee, S., Ales, J., & Norcia, A. (2011). Disparity-tuned population responses from human visual cortex. *Journal of Neuroscience*, 31(3), 954–965.
- Cottereau, B., McKee, S., Ales, J., & Norcia, A. (2012). Disparity-specific spatial interactions: evidence from EEG source imaging. *Journal of Neuroscience*, 32(3), 826–840.
- DeAngelis, G. C., Ohzawa, I., & Freeman, R. D. (1991). Depth is encoded in the visual cortex by a specialized receptive field structure. *Nature*, 352(6331), 156–159.
- DeAngelis, G. C., & Uka, T. (2003). Coding of horizontal disparity and velocity by MT neurons in the alert macaque. *Journal of Neurophysiology*, 89(2), 1094–1111.
- Dorman, R., & van Ee, R. (2017). 50 Years of stereoblindness: Reconciliation of a continuum of disparity detectors with blindness for disparity in near or far depth. *I-Perception*, 8(6), 1–13.
- Drugowitsch, J., Wyart, V., Devauchelle, A.-D., & Koechlin, E. (2016). Computational precision of mental inference as critical source of human choice suboptimality. *Neuron*, 92, 1–14.
- Durand, J.-B., Celebrini, S., & Trotter, Y. (2007). Neural bases of stereopsis across visual field of the alert macaque monkey. *Cerebral Cortex*, 17(6), 1260–1273.
- Durand, J.-B., Zhu, S., Celebrini, S., & Trotter, Y. (2002). Neurons in parafoveal Areas V1 and V2 encode vertical and horizontal disparities. *Journal of Neurophysiology*, 88(5), 2874–2879.
- Ernst, M., & Banks, M. (2002). Humans integrate visual and haptic information in a statistically optimal fashion. *Nature*, 415(January), 429–433.
- Fox, R. (1991). Binocular rivalry. *Vision and visual dysfunction*, 9, 93–110.
- Fox, R., & Check, R. (1968). Detection of motion during binocular rivalry suppression. *Journal of experimental psychology*, 78(3p1), 388.
- Freud, E., Macdonald, S. N., Chen, J., Quinlan, D. J., Goodale, M. A., & Culham, J. C. (2018). Getting a grip on reality: Grasping movements directed to real objects and images rely on dissociable neural representations. *Cortex*, 98, 34–48.
- Gerardin, P., Kourtzi, Z., & Mamassian, P. (2010). Prior knowledge of illumination for 3D perception in the human brain. *Proceedings of the National Academy of Sciences*, 107(37), 16309–16314.
- Gibaldi, A., Canessa, A., & Sabatini, S. P. (2017). The active side of stereopsis: fixation strategy and adaptation to natural environments. *Scientific Reports*, 7(1), 1–18.
- Gibaldi, A., Canessa, A., Solari, F., & Sabatini,

- Giesel, M., Wade, A. R., Bloj, M., & Harris, J. M. (2018). Investigating human visual sensitivity to binocular motion-in-depth. *Vision*, 2, 41.
- Goutcher, R., & Wilcox, L. M. (2016). Representation and measurement of stereoscopic volumes. *Journal of Vision*, 16(11):16, 1–17.
- Goutcher, R., Connolly, E., & Hibbard, P. B. (2018). Surface continuity and discontinuity bias the perception of stereoscopic depth. *Journal of Vision*, 18(12):13, 1–15.
- Harrad, R. A., & Hess, R. F. (1992). Binocular integration of contrast information in amblyopia. *Vision Research*, 32(11), 2135–2150.
- Halligan, P. W., Fink, G. R., Marshall, J. C., & Vallar, G. (2003). Spatial cognition: Evidence from visual neglect. *Trends in Cognitive Sciences*, 7(3), 125–133.
- Harris, J. M., & Wilcox, L. M. (2009). The role of monocularly visible regions in depth and surface perception. *Vision Research*, 49(22), 2666–2685.
- Hess, R. F., To, L., Zhou, J., Wang, G., Cooperstock, J. R., & Long, T.,...Cooperstock, J. R. (2015). Stereo vision: The haves and have-nots. I-Perception, 6(3), 1–5.
- Hess, R. F., Ding, R., Clavagnier, S., Liu, C., Guo, C., & Viner, C., ... Zhou, J. (2016). A robust and reliable test to measure stereopsis in the clinic. *Investigative Ophthalmology and Visual Science*, 57, 798–804.
- Hibbard, P. (2007). A statistical model of binocular disparity. *Visual Cognition*, 15(2), 149–165.
- Hibbard, P., & Bouzit, S. (2005). Stereoscopic correspondence for ambiguous targets is affected by elevation and fixation distance. *Spatial Vision*, 18(4), 399–411.
- Hubel, D. H., & Wiesel, T. N. (1964). Effects of monocular deprivation in kittens. *Naunyn-Schmiedebergs Archiv für Experimentelle Pathologie und Pharmakologie*, 248(6), 492–497.
- Hubel, D. H., & Wiesel, T. N. (1970). The period of susceptibility to the physiological effects of unilateral eye closure in kittens. *Journal of Physiology*, 206(2), 419–436.
- Hubel, D. H., Wiesel, T. N., & LeVay, S. (1977). Plasticity of ocular dominance columns in monkey striate cortex. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 278(961), 377–409.
- Jardri, R., & Denève, S. (2013). Circular inferences in schizophrenia. *Brain: A Journal of Neurology*, 136(Pt 11), 3227–3241.
- Kavcic, V., Vaughn, W., & Duffy, C. J. (2011). Distinct visual motion processing impairments in ageing and Alzheimer's disease. *Vision Research*, 51(3), 386–395.
- Klink, P. C., Brascamp, J.W., Blake, R., & van Wezel, R. J. (2010). Experience-driven plasticity in binocular vision. *Current Biology*, 20(16), 1464–1469.
- Koerfer,K. & Lappe,M. (2010) Pitting optic flow, object motion, and biological motion

- against each other. *Journal of Vision* 20(8):18, 1–13.
- Konkle, T., & Oliva, A. (2011). Canonical visual size for real-world objects. *Journal of Experimental Psychology: Human Perception and Performance*, 37, 23–37.
- Körding, K. P., Beierholm, U., Ma, W. J., Quartz, S., Tenenbaum, J. B., & Shams, L. (2007). Causal inference in multisensory perception. *PLoS ONE*, 2(9), 1–10.
- Kornmeier, J., Hein, C. M., & Bach, M. (2009). Multistable perception: When bottom-up and topdown coincide. *Brain and Cognition*, 69(1), 138–147.
- Lappe, M., & Rauschecker, J. P. (1993). A neural network for the processing of optic flow from ego-motion in man and higher mammals. *Neural Computation*, 5(3), 374–391.
- Leptourgos, P., Edouard, C., Eck, M., Jardri, R., & Denève, S. 2020 Circular inference in bistable perception. *Journal of Vision* 20(4):12, 1–15.
- Levelt, W. J. M. (1965). On binocular rivalry. Soesterberg, the Netherlands: Institute for Perception RVO-TNO.
- Li, Z., & Atick, J. J. (1994). Efficient stereo coding in the multiscale representation. *Network: Computation in Neural Systems*, 5, 157–174.
- Liu, Y., Bovik, A. C., & Cormack, L. K. (2008). Disparity statistics in natural scenes. *Journal of Vision*, 8(11), 19.1–14.
- Linsen, S., Leyssen, M. H. R., Sammartino, J., & Palmer, S. E. (2011). Aesthetic preferences in the size of images of real-world objects. *Perception*, 40, 291–298.
- Lunghi, C., Berchicci, M., Morrone, M. C., & Di Russo, F. (2015). Short-term monocular deprivation alters early components of visual evoked potentials. *Journal of Physiology*, 593(19), 4361–4372.
- Lunghi, C., Daniele, G., Binda, P., Dardano, A., Ceccarini, G., & Santini, F. et al. (2019). Altered visual plasticity in morbidly obese subjects. *iScience*, 22, 206–213.
- Lunghi, C., Emir, U. E., Morrone, M. C., & Bridge, H. (2015). Short-term monocular deprivation alters GABA in the adult human visual cortex. *Current Biology*, 25(11), 1496–1501.
- Mamassian, P., Jentzsch, I., Bacon, B. A., & Schweinberger, S. R. (2003). Neural correlates of shape from shading: *NeuroReport*, 14(7), 971–975
- May, K., Zhaoping, L., & Hibbard, P. (2012). Perceived direction of motion determined by adaptation to static binocular images. *Current Biology*, 22, 28–32.
- May, K. A., & Zhaoping, L. (2016). Efficient coding theory predicts a tilt aftereffect from viewing untilted patterns. *Current Biology*, 26, 1571–1576.
- May, K. A., & Zhaoping, L. (2019). Face perception inherits low-level binocular adaptation. *Journal of Vision* 19(7):7, 1–10.
- McKee, S. P. (1983). The spatial requirements for fine stereoacuity. *Vision Research*,

- 23(2), 191–198.
- Metzger, B. A., Mathewson, K. E., Tapia, E., Fabiani, M., Gratton, G., & Beck, D. M. (2017). Regulating the access to awareness: Brain activity related to probe-related and spontaneous reversals in binocular rivalry. *Journal of Cognitive Neuroscience*, 29(6), 1089–1102.
- Murphy, A., Ban, H., & Welchman, A. (2013). Integration of texture and disparity cues to surface slant in dorsal visual cortex. *Journal of Neurophysiology*, 110(1).
- Nakayama, K., & Shimojo, S. (1992). Experiencing and perceiving visual surfaces. *Science*, 257 (5075), 1357–1363.
- Nasr, S., & Tootell, R. B. H. (2018). Visual field biases for near and far stimuli in disparity selective columns in human visual cortex. *NeuroImage*, 168, 358–365.
- Nienborg, H., Bridge, H., Parker, A. J., & Cumming, B. G. (2004). Receptive field size in V1 neurons limits acuity for perceiving disparity modulation. *Journal of Neuroscience*, 24(9), 2065–2076.
- Ohzawa, I., DeAngelis, G. C., & Freeman, R. D. (1990). Stereoscopic depth discrimination in the visual cortex: Neurons ideally suited as disparity detectors. *Science*, 249(4972), 1037–1041.
- Perrone, J. A., & Stone, L. S. (1994). A model of self-motion estimation within primate extrastriate visual cortex. *Vision Research*, 34(21), 2917–2938.
- Pitchaimuthu, K., Wu, Q. Z., Carter, O., Nguyen, B. N., Ahn, S., & Egan, G. F. et al. (2017). Occipital GABA levels in older adults and their relationship to visual perceptual suppression. *Scientific Reports*, 7(1), 14231.
- Prince, S. J. D., Cumming, B. G., & Parker, A. J. (2002). Range and mechanism of encoding of horizontal disparity in macaque V1. *Journal of Neurophysiology*, 87(1), 209–221.
- Proffitt, D. R., & Linkenauger S. A. (2013). Perception viewed as a phenotypic expression. In W. Prinz, M. Beisert, & A. Herwig (Eds.), *Action science: Foundations of an emerging discipline* (pp. 171–197). Massachusetts: The MIT Press.
- Qiu, S.X.. Caldwell, C.L You, J.Y.. Mendola,J.D. 2020 Binocular rivalry from luminance and contrast. *Vision Research* 175 (2020) 41–50.
- Regan, D., & Cynader, M. (1982). Neurons in cat visual cortex tuned to the direction of motion in depth: Effect of stimuli speed. *Investigate Ophthalmology & Visual Science*, 22, 535–550.
- Riddell, H., & Lappe, M. (2018). Heading through a crowd. *Psychological Science*, 29(9), 1504–1514.
- Rosenberg, A., & Angelaki, D. E. (2014). Reliability-dependent contributions of visual

- orientation cues in parietal cortex. *Proceedings of the National Academy of Sciences*, 111(50), 18043–18048.
- Rushton, S. K., Chen, R., & Li, L. (2018). Ability to identify scene-relative object movement is not limited by, or yoked to, ability to perceive heading. *Journal of Vision*, 18(6), 1–16,
- Rushton, S.K., Niehorster, D. C., Warren, P. A., & Li, L. (2018). The primary role of flow processing in the identification of scene-relative object movement. *Journal of Neuroscience*, 38(7), 1737–1743.
- Rushton, S. K., & Warren, P. A. (2005). Moving observers, relative retinal motion and the detection of object movement. *Current Biology*, 15(14), R542–R543.
- Rushton, S. K., & Warren, P. A. (2005). Moving observers, relative retinal motion and the detection of object movement. *Current Biology*, 15(14), 542–543,
- Said, C. P., Egan, R. D., Minshew, N. J., Behrmann, M., & Heeger, D. J. (2013). Normal binocular rivalry in autism: Implications for the excitation/inhibition imbalance hypothesis. *Vision Research*, 77, 59–66.
- Samonds, J. M., Potetz, B. R., & Lee, T. S. (2012). Relative luminance and binocular disparity preferences are correlated in macaque primary visual cortex, matching natural scene statistics. *Proceedings of the National Academy of Sciences*, 109(16), 6313–6318.
- Sanada, T. M., Nguyenkim, J. D., & DeAngelis, G. C. (2012). Representation of 3-D surface orientation by velocity and disparity gradient cues in area MT. *Journal of Neurophysiology*, 107(8), 2109–2122
- Shen, S., & Ma, W. J. (2016). A detailed comparison of optimality and simplicity in perceptual decision making. *Psychological Review*, 123, 452–480.
- Snow, J. C., Pettypiece, C. E., McAdam, T. D., McLean, A. D., Stroman, P.W., Goodale,M. A., Culham, J. C. (2011). Bringing the real world into the fMRI scanner: Repetition effects for pictures versus real objects. *Scientific Reports*, 1(130), 1–10.
- Sprague, W., Cooper, E., Tasic, I., & Banks, M. (2015). Stereopsis is adaptive for the natural environment. e1400254 e1400254 *Science Advances*, 1(4).
- Stevenson, S. B., Cormack, L.K.,& Schor, C.M. (1989). Hyperacuity, superresolution and gap resolution in human stereopsis. *Vision Research*, 29, 1597–1605.
- Su, C.-C., Cormack, L. K., & Bovik, A. C. (2013). Color and depth priors in natural images. *IEEE Transactions on Image Processing*, 22(6), 2259–2274.
- Swindale, N. V., Vital-Durand, F., & Blakemore, C. (1981). Recovery from monocular deprivation in the monkey. II. Reversal of morphological effects in the lateral geniculate nucleus. *Proceedings of the Royal Society of London - Biological Sciences*,

- 213(1193), 425–433.
- Taira, M., Nose, I., Inoue, K., & Tsutsui, K. I. (2001). Cortical areas related to attention to 3D surface structures based on shading: An fMRI study. *NeuroImage*, 14(5), 959–966.
- Todd, J. T., Thaler, L., Dijkstra, T. M. H., Koenderink, J. J., & Kappers, A. M. L. (2007). The effects of viewing angle, camera angle and sign of surface curvature on the perception of 3D shape from texture. *Journal of Vision*, 7(12), 1–16.
- Toppino, T. C. (2003). Reversible-figure perception: Mechanisms of intentional control. *Perception & Psychophysics*, 65(8), 1285–1295.
- Thomas, R., Nardini, M., & Mareschal, D. (2010). Interactions between “light-fromabove” and convexity priors in visual development. *Journal of Vision*, 10(8), 6–7.
- Valle-Inclan, F., Hackley, S., de Labra, C., & Alvarez, A. (1999). Early visual processing during binocular rivalry studied with visual evoked potentials. *Neuroreport*, 10, 21–25.
- Van Loon, A. M., Knapen, T., Scholte, H. S., St John-Saaltink, E., Donner, T. H., & Lamme, V. A. (2013). GABA shapes the dynamics of bistable perception. *Current Biology*, 23(9), 823–827.
- Verhoef, B.-E., Bohon, K. S., & Conway, B. R. (2015). Functional Architecture for disparity in macaque inferior temporal cortex and its relationship to the architecture for faces, color, scenes, and visual field. *The Journal of Neuroscience*, 35(17), 6952–6968.
- Wales, R., & Fox, R. (1970). Increment detection thresholds during binocular rivalry suppression. *Attention, Perception, & Psychophysics*, 8(2), 90–94.
- Walker, P., & Powell, D. (1979). Sensitivity of binocular rivalry to changes in the nondominant stimulus. *Vision Research*, 19, 247–249.
- Wardle, S. G., & Gillam, B. J. (2016). Gradients of relative disparity underlie the perceived slant of stereoscopic surfaces. *Journal of Vision*, 16(5):16, 1–13.
- Warren, P. A., & Rushton, S. K. (2007). Perception of object trajectory: Parsing retinal motion into self and object movement components. *Journal of Vision*, 7(11):2, 1–11.
- Warren, P. A., & Rushton, S. K. (2008). Evidence for flow-parsing in radial flow displays. *Vision Research*, 48(5), 655–663.
- Warren, P. A., & Rushton, S. K. (2009). Optic flow processing for the assessment of object movement during ego movement. *Current Biology*, 19(18), 1555–1560.
- Warren, P. A., & Rushton, S. K. (2009a). Optic flow processing for the assessment of object movement during ego movement. *Current Biology*, 19(18), 1555–1560.

- Watson, A. B., & Ahumada, A. J., Jr (1985). Model of human visual-motion sensing. *Journal of the Optical Society of America A*, 2, 322–341.
- Weiss, Y., Simoncelli, E. P., & Adelson, E. H. (2002). Motion illusions as optimal percepts. *Nature Neuroscience*, 5(6), 598—604.
- Westheimer, G. (1979). The spatial sense of the eye. Proctor lecture. *Investigative Ophthalmology and Visual Science*, 18, 893–912.
- Marini, F., Breeding, K. A., & Snow, J. C. (2019). Distinct visuo-motor brain dynamics for real-world objects versus planar images. *NeuroImage*, 19, 232–242.
- Wiesel, T. N., & Hubel, D. H. (1963). Single-cell responses in striate cortex of kittens deprived of vision in one eye. *Journal of Neurophysiology*, 26, 1003–1017.
- Yang, Z., & Purves, D. (2003). A statistical explanation of visual space. *Nature Neuroscience*, 6(6), 632-640.
- Zhang, P., Bao, M., Kwon, M., He, S., & Engel, S. A. (2009). Effects of orientation-specific visual deprivation induced with altered reality. *Current Biology*, 19(22), 1956–1960.
- Zaroff, C. M., Knutelska, M., & Frumkes, T. E. (2003). Variation in stereoacuity: Normative description, fixation disparity, and the roles of aging and gender. *Investigative Ophthalmology & Visual Science*, 44(2), 891–900.
- Zhou, J., Reynaud, A., & Hess, R. F. (2014). Real-time modulation of perceptual eye dominance in humans. *Proceedings. Biological Sciences*, 281(1795) 20141717.