

引用文献(2021)

Allison,R.S. & WilcoxL.M. 2021 Stereoscopic depth constancy from a different direction. *Vision Research* 178 , 70–78.

Brascamp,J.W., Cuthbert,P. & Ling,S. 2020 Conflict defined by global gestalt can modulate binocular rivalry suppression. *Journal of Vision* 20(13):3, 1–11.

Cavanagh, P., Casati, R., Elder,J.H. 2021 Scaling depth from shadow offset. *Journal of Vision* (2021) 21(12):15, 1–9.

Cesaneck ,E., Taylor,J.A., & Domini,F. (2021) Persistent grasping errors produce depth cue reweighting in perception. *Vision Research* 178 (2021) 1–11.

Chen,P.Y., Chen,C.C. & Tyler,C.W. 2021 A gain-control disparity energy model for perceived depth from disparity. *Vision Research*, 181,38–46.

David,E.J.,Beitner,J. & Le-Hoa Vö,M, 2021 The importance of peripheral vision when searching 3D real-world scenes: A gaze-contingent study in virtual reality. *Journal of Vision* 21(7):3, 1–17.

Ding,J. & *, Levi,D.M, 2021 A unified model for binocular fusion and depth perception. *Vision Research* 180 11–36.

DuraiC.V.R., Rajendran.S.,,Webster,M.A. , Vempat,S. & Bharadwaj,S.R. 2021 The magnitude of monocular light attenuation required to elicit the Pulfrich illusion

Evan Cesaneck ,E., Taylor,J.A., & Domini,F.2021 Persistent grasping errors produce depth cue reweighting in perception. *Vision Research* 178 1–11.

Feord,R.C., Sumner, M. E. , Pusdekar, S., Kalra, L., Gonzalez-Bellido, P. T.,& Wardill,T.J. 2020 Cuttlefish use stereopsis to strike at prey. *Science Advance* 6 (2), eaay6036.

Fulvio,J.M.,Miao,H. & Rokers,B. 2021 Head jitter enhances three-dimensional motion perception. *Journal of Vision*, 21(3):12, 1–17.

Goutcher ,R. & Wilcox,L.M. 2021 Surface slant impairs disparity discontinuity discrimination. *Vision Research* 180 37–50

Harrold,A.L. & Grove,P.M. The vergence horopter. *Vision Research* 180 63–7963–79.

Hartle B. & Wilcox,L.M. 2021 Cue vetoing in depth estimation: Physical and virtual stimuli. *Vision Research* 188 51–64.

Hwang B.W. & Schütz,A.C. 2021 Idiosyncratic preferences in transparent motion and binocular rivalry are dissociable. *Journal of Vision*,20(12):3, 1–16.

Kingdom, F.A.A. & Woessner, P. 2021 Binocular summation and efficient coding. *Vision Research* 179, 53–63.

Peng, P., K, Yang & Li, L. 2021 A computational model for gestalt proximity principle on dot patterns and beyond. *Journal of Vision* 21(5):23, 1–21.

Scarfe, P. & Glennerster, A. 2021 Combining cues to judge distance and direction in an immersive virtual reality environment. *Journal of Vision* 21(4):10, 1–25.

Takao, S., Watanabe, K. & Cavanagh, P. 2021 Dynamic presentation boosts the Ebbinghaus illusion but reduces the Müller-Lyer and orientation contrast illusions. *Journal of Vision*, 21(6):4, 1–8.

Whitner, J.A., TCzuba, T.B., Lawrence K. Cormack, L.K., Huk, A.C. Spatiotemporal integration of isolated binocular three-dimensional motion cues. 2021 *Journal of Vision* (2021) 21(10):2, 1–12 1.

Yildiz, G.Y. Sperandio, I. Kettle, C. & Chouinard, P.A. 2021 Interocular transfer effects of linear perspective cues and texture gradients in the perceptual rescaling of size. *Vision Research* 179 19–33.

Yu, Y., James T. Todd, J.T. & A.A. Petrov Failures of stereoscopic shape constancy over changes of viewing distance and size for bilaterally symmetric polyhedral. 2021 *Journal of Vision* 21(6):5, 1–19.

Zeeman, E. C. (1962). The topology of the brain and visual perception. *Topology of 3-Manifolds and Related Topics*, 3, 240–256.

Zhaoping, L. 2021 Contrast-reversed binocular dot-pairs in random-dot stereograms for depth perception in central visual field: Probing the dynamics of feedforward-feedback processes in visual inference. *Vision Research* 186, 124–139.

参考文献

- Andersen, R. A., & Bradley, D. C. (1998). Three-dimensional structure from motion. *Trends in Cognitive Sciences*, 2(6), 222–228.
- Asher, J. M., & Hibbard, P. B. (2018). First-and second-order contributions to depth perception in anti-correlated random dot stereograms. *Scientific reports*, 8(1), 1–19.
- Baker, D. H., Lygo, F. A., Meese, T. S., & Georgeson, M. A. (2018). Binocular summation revisited: Beyond $\sqrt{2}$. *Psychological Bulletin*, 144(11), 1186–1199.
- Brascamp, J. W., Becker, M. W., & Hambrick, D. Z. (2018). Revisiting individual differences in the time course of binocular rivalry. *Journal of Vision*, 18(7):3, 1–20,
- Brislin, R. W. (1974). The Ponzo Illusion: Additional Cues, Age, Orientation, and Culture. *Journal of Cross-Cultural Psychology*, 5(2), 139–161.
- Burge, J., Rodriguez-Lopez, V., & Dorransoro, C. (2019). Monovision and the Misperception of Motion. *Current Biology*, 29(15), 2586–2592.
- Cao, T., Wang, L., Sun, Z., Engel, S. A., & He, S. (2018). The independent and shared mechanisms of intrinsic brain dynamics: Insights from bistable perception. *Frontiers in Psychology*, 9, 589.
- Carter, O., & Cavanagh, P. (2007). Onset rivalry: Brief presentation isolates an early independent phase of perceptual competition. *PloS One*, 2(4), e343.
- Cammack, P., & Harris, J. M. (2016). Depth perception in disparity-defined objects: Finding the balance between averaging and segregation. *Philosophical Transactions of the Royal Society of London, Series B*, 371(1697), 20150258.
- Cesaneck, E., & Domini, F. (2019). Depth cue reweighting requires altered correlations with haptic feedback. *Journal of Vision*, 19(14), 3, 1–13.
- Chen, L. (2005). The topological approach to perceptual organization. *Visual Cognition*, 12(4), 553–637.
- Chen, P. Y., Chen, C. C. & Tyler, C. W. (2016). The perceived depth from disparity as function of luminance contrast. *Journal of Vision*, 16(11):20, 1–9.
- Cohn, Leong & Lasley 1981 Binocular luminance detection: Availability of more than one central interaction. *Vision Research*, 21(7), 1017–1023.
- Cumming, B. G., Shapiro, S. E., & Parker, A. J. (1998). Disparity detection in anticorrelated stereograms. *Perception*, 27(11), 1367–1377.
- Deas, L.M., & Wilcox, L.M. (2014). Gestalt grouping via closure degrades suprathreshold depth percepts. *Journal of Vision*, 14(9):14, 1-13.

- Deas, L. M., & Wilcox, L. M. (2015). Perceptual grouping via binocular disparity: The impact of stereoscopic good continuation. *Journal of Vision*, 15(11), 11.
- Doi, T., Tanabe, S., & Fujita, I. (2011). Matching and correlation computations in stereoscopic depth perception. *Journal of Vision*, 11(3), 1
- Fang, F., Boyaci, H., Kersten, D., & Murray, S. O. (2008). Attention-Dependent Representation of a Size Illusion in Human V1. *Current Biology*, 18(21), 1707–1712.
- François, A. R. J., Medioni, G. G., & Waupotitsch, R. (2002). Reconstructing mirror symmetric scenes from a single view using 2-view stereo geometry. *Proceedings of the 16th IEEE International Conference on Pattern Recognition (Vol. 4, pp. 12–16)*. Quebec, Canada: IEEE.
- Fulvio, J.M., Rosen, M. L., & Rokers, B. (2015). Sensory uncertainty leads to systematic misperception of the direction of motion in depth. *Attention, Perception, and Psychophysics*, 77, 1685–1696.
- Gilchrist, A. L. (2018). To compute lightness, illumination is not estimated, it is held constant. *Journal of Experimental Psychology: Human Perception and Performance*, 44(8), 1258–1267.
- Glennerster, A., Rogers, B. J., & Bradshaw, M. F. (1996). Stereoscopic depth constancy depends on the subject's task. *Vision Research*, 36(2), 3441–3456.
- Goutcher, R., Connolly, E., & Hibbard, P. B. (2018). Surface continuity and discontinuity bias the perception of stereoscopic depth. *Journal of Vision*, 18(12), 13.
- Gregory, R. L. (1963). Distortion of Visual Space as Inappropriate Constancy Scaling. *Nature*, 199(4894), 678–680.
- Gregory, R. L. (1968). Perceptual illusions and brain models. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 171(1024), 279–296.
- He, D., Mo, C.e., Wang, Y., & Fang, F. (2015). Position shifts of fMRI-based population receptive fields in human visual cortex induced by Ponzo illusion. *Experimental Brain Research*, 233(12), 3535–3541.
- Johnston, E. B. (1991). Systematic distortions of shape from stereopsis. *Vision Research*, 31(7), 1351–1360.
- Kersten, D., Knill, D. C., Mamassian, P., & Bühlhoff, I. (1996). Illusory motion from shadows. *Nature*, 379, 31.
- Landy, M. S., Maloney, L. T., Johnston, E. B., & Young, M. (1995). Measurement and modeling of depth cue combination: In defense of weak fusion. *Vision Research*, 35(3), 389–412,

- Leibowitz, H., Brislin, R., Perlmutter, L., & Hennessy, R. (1969). Ponzo Perspective Illusion as a Manifestation of Space Perception. *Science*, 166(3909), 1174–1176.
- Mamassian, P., & Wallace, J. M. (2010). Sustained directional biases in motion transparency. *Journal of Vision*, 10(13):23, 1–12.
- Marr, D., & Poggio, T. (1976). Cooperative computation of stereo disparity. *Science*, 194(4262), 283–287.
- Mruczek, R. E., Blair, C. D., Strother, L., & Caplovitz, G. P. (2015). The Dynamic Ebbinghaus: motion dynamics greatly enhance the classic contextual size illusion. *Frontiers in Human Neuroscience*, 9, 77.
- Murray, S. O., Boyaci, H., & Kersten, D. (2006). The representation of perceived angular size in human primary visual cortex. *Nature Neuroscience*, 9(3), 429–434.
- Nefs, H. T., O'Hare, L., & Harris, J. M. (2010). Two independent mechanisms for motion-in-depth perception: Evidence from individual differences. *Frontiers in Psychology*, 1(OCT), 1–8.
- Nityananda, J. C. A. Read, Stereopsis in animals: Evolution, function and mechanisms(2017). *J. Exp. Biol.* 220, 2502–2512 (2017).
- Ohzawa, I., DeAngelis, G. C., & Freeman, R. D. (1990). Stereoscopic depth discrimination in the visual cortex: Neurons ideally suited as disparity detectors. *Science*, 249, 1037–1041.
- Ono, H., & Comerford, J. (1977). Stereoscopic depth constancy. In W. Epstein (Ed.), *Stability and constancy in visual perception: Mechanisms and processes*. Wiley.
- Pollard, S. B., Mayhew, J. E., & Frisby, J. P. (1985). PMF: A stereo correspondence algorithm using a disparity gradient limit. *Perception*, 14(4), 449–470.
- Reynaud, A., & Hess, R. F. (2019). An unexpected spontaneous motion-in-depth Pulfrich phenomenon in amblyopia. *Vision*, 3(4).
- Read, J. C. A., & Cumming, B. G. (2005). Effect of interocular delay on disparity-selective v1 neurons: Relationship to stereoacuity and the pulfrich effect. *Journal of Neurophysiology*, 94(2), 1541–1553.
- Read, J. C., & Eagle, R. A. (2000). Reversed stereo depth and motion direction with anticorrelated stimuli. *Vision research*, 40(24), 3345–3358.
- Rodriguez-Lopez, V., Dorransoro, C., & Burge, J. (2020). Contact Lenses, the Reverse Pulfrich Effect, and Anti-Pulfrich Monovision Corrections. *Scientific Reports*, 10(1), 1–16.
- Schütz, A. C. (2011). Motion transparency: Depth ordering and smooth pursuit eye movements. *Journal of Vision*, 11(14):21, 1–19.
- Sossinsky, A. B. (1986). Tolerance space theory and some applications. *Acta Applicandae Mathematica*, 5(2), 137–167.

Steinwurz, C., Animal, S., Cicchini, G. M., Morrone, M. C., & Binda, P. (2020). Using psychophysical performance to predict short-term ocular dominance plasticity in human adults. *Journal of Vision*, 20(7):6, 1–13.

Stanley, J., Carter, O., & Forte, J. (2011). Color and luminance influence, but cannot explain, binocular rivalry onset bias. *PLoS One*, 6(5), e18978.

Tong, F., Meng, M., & Blake, R. (2006). Neural bases of binocular rivalry. *Trends in Cognitive Sciences*, 10(11), 502–511.

Wu, W., Hatori, Y., Tseng, C.-H., Matsumiya, K., Kuriki, I., & Shioiri, S. (2020). A Motion-in-Depth Model Based on Inter-Ocular Velocity to Estimate Direction in Depth. *Vision Research*, 172, 11–26.