

## 参考文献 (2010–2019)

- Adams, W. J., Graf, E. W., & Ernst, M. O. (2004). Experience can change the 'light from-above' prior. *Nature Neuroscience*, 7, 1057–1058.
- Adelson, E. H., & Bergen, J. R. (1985). Spatiotemporal energy models for the perception of motion. *Journal of the Optical Society of America A: Optics, Image Science, and Vision*, 2(2), 284–299
- Afraz, A., Pashkam, M. V., & Cavanagh, P. (2010) Spatial heterogeneity in the perception of face and form attributes. *Current Biology: CB*, 20(23), 2112–2116.
- Aglioti, S., DeSouza, J. F., & Goodale, M. A. (1995). Size-contrast illusions deceive the eye but not the hand. *Current Biology*, 5(6), 679–685.
- Alais, D., & Blake, R. 1999 Grouping visual features during binocular rivalry. *Vision Research*, 39, 4341–4353.
- Alais, D., & Melcher, D. (2007). Strength and coherence of binocular rivalry depends on shared stimulus complexity. *Vision Research*, 47(2), 269–279.
- Alais, D., Cass, J., O'Shea, R. P., & Blake, R. (2010). Visual sensitivity underlying changes in visual consciousness. *Current Biology*, 20, 1362–1367.
- Albright, T. D., & Stoner, G. R. (2002). Contextual influences on visual processing. *Annual Review of Neuroscience*, 25, 339–379.
- Allman, J., Miezin, F., & McGuinness, E. 1985 Direction- and velocity-specific responses from beyond the classical receptive field in the middle temporal visual area (MT). *Perception*, 14, 105–126.
- Andersen, G. J. 1990 Focused attention in three-dimensional space. *Perception & Psychophysics*, 47, 112–120.
- Andersen, G. J., & Kramer, A. F. 1993 Limits of focused attention in three-dimensional space. *Perception & Psychophysics*, 53, 658–667.
- Andersen, R.A.(1997).Neural mechanisms of visual motion perception in primates. *Neuron*, 18, 865–872.
- Anderson, B. L. (1994). The role of partial occlusion in stereopsis. *Nature*, 367,365–368.
- Andrews, B. W., & Pollen, D. A. (1979). Relationship between spatial frequency selectivity and receptive field profile of simple cells. *Journal of Physiology–London*, 287, 163–167.
- Andrews, D. P. (1967). Perception of contour orientation in the central fovea. I: Short lines. *Vision Research*, 7, 975–997.
- Andrews, T. J.& Blakemore, C. 1999 Form and motion have independent access to consciousness. *Nature Neuroscience*, 2, 405–406.

- Andrews, T. J. & Blakemore, C. 1999 Form and motion have independent access to consciousness. *Nature Neuroscience*, 2, 405–406
- Andrews, T. J. & Blakemore, C. 2002 Integration of motion information during binocular rivalry. *Vision Research*, 42, 301–309.
- Andrews, T. J., & Purves, D. (1997). Similarities in normal and binocularly rivalrous viewing. *Proceedings of the National Academy of Sciences, USA*, 94(18), 9905–9908.
- Anstis, S. M., Howard, I. P., & Rogers, B. (1978). A Craik-O'Brien-Cornsweet illusion for visual depth. *Vision Research*, 18(2), 213–217.
- Anzai, A., Ohzawa, I., & Freeman, R. D. (1999). Neural mechanisms for encoding binocular disparity: Receptive field position versus phase. *Journal of Neurophysiology*, 82, 874–890.
- Apkarian, P., Bour, L., Barth, P., Wenniger-Prick, L., & Verbeeten, B. (1995). Non-decussating retinal fugal fiber syndrome. *Brain*, 118, 1195–1216.
- Arcand, C., Tremblay, E., Vannasing, P., Ouimet, C., Roy, M.-S., Fallaha, N., et al. (2007). Development of visual texture segregation during the first year of life: A high-density electrophysiological study. *Experimental Brain Research*, 180(2), 263–272.
- Arnold, D. H. (2011). Why is binocular rivalry uncommon? Discrepant monocular images in the real world. *Frontiers in Human Neuroscience*, 5, 116.
- Arnott, S. R., & Shedden, J. M. 2000 Attention switching in depth using random-dot autostereograms: Attention gradient asymmetries. *Perception & Psychophysics*, 62, 1459–1473.
- Assee, A., & Qian, N. (2007). Solving daVinci stereopsis with depth-edge-selective V2 cells. *Vision Research*, 47, 2585–2602.
- Atkinson, J., & Braddick, O. (1976). Stereoscopic discrimination in infants. *Perception*, 5(1), 29–38.
- Atkinson, J., Hood, B., Wattam-Bell, J., Anker, S., & Tricklebank, J. (1988). Development of orientation discrimination in infancy. *Perception*, 17(5), 587–595.
- Avarvand, F. S., Bosse, S., Muller, K. R., Schafer, R., Nolte, G., Wiegand, T., Samek, W. (2017). Objective quality assessment of stereoscopic images with vertical disparity using EEG. *Journal of Neural Engineering*, 14(4),
- Bach, M., & Meigen, T. (1992). Electrophysiological correlates of texture segregation in the human visual evoked potential. *Vision Research*, 32(3), 417–424.
- Bach, M., & Meigen, T. (1997). Similar electrophysiological correlates of texture segregation induced by luminance, orientation, motion and stereo. *Vision Research*, 37(11), 1409–1414.
- Bach, M., & Meigen, T. (1999). Electrophysiological correlates of human texture segregation, an

- overview. *Documenta Ophthalmologica*, 95(3–4), 335–347.
- Bach, M., & Meigen, T. (1992). Electrophysiological correlates of texture segregation in the human visual evoked potential. *Vision Research*, 32, 417–424.
- Bach, M., Schmitt, C., Quenzer, T., Meigen, T., & Fahle, M. (2000). Summation of texture segregation across orientation and spatial frequency: Electrophysiological and psychophysical findings. *Vision Research*, 40, 3559–3566.
- Backus, B. T., & Haijiang, Q. (2007). Competition between newly recruited and preexisting visual cues during the construction of visual appearance. *Vision Research*, 47(7), 919–924.
- Backus, B. T., Fleet, D. J., Parker, A. J., & Heeger, D. J. (2001). Human cortical activity correlates with stereoscopic depth perception. *Journal of Neurophysiology*, 86(4), 2054–2068.
- Backus, B. T., Fleet, D. J., Parker, A. J., & Heeger, D. J. (2001). Human cortical activity correlates with stereoscopic depth perception. *Journal of Neurophysiology*, 86, 2054–2068.
- Baird, J. C., & Wagner, M. (1991). Transformation theory of size judgment. *Journal of Experimental Psychology: Human Perception and Performance*, 17, 852–864.
- Baker, C. L., & Mareschal, I. (2001). Processing of second-order stimuli in the visual cortex. *Progress in Brain Research*, 134, 171–191.
- Baker, D. H., Meese, T. S., & Hess, R. F. (2008). Contrast masking in strabismic amblyopia: Attenuation, noise, interocular suppression and binocular summation. *Vision Research*, 48(15), 1625–1640.
- Baker, D. H., Meese, T. S., Mansouri, B., & Hess, R. F. (2007). Binocular summation of contrast remains intact in strabismic amblyopia. *Investigative Ophthalmology and Visual Science*, 48, 5332–5338.
- Bakin, J. S., Nakayama, K., & Gilbert, C. D. (2000). Visual responses in monkey areas V1 and V2 to three dimensional surface configurations. *Journal of Neuroscience*, 20, 8188–8198.
- Baldwin, A. S., & Hess, R. F. (2018). The mechanism of short-term monocular deprivation is not simple: Separate effects on parallel and cross-oriented dichoptic masking. *Scientific Reports*, 8(1): 6191.
- Ban, H., Preston, T. J., Meeson, A., & Welchman, A. E. (2012). The integration of motion and disparity cues to depth in dorsal visual cortex. *Nature Neuroscience*, 15, 636–643.
- Ban, H., Yamamoto, H., Hanakawa, T., Urayama, S. I., Aso, T., Fukuyama, H., et al. (2013). Topographic representation of an occluded object and the effects of spatiotemporal context in human early visual areas. *The Journal of Neuroscience*, 33(43), 16992–17007.
- Bandettini, P., Wong, E., Hinks, R., Tikofsky, R., & Hyde, J. (1992). Time course EPI of human brain function during task activation. *Magnetic Resonance in Medicine*, 25, 390–397.
- Banton, T., & Levi, D. M. (1991). Binocular summation in vernier acuity. *Journal of the Optical Society of*

- American Journal of Optics and Image Science, 8, 673–680.
- Bar, M. (2004). Visual objects in context. *Nature Reviews: Neuroscience*, 5, 617–629.
- Bar, M., Kassam, K. S., Ghuman, A. S., Boshyan, J., Schmid, A. M., Dale, A. M., et al. (2006). Top-down facilitation of visual recognition. *Proceedings of the National Academy of Sciences USA*, 103, 449–454.
- Barbeito, R., & Simpson, T. L. (1991). The relationship between eye position and egocentric visual direction. *Perception & Psychophysics*, 50, 373–382.
- Baron-Cohen, S., Ashwin, E., Ashwin, C., Tavassoli, T., & Chakrabarti, B. (2009). Talent in autism: Hyper-systemizing, hyper-attention to detail and sensory hypersensitivity. *Philosophical Transactions of the Royal Society of London. Series B, Biological sciences*, 364(1522), 1377–1383.
- Barrett, B. T., Pacey, I. E., Bradley, A., Thibos, L. N., & Morrill, P. (2003). Nonveridical visual perception in human amblyopia. *Investigative Ophthalmology & Visual Science*, 44(4), 1555–1567.
- Barry, S. R. (2009). *Fixing my gaze: A scientist's journey into seeing in three dimensions*. New York: Basic Books.
- Bartels, A., & Logothetis, N. (2010). Binocular rivalry: A time dependence of eye and stimulus contributions. *Journal of Vision*, 10, 1–14.
- Bearse, M. A., Jr, & Freeman, R. D. (1994). Binocular summation in orientation discrimination depends on stimulus contrast and duration. *Vision Research*, 34, 19–29.
- Bekkering, H., & Neggers, S. F. W. (2002). Visual search is modulated by action intentions. *Psychological Science: A Journal of the American Psychological Society / APS*, 13(4), 370–374.
- Berends, E. M., Liu, B., & Schor, C. M. (2005). Stereo-slant adaptation is high level and does not involve disparity coding. *Journal of Vision*, 5, 71–80.
- Bex, P. J., & Makous, W. (2002). Spatial frequency, phase, and the contrast of natural images. *Journal of the Optical Society of America A*, 19(6), 1096–1106.
- Bi, T., Cai, P., Zhou, T., & Fang, F. (2009). The effect of crowding on orientation selective adaptation in human early visual cortex. *Journal of Vision*, 9(11), 13, 11–10.
- Bidwell, L. C., Holzman, P. S., & Chen, Y. (2006). Aging and visual motion discrimination in normal adults and schizophrenia patients. *Psychiatry Research*, 145, 1–8.
- Biederman, I. (1987). Recognition-by-components: A theory of human image understanding. *Psychological Review*, 94, 115–147.
- Biederman, I., & Cooper, E. E. (1991). Priming contour-deleted images: Evidence for intermediate representations in visual object recognition. *Cognitive Psychology*, 23(3), 393–419.
- Biederman, I., & Kalocjai, P. (1997). Neurocomputational bases of object and face recognition.

Philosophical Transactions of the Royal Society of London Series B—Biological Sciences, 352(1358), 1203–1219.

Bingham, G. P., & Lind, M. (2008). Large continuous perspective transformations are necessary and sufficient for accurate perception of metric shape. *Perception & Psychophysics*, 70(3), 524–540.

Bingham, G. P., & Pagano, C. C. (1998). The necessity of a perception-action approach to definite distance perception: Monocular distance perception to guide reaching. *Journal of Experimental Psychology: Human Perception and Performance*, 24, 145–168.

Birch, E. E. (2013). Amblyopia and binocular vision. *Progress in Retinal and Eye Research*, 33, 67–84.

Birch, E. E., Gwiazda, J., & Held, R. (1983). The development of vergence does not account for the onset of stereopsis. *Perception*, 12(3), 331–336.

Birch, E. E., Morale, S. E., Jost, R. M., De La Cruz, A., Kelly, K. R., Wang, Y. Z., & Bex, P. J. (2016). Assessing suppression in amblyopic children with a dichoptic eye chart. *Investigative Ophthalmology & Visual Science*, 57(13), 5649–5654.

Bishop, P. O., & Pettigrew, J. D. (1986). Neural mechanisms of binocular vision. *Vision Research*, 26, 1587–1600.

Blake, R. (1989). A neural theory of binocular rivalry. *Psychological Review*, 96, 145–167.

Blake, R., & Camisa, J. 1979 The inhibitory nature of binocular rivalry suppression. *Journal of Experimental Psychology*, 5, 315–323.

Blake, R., & He, S. (2005). Visual adaptation as a tool for studying the neural correlates of conscious visual awareness. In C. Clifford & G. Rhodes (Eds.), *Fitting the mind to the world* (pp. 281–307). Oxford University Press.

Blake, R., & He, S. 2005 Visual adaptation as a tool for studying the neural correlates of conscious visual awareness. In C. Clifford & G. Rhodes (Eds.), *Fitting the mind to the world* (pp. 281–307). Oxford University Press.

Blake, R., & Logothetis, N. K. (2002). Visual competition. *Nature Reviews Neuroscience*, 3(1), 13–21.

Blake, R., & Wilson, H. (2011). Binocular vision. *Vision Research*, 51(7), 754–770.

Blake, R., O’Shea, R. P., & Mueller, T. J. (1992). Spatial zones of binocular rivalry in central and peripheral vision. *Visual Neuroscience*, 8(5), 469–478.

Blake, R., Sobel, K., & Gilroy, L. A. (2003). Visual motion retards alternations between conflicting perceptual interpretations. *Neuron*, 39, 869–878.

Blake, R., Tadin, D., Sobel, K. V., Raissian, T. A., & Chong, S. C. (2006). Strength of early visual adaptation depends on visual awareness. *Proceedings of the National Academy of Sciences of the United States of*

- America, 103(12), 4783–4788.
- Blake, R., Westendorf, D., & Fox, R. (1990). Temporal perturbations of binocular rivalry. *Perception & Psychophysics*, 48, 593–602.
- Blake, R., Yu, K., Lokey, M., & Norman, H. (1998) Binocular rivalry and motion perception. *Journal of Cognitive Neuroscience*, 10(1), 46–60.
- Blake, R., Zimba, L., & Williams, D. (1985). Visual motion, binocular correspondence and binocular rivalry. *Biological Cybernetics*, 52(6), 391–397.
- Blakemore, C. (1970). A new kind of stereoscopic vision. *Vision Research*, 10,1181–1199.
- Blakemore, C. (1970). The range and scope of binocular depth discrimination in man. *The Journal of Physiology*, 211(3), 599–622.
- Blakemore, C. & Campbell, F.W. 1969 On the existence of neurons in the human visual system selectively sensitive to the orientation and size of retinal images. *Journal of Physiology*, 203,237-260.
- Blumenfeld, W. 1913 Untersuchungen über die scheinbare Grösse im Sehraume. *Zeitschrift für Psychologie*, 65, 241-404.
- Bonneh, Y. S., Cooperman, A., & Sagi, D. 2001) Motion-induced blindness in normal observers. *Nature*, 411, 798–801.
- Bonneh, Y. S., Donner, T. H., Cooperman, A., Heeger, D. J., & Sagi, D. (2014). Motion-induced blindness and troxler fading: Common and different mechanisms. *PLoS One*, 9(3):e92894.
- Bonneh, Y., Donner, T., Cooperman, A., Heeger, D., & Sagi, D. (2014). Motion-induced blindness and Troxler fading: Common and different mechanisms. *PLoS One*, 9(3), e92894.
- Born, R. T. 2000 Center–surround interactions in the middle temporal visual area of the owl monkey. *Journal of Neurophysiology*, 84, 2658–2669.
- Born, R. T., & Bradley, D. C. 2005 Structure and function of visual area MT. *Annual Review of Neuroscience*, 28, 157–189.
- Born, R. T., & Tootell, R. B. H. 1992 Segregation of global and local motion processing in primate middle temporal visual area. *Nature*, 357, 497–499.
- Born, R. T., Groh, J. M., Zhao, R., & Lukasewycz, S. J. (2000). Segregation of object and background motion in visual area MT: Effects of microstimulation on eye movements. *Neuron*, 26(3), 725–734.
- Bornstein, M. H., Krinsky, S. J., & Benasich, A. A. (1986). Fine orientation discrimination and shape constancy in young infants. *Journal of Experimental Psychology*, 41, 49–60.
- Bossink, C. J. H., Stalmeier, P. F. M., & de Weert, C. M. M. (1993). A test of Levelt’s second proposition for binocular rivalry. *Vision Research*, 33(10), 1413–1419.

- Bouvier, S. E., Cardinal, K. S., & Engel, S. A. (2008). Activity in visual area V4 correlates with surface perception. *Journal of Vision*, 8, 1–9.
- Bozzacchi, C., & Domini, F. (2015). Lack of depth constancy for grasping movements in both virtual and real environments. *Journal of Neurophysiology*, 114(4), 2242–2248.
- Bradley, D. C., & Andersen, R. A. (1998). Center–surround antagonism based on disparity in primate area MT. *Journal of Neuroscience*, 18, 7552–7565.
- Bradley, D. C., Qian, N., & Andersen, R. A. (1995). Integration of motion and stereopsis in middle temporal cortical area of macaques. *Nature*, 373, 609–611.
- Bradshaw, M. F., & Rogers, B. J. (1999). Sensitivity to horizontal and vertical corrugations defined by binocular disparity. *Vision Research*, 39(18), 3049–3056.
- Bradshaw, M. F., Glennerster, A., & Rogers, B. J. (1996). The effect of display size on disparity scaling from differential perspective and vergence cues. *Vision Research*, 36, 1255–1264.
- Bradshaw, M. F., Hibbard, P. B., Parton, A. D., Rose, D., & Langley, K. (2006). Surface orientation, modulation frequency and the detection and perception of depth defined by binocular disparity and motion parallax. *Vision Research*, 46, 2636–2644.
- Bradshaw, M. F., Hibbard, P. B., Parton, A. D., Rose, D., & Langley, K. (2006). Surface orientation, modulation frequency and the detection and perception of depth defined by binocular disparity and motion parallax. *Vision Research*, 46(17), 2636–2644.
- Brandt, T., Dichgans, J. M., & Koenig, E. (1973). Differential effects of central versus peripheral vision on egocentric and exocentric motion perception. *Experimental Brain Research*, 16, 476–491.
- Brascamp, J. W., & Blake, R. (2012). Inattention abolishes binocular rivalry: Perceptual evidence. *Psychological Science*, 23(10), 1159–1167.
- Brascamp, J. W., Klink, P. C., & Levelt, W. J. M. (2015). The “laws” of binocular rivalry: 50 years of Levelt’s propositions. *Vision Research*, 109, 20–37.
- Brascamp, J. W., van Ee, R., Noest, A. J., Jacobs, R. H. A. H., & van den Berg, A. V. (2006). The time course of binocular rivalry reveals a fundamental role of noise. *Journal of Vision*, 6(11), 1244–1256. <http://dx.doi.org/10.1167/6.11.8>.
- Brascamp, J., Blake, R., & Knapen, T. (2015). Negligible fronto-parietal BOLD activity accompanying unreportable switches in bistable perception. *Nature Neuroscience*, 18(11), 1672–1678.
- Breese, B. B. (1899). On inhibition. *Psychological Monographs*, 3, 1–65.
- Brefczynski, J. A., & DeYoe, E. A. (1999). A physiological correlate of the ‘spotlight’ of visual attention. *Nature Neuroscience*, 2(4), 370–374.

- Brenner, E., & Smeets, J. B. J. 2000 Comparing extra-retinal information about distance and direction. *Vision Research*, 40, 1649–1651
- Bressan, P., Garlaschelli, L., & Barracano, M. 2003 Antigravity hills are visual illusions. *Psychological Science*, 14, 441–449.
- Brewer, A. A., Press, W. A., Logothetis, N. K., & Wandell, B. A. (2002). Visual areas in macaque cortex measured using functional magnetic resonance imaging. *Journal of Neuroscience*, 22(23), 10416–10426.
- Bridgeman, B., Kirch, M., & Sperling, A. (1981) Segregation of cognitive and motor aspects of visual function using induced motion. *Perception & Psychophysics*, 29(4), 336–342. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7279556>.
- Britten, K. H., Shadlen, M. N., Newsome, W. T., & Movshon, J. A. (1992). The analysis of visual motion: A comparison of neuronal and psychophysical performance. *Journal of Neuroscience*, 12(12), 4745–4765.
- Bronstein, A. M. & Buckwell, D. 1997 Automatic control of postural sway by visual motion parallax. *Experimental Brain Research*, 113, 243–248.
- Brooks, K. R., & Stone, L. S. (2004). Stereomotion speed perception: Contributions from both changing disparity and interocular velocity difference over a range of relative disparities. *Journal of Vision*, 41, 1061–1079.
- Brouwer, G. J., & Heeger, D. J. (2009). Decoding and reconstructing color from responses in human visual cortex. *Journal of Neuroscience*, 29(44), 13992–14003.
- Brouwer, G. J., van Ee, R., & Schwarzbach, J. (2005). Activation in visual cortex correlates with the awareness of stereoscopic depth. *Journal of Neuroscience*, 25(45), 10403–10413.
- Brown, R. J., & Norcia, A. M. (1997). A method for investigating binocular rivalry in real-time with the steady-state VEP. *Vision Research*, 37, 2401–2408.
- Buckthorpe, A. & Wilson, H. R. 2007 Interaction between binocular rivalry and depth in plaid patterns. *Vision Research*, 47, 2543–2556.
- Buckthorpe, A., Jessula, S., & Mendola, J. D. (2011). Bistable percepts in the brain: fMRI contrasts monocular pattern rivalry and binocular rivalry. *PLoS One*, 6(5).
- Burr, D. C., Morrone, M. C., & Ross, J. (2001) Separate visual representations for perception and action revealed by saccadic eye movements. *Current Biology: CB*, 11(10), 798–802. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11378393>.
- Burt, P., & Julesz, B. (1980). A disparity gradient limit for binocular fusion. *Science*, 208, 615–617.
- Bülthoff, H. H., & Edelman, S. (1992). Psychophysical support for a 2-dimensional view interpolation



- theory of object recognition. *Proceedings of the National Academy of Sciences of the United States of America*, 89, 60–64.
- Bülthoff, H. H., & Yuille, A. 1990 Shape-from-X: Psychophysics and computation. *Proceedings of the SPIE*, 1383, 165–172.
- Bülthoff, H. H., Edelman, S. Y., & Tarr, M. J. (1995). How are three-dimensional objects represented in the brain? *Cerebral Cortex*, 5, 247–260.
- Cammack, P., & Harris, J. M. (2016). Depth perception in disparity-defined objects: Finding the balance between averaging and segregation. *Philosophical Transactions of the Royal Society of London: B*, 371(1697), 20150258.
- Cao, T., Wang, L., Sun, Z., Engel, S. A., & He, S. (2018). The independent and shared mechanisms of intrinsic brain dynamics: Insights from bistable perception. *Frontiers in Psychology*, 9(April), 589.
- Caputo, G. (1998). Texture brightness filling-in. *Vision Research*, 38, 841–851.
- Caputo, G., & Casco, C. (1999). A visual evoked potential correlate of global figure–ground segmentation. *Vision Research*, 39, 1597–1610.
- Cardin, V., & Smith, A. T. (2010). Sensitivity of human visual and vestibular cortical regions to egomotion-compatible visual stimulation. *Cerebral Cortex*, 20(8), 1964–1973, <http://dx.doi.org/10.1093/cercor/bhp268>.
- Cardin, V., Sherrington, R., Hemsforth, L., & Smith, A. T. (2012). Human V6: Functional characterization and localisation. *PLoS ONE*, 7(10), e47685. <http://dx.doi.org/10.1371/journal.pone.0047685>.
- Carlson, T. A., & He, S. (2004). Competing global representations fail to initiate binocular rivalry. *Neuron*, 43(6), 907–914.
- Carney, T., Shadlen, M., & Switkes, E. 1987 Parallel processing of motion and colour information. *Nature*, 328, 647–649.
- Caron, A. J., Caron, R. F., & Carlson, V. (1979). Infant perception of the invariant shape of objects varying in slant. *Child Development*, 50, 716–721.
- Carter, O. L., & Pettigrew, J. D. (2003). A common oscillator for perceptual rivalries? *Perception*, 32(3), 295–305.
- Carter, O., & Cavanagh, P. (2007). Onset rivalry: Brief presentation isolates an early independent phase of perceptual competition. *PLoS One*, 2(4), e343.
- Cartwright, B. A., & Collett, T. S. (1983). Landmark learning in bees: Experiments and models. *Journal of Comparative Physiology*, 151, 521–543.
- Casati, R. (2004). The shadow knows: A primer on the informational structure of cast shadows.

- Perception, 33, 1385–1396.
- Casco, C., Grieco, A., Campana, G., Corvino, M. P., & Caputo, G. (2005). Attention modulates psychophysical and electrophysiological response to visual texture segmentation in humans. *Vision Research*, 45(18), 2384–2396.
- Casile, A., & Giese, M. A. (2006). Nonvisual motor training influences biological motion perception. *Current Biology*, 16(1), 69–74.
- Cass, J., & Van der Burg, E. (2014). Remote temporal camouflage: Contextual flicker disrupts perceived visual temporal order. *Vision Research*, 103, 92–100.
- Cassanello, C.R., Edwards, M., Badcock, D.R. & Nishida, S. 2011 No interaction of first- and second-order signals in the extraction of global-motion and optic-flow. *Vision Research*, 51, 352–361.
- Castiello, U. (2001). Implicit processing of shadows. *Vision Research*, 41(18), 2305–2309.
- Cavanagh, P., & Anstis, S. M. (2013). The flash grab effect. *Vision Research*, 91, 8–20.
- Chadhuri, A. & Albright, T.D. 1997 Neuronal responses to edges defined by luminance vs. temporal texture in macaque area V1. *Visual Neuroscience*, 14, 949–962.
- Chadnova, E., Reynaud, A., Clavagnier, S., & Hess, R. (2016). Dichoptic imbalance of luminance affects the phase component of steady-state MEG signals. *Journal of Vision*, 16(12), 433.
- Chakravarthi, R., & Cavanagh, P. (2009). Recovery of a crowded object by masking
- Chen, L. (1982). Topological structure in visual perception. *Science*, 218, 699–700.
- Chen, L. (2005). The topological approach to perceptual organization. *Visual Cognition*, 12(4).
- Chen, L., Qiao, C., Wang, Y., & Jiang, Y. (2018). Subconscious processing reveals dissociable contextual modulations of visual size perception. *Cognition*, 180, 259–267.
- Chen, Y., & Qian, N. (2004) A coarse-to-fine disparity energy model with both phase-shift and position-shift receptive field mechanisms. *Neural Computation*, 16, 1545–1577.
- Chien, S. H. L., Lin, Y. L., Qian, W. L., Zhou, K., Lin, M. K., & Hsu, H. Y. (2012). With or without a hole: Young infants' sensitivity for topological versus geometric property. *Perception*, 41, 305–318.
- Chino, Y. M., Smith, E. L., III, Hatta, S., & Cheng, H. (1997) Postnatal development of binocular disparity sensitivity in neurons of the primate visual cortex. *Journal of Neuroscience*, 17(1), 296–307.
- Cholewiak, S. A., Love, G. D., & Banks, M. S. (2018). Creating correct blur and its effect on accommodation. *Journal of Vision*, 18(9), 1–29.
- Chong, S. C., & Blake, R. (2006). Exogenous attention and endogenous attention influence initial dominance in binocular rivalry. *Vision Research*, 46, 1794–1803.
- Chrastil, E. R., & Warren, W. H. (2014). From cognitive maps to cognitive graphs. *PLoS One*, 9(11),

e112544.

- Chung, S. T., Levi, D. M., & Legge, G. E. (2001). Spatial-frequency and contrast properties of crowding. *Vision Research*, 41(14), 1833–1850.
- Churan, J., & Ilg, U. (2001). Processing of second-order motion stimuli in primate middle temporal area and medial superior temporal area. *Journal of Optical Society of America A: Optics, Image Science, and Vision*, 18, 2297–2306.
- Churan, J., & Ilg, U. (2001). Processing of second-order motion stimuli in primate middle temporal area and medial superior temporal area. *Journal of Optical Society of America A: Optics, Image Science, and Vision*, 18, 2297–2306.
- Ciner, E. B., Scheiman, M. M., Schanel-Klitsch, E., & Weil, L. (1989). Stereopsis testing in 18- to 35-month old children using operant preferential looking. *Optometry & Vision Science*, 66, 782–787.
- Cisarik, P. M., & Harwerth, R. S. (2008). The effects of interocular correlation and contrast on stereoscopic depth magnitude estimation. *Optometry and Vision Science*, 85, 164–173.
- Ciuffreda, K. J., Kenyon, R. V., & Stark, L. (1978). Increased saccadic latencies in amblyopic eyes. *Investigative Ophthalmology & Visual Science*, 17(7), 697–702.
- Cloete, S., & Wallis, G. (2011). Visuomotor control of steering: The artefact of the matter. *Experimental Brain Research*, 208, 475–489.
- Coello, Y., & Magne, P. (2000). Determination of target distance in a structured environment: Selection of visual information for action. *European Journal of Cognitive Psychology*, 12, 489–519.
- Collett, T. S., Schwarz, U., & Sobel, E. C. (1991). The interaction of oculomotor cues and stimulus size in stereoscopic depth constancy. *Perception*, 20(6), 733–754.
- Titmus, TNO, and Randot stereo tests. *Journal of the American Optometric Association*, 50, 821–825.
- Cooper, J., Feldsman, J., & Pasner, K. (2000). Intermittent exotropia: Stimulus characteristics after tests for retinal correspondence and suppression. *Binocular Vision & Strabismus Quarterly*, 15, 131–140.
- Cormack, L. K., Stevenson, S. B., & Schor, C. M. (1993). Disparity-tuned channels of the human visual system. *Visual Neuroscience*, 10, 585–596.
- Cornilleau-Pérès, V., Wexler, M., Droulez, J., Marin, E., Miede, C., & Bourdoncle, B. (2002). Visual perception of planar orientation: Dominance of static depth cues over motion cues. *Vision Research*, 42, 1403–1412.
- Cotton, P. L., & Smith, A. T. (2007). Contralateral visual hemifield representations in the human pulvinar nucleus. *Journal of Neurophysiology*, 98(3), 1600–1609.
- Coutant, B. E., & Westheimer, G. (1993). Population distribution of stereoscopic ability. *Ophthalmic and*

Physiological Optics, 13(1), 3–7.

- Craighero, L., Fadiga, L., Rizzolatti, G., Umiltà, C. (1999). Action for perception. A motor - visual attentional effect. *Journal of Experimental Psychology. Human Perception & Performance*, 25(6), 1673–1692.
- Cross, E. S., Hamilton, A. F., & Grafton, S. T. 2006 Building a motor simulation de novo: Observation of dance by dancers. *Neuroimage*, 31, 1257–1267.
- Cumming, B. G. B., Shapiro, S. E. S., & Parker, A. J.A. (1998). Disparity detection in anticorrelated stereograms. *Perception*, 27, 1367–1377.
- Cumming, B. G., & DeAngelis, G. C. (2001). The physiology of stereopsis. *Annual Review of Neuroscience*, 24(1), 203–238.
- Cumming, B. G., & Parker, A. J. 1999 Binocular neurons in V1 of awake monkeys are selective for absolute, not relative, disparity. *The Journal of Neuroscience*, 19, 5602–5618.
- Da Silva, J. A. (1985). Scales for perceived egocentric distance in a large openfield: Comparison of three psychophysical methods. *The American Journal of Psychology*, 98, 119–144.
- Dakin, S., Tibber, M. S., Greenwood, J. A., Kingdom, F. A. A., & Morgan, M. (2011). A common visual metric for approximate number and density. *Proceedings of the National Academy of Sciences, USA*, 108(49), 19552–19557, <http://www.ncbi.nlm.nih.gov/pubmed/22106276>, doi:10.1073/pnas.1131951108.
- Dale, A. M., Fischl, B., & Sereno, M. I. (1999). Cortical surface-based analysis. Segmentation and surface reconstruction. *NeuroImage*, 9(2), 179–194.
- Danckert, J., & Goodale, M. (2003). Ups and downs in the visual control of action. In S. H. Johnson-Frey (Ed.), *Taking action: Cognitive neuroscience perspectives on intentional acts* (pp. 29–64). Cambridge, MA: MIT Press.
- Dannemiller, J. L. (1998). Color constancy and color vision during infancy: Methodological and empirical issues. In V. Walsh & J. Kulikowski (Eds.), *Perceptual constancy: Why things look as they do* (pp. 229–261). New York: Cambridge University Press.
- Day, R. H., & McKenzie, B. E. (1981). Infant perception of the invariant size of approaching and receding objects. *Developmental Psychology*, 17, 670–677.
- De Graaf, T. A., De Jong, M. C., Goebel, R., Van Ee, R., & Sack, A. T. (2011). On the functional relevance of frontal cortex for passive and voluntarily controlled bistable vision. *Cerebral Cortex*. 21(10), 2322–2331
- DeAngelis, G. C., & Uka, T. (2003). Coding of horizontal disparity and velocity by MT neurons in the alert macaque. *Journal of Neurophysiology*, 89, 1094–1111.

- DeAngelis, G. C., Ohzawa, I., & Freeman, R. D. (1991, July 11). Depth is encoded in the visual cortex by a specialized receptive field structure. *Nature*, 352(6331), 156–159.
- Deas, L. M., & Wilcox, L. M. (2014). Gestalt grouping via closure degrades suprathreshold depth percepts. *Journal of Vision*, 14(9):14, 1–13.
- Deas, L. M., & Wilcox, L. M. (2015). Perceptual grouping via binocular disparity: The impact of stereoscopic good continuation. *Journal of Vision*, 15(11):11, 1–13.
- Del Águila-Carrasco, A. J., Marín-Franch, I., Bernal-Molina, P., Esteve-Taboada, J. J., Kruger, P. B., Montés-Micó, R., & López-Gil, N. (2017). Accommodation responds to optical vergence and not defocus blur alone. *Investigative Ophthalmology and Visual Science*, 58(3), 1758–1763.
- Diamond, R., & Carey, S. (1986). Why faces are and are not special: An effect of expertise. *Journal of Experimental Psychology. General*, 115(2), 107–117.
- Dichgans, J., & Brandt, T. (1978). Visual-vestibular interaction: Effects on self-motion perception and postural control. In R. Held, H.W. Leibowitz, & H.L. Teuber (Eds.), *Handbook of sensory physiology*, (Vol. 8, pp. 755–804). Heidelberg, Berlin: Springer.
- Dijkerman, H. C., Milner, A. D., & Carey, D. P. (1996). The perception and prehension of objects oriented in the depth plane. I. Effects of visual form agnosia. *Experimental Brain Research*, 112(3), 442–451.
- Dijkstra, T. M., Cornilleau-Pérès, V., Gielen, C. C., & Droulez, J. 1995 Perception of three-dimensional shape from ego- and object-motion: Comparison between small- and large-field stimuli. *Vision Research*, 35, 453–462.
- Di Luca, M., Domini, F., & Caudek, C. 2004 Spatial integration in structure from motion. *Vision Research*, 44, 3001–3013.
- Ding, J., & Sperling, G. (2006). A gain-control theory of binocular combination. *Proceedings of the National Academy of Sciences of the United States of America*, 103, 1141–1146.
- Doerschner, K., Fleming, R., Yilmaz, O., Schrater, P., Hartung, B., & Kersten, D. (2011). Visual motion and the perception of surface material. *Current Biology*, 21, 2010–2016.
- Doerschner, K., Kersten, D., & Schrater, P. R. (2011) Rapid classification of specular and diffuse reflection from image velocities. *Pattern Recognition*, 44, 1874–1884.
- Doerschner, K., Yilmaz, O., Kucukoglu, G., & Fleming, R. W. (2013). Effects of surface reflectance and 3d shape on perceived rotation axis. *Journal of Vision*, 13(11):8, 1–23.
- Doi T., Takano, M., & Fujita, I. (2013). Temporal channels and disparity representations in stereoscopic depth perception. *Journal of Vision*, 13(13): 26, 1–25.
- Doi, T., & Fujita, I. (2014). Cross-matching: A modified cross-correlation underlying threshold energy

- model and match-based depth perception. *Frontiers in Computational Neuroscience*, 8, 127.
- Doi, T., Takano, M., & Fujita, I. (2013). Temporal channels and disparity representations in stereoscopic depth perception. *Journal of Vision*, 13(13): 26, 1–25.
- Doi, T., Tanabe, S., & Fujita, I. (2011). Matching and correlation computations in stereoscopic depth perception. *Journal of Vision*, 11(3):1, 1–16.
- Doi, T., Tanabe, S., & Fujita, I. (2011). Matching and correlation computations in stereoscopic depth perception. *Journal of Vision*, 11(3):1, 1–16.
- Domini, F., & Caudek, C. 2003a Recovering slant and angular velocity from a linear velocity field: Modeling and psychophysics. *Vision Research*, 43, 1753–1764.
- Domini, F., & Caudek, C. 2003b 3-D structure perceived from dynamic information: A new theory. *Trends in Cognitive Sciences*, 7, 444–449.
- Domini, F., Caudek, C., & Tassinari, H. 2006 Stereo and motion information are not independently processed by the visual system. *Vision Research*, 46, 1707–1723.
- Doniger, G. M., Foxe, J. J., Murray, M. M., Higgins, B. A., Snodgrass, J. G., Schroeder, C.E., et al. (2000). Activation time course of ventral visual stream object recognition areas: High density electrical mapping of perceptual closure processes. *Journal of Cognitive Neuroscience*, 12, 615–621.
- Doniger, G. M., Foxe, J. J., Schroeder, C. E., Murray, M. M., Higgins, B. A., & Javitt, D. C. (2001). Visual perceptual learning in human object recognition areas: A repetition priming study using high-density electrical mapping. *NeuroImage*, 13, 305–313.
- Dovencioğlu, D. N., Wijntjes, M. W., Ben-Shahar, O., & Doerschner, K. (2015). Effects of surface reflectance on local second order shape estimation in dynamic scenes. *Vision Research*, 115, 218–230.
- Duffy, C. J., & Wurtz, R. H. (1991a). Sensitivity of MST neurons to optic flow stimuli. I. A continuum of response selectivity to large-field stimuli. *Journal of Neurophysiology*, 65(6), 1329–1345.
- Duffy, C. J., & Wurtz, R. H. (1991b). Sensitivity of MST neurons to optic flow stimuli. II. Mechanisms of Response Selectivity Revealed by Small-Field Stimuli. *Journal of Neurophysiology*, 65(6), 1346–1359.
- Duffy, C. J., & Wurtz, R. H. (1995). Response of monkey MST neurons to optic flow stimuli with shifted centers of motion. *Journal of Neuroscience*, 15, 5192–5208.
- Duncan, J. (1984). Selective attention and the organization of visual information. *Journal of Experimental Psychology: General*, 113, 501-517.
- Durand, J. B., Peeters, R., Norman, J. F., Todd, J. T., & Orban, G. A. (2009). Parietal regions processing visual 3D shape extracted from disparity. *Neuroimage*, 46(4), 1114–1126.
- Durgin, F. H., & Li, Z. (2011). Perceptual scale expansion: An efficient angular coding strategy for

- locomotor space. *Attention, Perception, & Psychophysics*, 73(6), 1856–1870.
- Eagleman, D. M. (2008, April 14). Prediction and postdiction: Two frameworks with the goal of delay compensation. *Behavioral and Brain Sciences*, 31(2), 205–206.
- Eagleman, D. M., & Sejnowski, T. J. (2000) Motion integration and post diction in visual awareness. *Science*, 287(5460), 2036–2038.
- Edden, R. A., Muthukumaraswamy, S. D., Freeman, T. C., & Singh, K. D. (2009). Orientation discrimination performance is predicted by GABA concentration and gamma oscillation frequency in human primary visual cortex. *Journal of Neuroscience*, 29(50), 15721–15726.
- Ee, R., & van den Berg, A. V. (2006). Direct extraction of curvature based metric shape from stereo by view modulated receptive fields. *Biological Cybernetics*, 95, 455–486.
- Egeth, H. E., Virzi, R. A., & Garbart, H. (1984). Searching for conjunctively defined targets. *Journal of Experimental Psychology: Human Perception and Performance*, 10(1), 32–39.
- Egly, R., Driver, J., & Rafal, R. D. (1994). Shifting visual attention between objects and locations: Evidence from normal and parietal lesion subjects. *Journal of Experimental Psychology: General*, 123, 161-177.
- Ehrenstein, W. H., & Gillam, B. (1998). Early demonstrations of subjective contours, amodal completion, and depth from half-occlusions: “Stereoscopic experiments with silhouettes” by Adolf von Szily (1921). *Perception*, 27, 1407–1416.
- Engel, S. A., Rumelhart, D. E., Wandell, B. A., Lee, A. T., Glover, G. H., Chichilnisky, E. J., et al. (1993). Functional MRI measurements of human striate cortex topography. *Society for Neuroscience Abstracts*, 19, 335.
- Engel, S. A., Rumelhart, D. E., Wandell, B. A., Lee, A. T., Glover, G. H., Chichilnisky, E. J., et al. (1994). FMRI of human visual cortex [letter][published erratum appears in *Nature* 1994 Jul 14;370(6485):106]. *Nature*, 369(6481), 525.
- Epstein, R. (2005). The cortical basis of visual scene processing. *Visual Cognition*, 12(6), 954–978.
- Epstein, R., & Kanwisher, N. (1998). A cortical representation of the local visual environment. *Nature*, 392(6676), 598–601.
- Erkelens, C. J. (2000). Perceived direction during monocular viewing is based on signals of the viewing eye only. *Vision Research*, 20, 2411–2419.
- Erkelens, C. J., & Collewijn, H. (1985). Motion perception during dichoptic viewing of moving random-dot stereograms. *Vision Research*, 25, 583–588.
- Erkelens, C. J., & Van Ee, R. (1997). Capture of the visual direction of monocular objects by adjacent

- binocular objects. *Vision Research*, 37(13), 1735–1745.
- Fagioli, S., Hommel, B., & Schubotz, R. I. (2007). Intentional control of attention: Action planning primes action-related stimulus dimensions. *Psychological Research*, 71(1), 22–29.
- Fahle, M. (1982). Binocular rivalry: Suppression depends on orientation and spatial frequency. *Vision Research*, 22(7), 787–800.
- Fahle, M. (1983). Non-fusable stimuli and the role of binocular inhibition in normal and pathologic vision, especially strabismus. *Documenta Ophthalmologica*, 55(4), 323–340.
- Fahle, M., Quenzer, T., Braun, C., & Spang, K. (2003). Feature-specific electrophysiological correlates of texture segregation. *Vision Research*, 43, 7–19.
- Fahrenfort, J. J., Scholte, H. S., & Lamme, V. A. (2007). Masking disrupts reentrant processing in human visual cortex. *Journal of Cognitive Neuroscience*, 19(9), 1488–1497.
- Falconbridge, M., Ware, A., & MacLeod, D. I. A. (2010). Imperceptibly rapid contrast modulations processed in cortex: Evidence from psychophysics. *Journal of Vision*, 10(8), Article 21.1-10.
- Fang, F., Boyaci, H., & Kersten, D. (2009). Border ownership selectivity in human early visual cortex and its modulation by attention. *The Journal of Neuroscience*, 29, 460–465.
- Fang, F., Boyaci, H., Kersten, D., & Murray, S. O. (2008). Attention-dependent representation of a size illusion in human V1. *Current Biology*, 18(21), 1707–1712.
- Fantoni, C. (2008). 3D surface orientation based on a novel representation of the orientation disparity field. *Vision Research*, 48, 2509–2522.
- Fantoni, C., Caudek, C., & Domini, F. (2010). Systematic distortions of perceived planar surface motion in active vision. *Journal of Vision*, 10(5):12, 1–20.
- Farah, M. J., Wilson, K. D., Drain, H. M., & Tanaka, J. R. (1995). The inverted face inversion effect in prosopagnosia: Evidence for mandatory, face-specific perceptual mechanisms. *Vision Research*, 35(14), 2089–2093.
- Farah, M. J., Wilson, K. D., Drain, H. M., & Tanaka, J. R. (1998). What is “special” about face perception? *Psychological Review*, 105(3), 482–498.
- Faubert, J. (2002). Visual perception and aging. *Canadian Journal of Experimental Psychology*, 56, 164–176.
- Fendick, M., & Westheimer, G. (1983). Effects of practice and the separation of test targets on foveal and peripheral stereoacuity. *Vision Research*, 23(2), 145–150.
- Fernandez, J. M., & Farell, B. (2006). Motion in depth from interocular velocity differences revealed by differential motion aftereffect. *Vision Research*, 46, 1307–1317.



- Festl, F., Recktenwald, F., Yuan, C., & Mallot, H. A. (2012) Detection of linear ego-acceleration from optic flow. *Journal of Vision* (2012) 12(7):10, 1–12.
- Firestone, C. (2013). How “paternalistic is spatial perception? Why wearing a heavy backpack doesn’t—and couldn’t—make hills look steeper. *Perspectives on Psychological Science*, 8, 455–473.
- Fischer, E., Bühlhoff, H. H., Logothetis, N. K., & Bartels, A. (2012). Visual motion responses in the posterior cingulate sulcus: A comparison to V5/MT and MST. *Cerebral Cortex*, 22(4), 865–876.
- Fischl, B. (2010) *Freesurfer*. Available from:<<http://surfer.nmr.mgh.harvard.edu/>>.
- Fischl, B., Sereno, M. I., & Dale, A. M. (1999). Cortical surface-based analysis. II: Inflation, flattening, and a surface-based coordinate system. *NeuroImage*, 9(2), 195–207.
- Fleming, R. W. (2012). Human perception: Visual heuristics in the perception of glossiness. *Current Biology*, 22, R865–R866.
- Flombaum, J. I., Scholl, B. J., & Santos, L. R. (2009). Spatiotemporal priority as a fundamental principle of object persistence. *The origins of object knowledge*, 135–164.
- Foley, J. M. (1977). Effect of distance information and range on two indices of visually perceived distance. *Perception*, 6(4), 449–460.
- Foley, J. M. (1980). Binocular distance perception. *Psychological Review*, 87(5), 411–434.
- Foley, J. M. 1977 Effect of distance information and range on two indices of visually perceived distance. *Perception*, 6, 449–460.
- Foley, J. M. 1980 Binocular distance perception. *Psychological Review*, 87(5), 411–434.
- Foley, J. M., Ribeiro-Filho, N. P., & Da Silva, J. A. (2004). Visual perception of extent and the geometry of visual space. *Vision Research*, 44, 147–156.
- Fookien, J., Yeo, S.-H., Pai, D. K., & Spering, M. (2016). Eye movement accuracy determines natural interception strategies. *Journal of Vision*, 16(14):1, 1–15.
- Fox, R., Aslin, R. N., Shea, S. L., & Dumais, S. T. (1980, January 18). Stereopsis in human infants. *Science*, 207(4428), 323–324.
- Fox, R., Patterson, R., & Francis, E. (1986). Stereoacuity in young children. *Investigative Ophthalmology & Visual Science*, 27, 598–600.
- Francis, J. L. & Harwood, K. A. (1951). The variation of the projection center with differential stimulus and its relation to ocular dominance. In *Transactions of the international congress* (pp. 75–87). London British Optical Association.
- Franz, M. O., Schölkopf, B., Mallot, H. A., & Bühlhoff, H. H. (1998). Where did I take that snapshot? Scene-based homing by image matching. *Biological Cybernetics*, 79, 191–202.

- Franz, V. H. (2003). Manual size estimation: A neuropsychological measure of perception? *Experimental Brain Research*, 151(4), 471–477.
- Freeman, A. W. (2005). Multistage model for binocular rivalry. *Journal of Neurophysiology*, 94(6), 4412–4420.
- Freeman, J., Donner, T. H., & Heeger, D. J. (2011). Inter-area correlations in the ventral visual pathway reflect feature integration. *Journal of Vision*, 11(4), 1–23.
- Freire, A., Lee, K., & Symons, L. A. (2000). The face-inversion effect as a deficit in the encoding of configural information: Direct evidence. *Perception*, 29(2), 159–170.
- Frisen, L., & Lindblom, B. (1988). Binocular summation in humans: Evidence for a hierarchical model. *Journal of Physiology*, 402, 773–782.
- Frissen, I., & Mars, F. (2014). The effect of visual degradation on anticipatory and compensatory steering control. *The Quarterly Journal of Experimental Psychology*, 67, 499–507.
- Froyen, V., Feldman, J., & Singh, M. (2013). Rotating columns: Relating structure-from-motion, accretion-deletion, and figure/ground. *Journal of Vision*, 13(10):6, 1–12.
- Gallagher, R. M., & Arnold, D. H. (2014). Interpreting the temporal dynamics of perceptual rivalries. *Perception*, 43(11), 1239–1248.
- Gandhi, S. P., Heeger, D. J., & Boynton, G. M. (1999). Spatial attention affects brain activity in human primary visual cortex. *Proceedings of the National Academy of Sciences of the United States of America*, 96(6), 3314–3319.
- Ganel, T., Chajut, E., & Algom, D. (2008). Visual coding for action violates fundamental psychophysical principles. *Current Biology*, 18(14), R599–601.
- Gawryszewski, L. D. G., Riggio, L., Rizzolatti, G., & Umiltà, C. (1987). Movements of attention in three spatial dimensions and the meaning of “neutral” cues. *Neuropsychologia*, 25, 19–29.
- Ge, L., Wang, Z., McCleery, J. P., & Lee, K. (2006). Activation of face expertise and the face inversion effect. *Psychological Science*, 17(1), 12–16.
- Geiser, W. S., Perry, J. S., Super, B. J., & Gallogly, D. P. (2001). Edge co-occurrence in natural images predicts contour grouping performance. *Vision Research*, 41, 711–724.
- Gene, E., Bergmann, J., Tong, F., Blake, R., Singer, W., & Kohler, A. (2011). Callosal connections of primary visual cortex predict the spatial spreading of binocular rivalry across the visual hemifields. *Frontiers in Human Neuroscience*, 5, 161.
- Georgieva, S. G., Todd, J. T., Peeters, R., & Orban, G. A. (2008). The extraction of 3D shape from texture and shading in the human brain. *Cerebral Cortex*, 18, 2416–2438.

- Ghahghaei, S., McKee, S., & Vergheze, P. (2016). The precision of stereopsis in the lower visual field. *Journal of Vision*, 16(12): 826.
- Gibson, J. J. (1979) *The ecological approach to visual perception*. Hillsdale, NJ: Erlbaum.
- Gibson, J. J. (1986/1979). *The ecological approach to visual perception*. Hillsdale, NJ: Lawrence Erlbaum Associates, Inc.
- Gilchrist, A. L. (1977). Perceived lightness depends on perceived spatial arrangement. *Science*, 195, 185–187.
- Gilchrist, A. L. (1988). Lightness contrast and failures of constancy: A common explanation. *Perception & Psychophysics*, 43, 415–424.
- Gilinsky, A. S. (1951). Perceived size and distance in visual space. *Psychological Review*, 58, 460–482.
- Gillam, B. (1995). Matching needed for stereopsis. *Nature*, 373, 202.
- Gillam, B. J., & Blackburn, S. G. (1998). Surface separation decreases stereoscopic slant but a monocular aperture increases it. *Perception*, 27, 1267–1286.
- Gillam, B., & Borsting, E. (1988). The role of monocular regions in stereoscopic displays. *Perception*, 17, 603–608.
- Gillam, B., & Grove, P. M. (2004). Slant or occlusion: Global factors resolve stereoscopic ambiguity in sets of horizontal lines. *Vision Research*, 44, 2359–2366.
- Gillam, B., & Nakayama, K. (1999). Quantitative depth for a phantom surface can be based on cyclopean occlusion cues alone. *Vision Research*, 39, 109–112.
- Gillam, B., Blackburn, S., & Brooks, K. (2007). Hinge versus twist: The effects of reference surfaces' and discontinuities on stereoscopic slant perception. *Perception*, 36, 596–616.
- Gillam, B., Blackburn, S., & Nakayama, K. (1999). Stereopsis based on monocular gaps: Metrical encoding of depth and slant without matching contours. *Vision Research*, 39, 493–502.
- Gillner, S., & Mallot, H. A. (1998). Navigation and acquisition of spatial knowledge in a virtual maze. *Journal of Cognitive Neuroscience*, 10(4), 445–463.
- Gilmore, R. O., Hou, C., Pettet, M. W., & Norcia, A. M. (2007). Development of cortical responses to optic flow. *Visual Neuroscience*, 24(6), 845–856. <http://dx.doi.org/10.1017/S0952523807070769>.
- Glennerster, A., McKee, S. P., & Birch, M. D. (2002). Evidence for surface based processing of binocular disparity. *Current Biology*, 12, 825–828.
- Glennerster, A., Rogers, B. J., & Bradshaw, M. F. 1998 Cues to viewing distance for stereoscopic depth constancy. *Perception*, 27, 1357–1365.
- Glennerster, A., Tcheang, L., Gilson, S. J., Fitzgibbon, A. W., & Parker, A. J. 2006 Humans ignore motion

- and stereo cues in favor of a fictional stable world. *Current Biology*, 16, 428-432.
- Goebel, R. (2010). BrainVoyager Software. Available from: <<http://www.brainvoyager.com/>>.
- Gogel, W. 1961 Convergence as a cue to the perceived distance of objects in a binocular configuration. *The Journal of Psychology*, 52, 303-315.
- Gogel, W. C. (1965). Equidistance tendency and its consequences. *Psychological Bulletin*, 64(3), 153-163.
- Gogel, W. C. (1971). The validity of the size-distance invariance hypothesis with cue reduction. *Attention, Perception, Psychophysics*, 9, 92-94.
- Gogel, W. C., & McNulty, P. 1983 Perceived velocity as a function of reference mark density. *Scandinavian Journal of Psychology*, 24, 257-265.
- Gogel, W., & Tietz, J. 1973 Absolute motion parallax and the specific distance tendency. *Perception & Psychophysics*, 13, 284-292.
- Golomb, J. D., Kupitz, C. N., & Thiemann, C. T. (2014). The influence of object location on identity: a "spatial congruency bias". *Journal of Experimental Psychology : General*, Vol 143(6), 2262-2278.
- Goncalves, N. R., & Welchman, A. E. (2017). "What not" detectors help the brain see in depth. *Current Biology*, 27(10), 1403-1412. e8.
- Goncalves, N. R., Ban, H., Sanchez-Panchuelo, R. M., Francis, S. T., Schluppeck, D., & Welchman, A. E. (2015). 7 tesla fMRI reveals systematic functional organization for binocular disparity in dorsal visual cortex. *Journal of Neuroscience*, 35(7), 3056-3072.
- Goodale, M. A., & Milner, A. D. (1992). Separate visual pathways for perception and action. *Trends in Neurosciences*, 15(1), 20-25.
- Goodale, M. A., Jakobson, L. S., Milner, A. D., Perrett, D. I., Benson, P. J., & Hietanen, J.K. (1994). The nature and limits of orientation and pattern processing supporting visuomotor control in a visual form agnostic. *The Journal of Cognitive Neuroscience*, 6(1), 46-56.
- Goodale, M. A., Milner, A. D., Jakobson, L. S., & Carey, D. P. (1991) A neurological dissociation between perceiving objects and grasping them. *Nature*, 349(6305), 154-156, doi:10.1038/349154a0.
- Grabe, S., Ward, L. M., & Hyde, J. S. (2008). The role of the media in body image concerns among women: A meta-analysis of experimental and correlational studies. *Psychological Bulletin*, 134, 460-476.
- Graf, E. W., Adams, W. J., & Lages, M. 2002 Modulating motion-induced blindness with depth ordering and surface completion. *Vision Research*, 42, 2731-2735.
- Graham, P., & Cheng, K. (2009). Which portion of the natural panorama is used for view-based avigation

- in the Australian desert ant? *Journal of Comparative Physiology A*, 195(7), 681–689.
- Graham, P., & Collett, T. S. (2002). View-based navigation in insects: How wood ants (*Formica rufa* L.) look at and are guided by extended landmarks. *Journal of Experimental Biology*, 205, 2499–2509.
- Granrud, C. E. (2006). Size constancy in infants: 4-month-olds' responses to physical versus retinal image size. *Journal of Experimental Psychology: Human Perception and Performance*, 32, 1398–1404.
- Graziano, M. S., Hu, X. T., & Gross, C. G. (1997). Coding the locations of objects in the dark. *Science*, 277(5323), 239–241.
- Greenwood, J. A., Bex, P. J., & Dakin, S. C. (2012). Crowding follows the binding of relative position and orientation. *Journal of Vision*, 12(3), 18, 1–20.
- Greenwood, J. A., Szinte, M., Sayim, B., & Cavanagh, P. (2017) Variations in crowding, saccadic precision, and spatial localization reveal the shared topology of spatial vision. *Proceedings of the National Academy of Sciences, USA*, 114(17), E3573–E3582.
- Gregory R, 1980 Perceptions as hypotheses. *Philosophical Transactions of the Royal Society of London, Series B*, 290, 181-197.
- Grill-Spector, K., & Kanwisher, N. 2005 Visual recognition: As soon as you know it is there, you know what it is. *Psychological Science*, 16, 152–160.
- Grossberg, S., & Mingolla, E. 1985 Neural dynamics of form perception: Boundary completion, illusory figures, and neon color spreading. *Psychological Review*, 92(2), 173–211.
- Grossman, E., & Blake, R. (2002). Brain areas active during visual perception of biological motion. *Neuron*, 35(6), 1167–1175.
- Grove, P. M., Sachtler, W. B., & Gillam, B. J. (2006) Amodal completion with background determines depth from monocular gap stereopsis. *Vision Research*, 46, 3771–3774.
- Gu, Y., DeAngelis, G. C., & Angelaki, D. E. (2012) Causal links between dorsal medial superior temporal area neurons and multisensory heading perception. *Journal of Neuroscience*, 32(7), 2299–2313.
- Gu, Y., Watkins, P. V., Angelaki, D. E., & DeAngelis, G. C. (2006). Visual and nonvisual contributions to three-dimensional heading selectivity in the medial superior temporal area. *Journal of Neuroscience*, 26(1), 73–85.
- Guerraz, M., Sakallari, V., Burchill, P. M. & Bronstein, A. M. 2000 Influence of motion parallax in the control of spontaneous body sway. *Experimental Brain Research*, 131, 244-252.
- Guerraz, M., Gianna, C. C., Burchill, P. M., Gresty, M. A. & Bronstein, A. M. 2001 Effect of visual surrounding motion on body sway in a three-dimensional environment. *Perception & Psychophysics*, 63, 47-58.
- Gulyás, B., & Roland, P. (1994). Processing and analysis of form, color and binocular disparity in the

- human brain: Functional anatomy by positron emission tomography. *European Journal of Neuroscience*, 6, 1811–1828.
- Gutteling, T. P., Kenemans, J. L., & Neggers, S. F. W. (2011). Grasping preparation enhances orientation change detection. *PLoS ONE*, 6(3), e17675,
- Gutteling, T. P., Park, S. Y., Kenemans, J. L., & Neggers, S. F. W. (2013). TMS of the anterior intraparietal area selectively modulates orientation change detection during action preparation. *Journal of Neurophysiology*, 110(1), 33–41.
- Gwiazda, J., Bauer, J., & Held, R. (1989). Binocular function in human infants: Correlation of stereoscopic and fusion-rivalry discriminations. *Journal of Pediatric Ophthalmology & Strabismus*, 26, 128–132.
- Hadad, B.-S., Maurer, D., & Lewis, T. L. (2010). The development of contour interpolation: Evidence from subjective contours. *Journal of Experimental Child Psychology*, 106(2–3), 163–176.  
<http://dx.doi.org/10.1016/j.jecp.2010.02.003>.
- Haijiang, Q., Saunders, J. A., Stone, R. W., & Backus, B. T. (2006). Demonstration of cue recruitment: Change in visual appearance by means of Pavlovian conditioning. *Proceedings of the National Academy of Sciences of the United States of America*, 103, 483–488.
- Hamasaki, D. I., & Flynn, J. T. (1981). Amblyopic eyes have longer reaction times. *Investigative Ophthalmology & Visual Science*, 21(6), 846–853.
- Hancock, S., & Andrews, T. J. (2007). The role of voluntary and involuntary attention in selecting perceptual dominance during binocular rivalry. *Perception*, 36, 288–298.
- Hannus, A., Cornelissen, F. W., Lindemann, O., & Bekkering, H. (2005). Selection-for-action in visual search [1–2 Special issue]. *Acta Psychologica*, 118, 171–191.
- Hansen, K. A., David, S. V., & Gallant, J. L. (2004). Parametric reverse correlation reveals spatial linearity of retinotopic human V1 BOLD response. *NeuroImage*, 23(1), 233–241.
- Hariharan-Vilupuru, S., & Bedell, H. E. (2009). The perceived visual direction of monocular objects in random-dot stereograms is influenced by perceived depth and allelotropia. *Vision Research*, 49(2), 190–201.
- Harman, K. L., Humphrey, G. K., & Goodale, M. A. (1999). Active manual control of object views facilitates visual recognition. *Current Biology*, 9, 1315–1318.
- Harrad, R. A., McKee, S. P., Blake, R., & Yang, Y. (1994). Binocular rivalry disrupts stereopsis. *Perception*, 23, 15–28.
- Harris, J. M., & Drga, V. F. (2005). Using visual direction in three-dimensional motion perception. *Nature Neuroscience*, 8(2), 229.

- Harris, J. M., & Parker, A. J. (1995). Independent neural mechanisms for bright and dark information in binocular stereopsis. *Nature*, 374(6525), 808–811.
- Harris, J. M., McKee, S. P., & Watamaniuk, S. N. (1998). Visual search for motion-in-depth: Stereomotion does not pop out from disparity noise. *Nature Neuroscience*, 1, 165–168.
- Harris, J. M., Nefs, H. T., & Grafton, C. E. (2008). Binocular vision and motion-indepth. *Spatial Vision*, 21, 531–547.
- Harris, L. R., Jenkin, M. R., Zikovitz, D., Redlick, F., Jaekl, P., Jasiobedzka, U. T., Allison, R. S. (2002) Simulating self-motion I: Cues for the perception of motion. *Virtual Reality*, 6(2), 75–85.
- Harris, L. R., Jenkin, M., & Zikovitz, D. C. (2000) Visual and non-visual cues in the perception of linear self-motion. *Experimental Brain Research*, 135, 12–21.
- Harrison, S. J., & Backus, B. T. (2010a). Disambiguating Necker cube rotation using a location cue: What types of spatial location signal can the visual system learn? *Journal of Vision*, 10(6), 1–15.
- Harrison, S. J., & Backus, B. T. (2012). Associative learning of shape as a cue to appearance: A new demonstration of cue recruitment. *Journal of Vision*, 12(3), 1-17.
- Hayashi, R., Maeda, T., Shimojo, S., & Tachi, S. (2004). An integrative model of binocular vision: A stereo model utilizing interocular unpaired points produces both depth and binocular rivalry. *Vision Research*, 44, 2367–2380.
- Haynes, J. D., & Rees, G. (2005). Predicting the orientation of invisible stimuli from activity in human primary visual cortex. *Nature Neuroscience*, 8(5), 686–691.
- Haynes, J. D., & Rees, G. (2006). Decoding mental states from brain activity in humans. *Nature Reviews Neuroscience*, 7(7), 523–534.
- Haynes, J. D., Deichmann, R., & Rees, G. (2005). Eye-specific effects of binocular rivalry in the human lateral geniculate nucleus. *Nature*, 438, 496–499.
- He, D., Mo, C., Wang, Y., & Fang, F. (2015). Position shifts of fMRI-based population receptive fields in human visual cortex induced by Ponzo illusion. *Experimental Brain Research*, 233(12), 3535–3541.
- He, Z. J., Wu, B., Ooi, T. L., Yarbrough, G., & Wu, J. (2004) Judging egocentric distance on the ground: Occlusion and surface integration. *Perception*, 33, 789–806.
- Hegde, J., Albright, T., & Stoner, G. (2004). Second order motion conveys depth-order information. *Journal of Vision*, 4(10):1, 838–842.
- Held, R., Birch, E., & Gwiazda, J. (1980). Stereoacuity of human infants. *Proceedings of the National Academy of Sciences, USA*, 77(9), 5572–5574.
- Helmholtz, H. (1925). *Handbook of physiological optics* [Electronic book from Ben Backus, University of

- Pennsylvania, 2001] (J. P. C. Southall, Trans., Vol. 3). New York, NY: Optical Society of America.
- Henderson, J. M., & Hollingworth, A. 1999 High-level scene perception. *Annual Review of Psychology*, 50, 243–271.
- Henriksen, S., Cumming, B. G., & Read, J. C. A. (2016a). A single mechanism can account for human perception of depth in mixed correlation random dot stereograms. *PLoS Computational Biology*, 12, e1004906.
- Henriksen, S., Read, J. C. A., & Cumming, B. G. (2016b). Neurons in striate cortex signal disparity in half-matched random-dot stereograms. *Journal of Neuroscience*, 2016, 36, 8967–8976.
- Heravian-Shandiz, J., Douthwaite, W. A., & Jenkins, T. C. (1991). Binocular interaction with neutral density filters as measured by the visual evoked response. *Optometry & Vision Science*, 68(10), 801–806.
- Heron, G., Dholakia, S., Collins, D. E., & McLaughlan, H. (1985). Stereoscopic threshold in children and adults. *American Journal of Optometry & Physiological Optics*, 62, 505–515.
- Herrmann, C. S., & Bosch, V. (2001). Gestalt perception modulates early visual processing. *Neuroreport*, 12, 901–904.
- Hess, R. F., & Howell, E. R. (1977). The threshold contrast sensitivity function in strabismic amblyopia: Evidence for a two type classification. *Vision Research*, 17(9), 1049–1055.
- Hess, R. F., Mansouri, B., & Thompson, B. (2010). A new binocular approach to the treatment of amblyopia in adults well beyond the critical period of visual development. *Restorative Neurology and Neuroscience*, 28(6), 793–802.
- Hess, R.F., Hutchinson, C.V., Ledgeway, T., & Mansouri, B. (2007). Binocular influences on global motion processing in the human visual system. *Vision Research*, 47, 1682–1692.
- Hildreth, E. C. (1984). *The measurement of visual motion*. Cambridge, MA: MIT Press.
- Hill H, & Johnston A, 2007 The hollow-face illusion: Object-specific knowledge, general assumptions or properties of the stimulus? *Perception*, 36, 199-223.
- Hillis, J. M., Watt, S. J., Landy, M. S., & Banks, M. S. (2004). Slant from texture and disparity cues: Optimal cue combination. *Journal of Vision*, 4(12):1, 967–992,
- Hoffman, D. D., & Richards, W. A. (1984). Parts of recognition. *Cognition*, 18, 65-96.
- Hoffman, D. M., & Banks, M. S. (2010). Focus information is used to interpret binocular images. *Journal of Vision*, 10(5):13, 1–17.
- Hoffman, D., Girshick, A., Akeley, K., & Banks, M. (2008). Vergence-accommodation conflicts hinder visual performance and cause visual fatigue. *Journal of Vision*, 8(3), 33.



- Hoffmann, M. B., Tolhurst, D. J., Moore, A. T., & Morland, A. B. (2003). Organization of the visual cortex in human albinism. *Journal of Neuroscience*, 23, 8921–8930.
- Hogendoorn, H., & Burkitt, A. N. (2018). Predictive coding of visual object position ahead of moving objects revealed by time-resolved EEG decoding. *NeuroImage*, 171, 55–61.
- Hogendoorn, H., Verstraten, F. A. J., & Cavanagh, P. (2015). Strikingly rapid neural basis of motion induced position shifts revealed by high temporal resolution EEG pattern classification. *Vision Research*, 113(Part A), 1–10.
- Hohwy, J., Roepstorff, A., & Friston, K. (2008). Predictive coding explains binocular rivalry: An epistemological review. *Cognition*, 108, 687–701.
- Hollingworth, A., & Franconeri, S. L. (2009). Object correspondence across brief occlusion is established on the basis of both spatiotemporal and surface feature cues. *Cognition*, 113(2), 150–166.
- Holmes, D. J., Hancock, S. & Andrews, T. J. 2006 Independent binocular integration for form and colour. *Vision Research*, 46, 665–677.
- Holopigian, K., Blake, R., & Greenwald, M. J. (1986). Selective losses in binocular vision in anisometric amblyopes. *Vision Research*, 26(4), 621–630.
- Hong, S.W.& Shevell, S. K. 2009 Color-binding errors during rivalrous suppression of form. *Psychological Science*, 20, 1084–1091.
- Horwood, A. M., & Riddell, P. M. (2008). The use of cues to convergence and accommodation in naïve, uninstructed participants. *Vision Research*, 48(15), 1613–1624.
- Hotson, J. R., & Anand, S. (1999). The selectivity and timing of motion processing in human temporoparieto-occipital cortex: A transcranial magnetic stimulation study. *Neuropsychologia*, 37, 169–179.
- Hou, C., Gilmore, R. O., Pettet, M. W., & Norcia, A. M. (2009). Spatio-temporal tuning of coherent motion evoked responses in 4–6 month old infants and adults. *Vision Research*, 49(20), 2509–2517. <http://dx.doi.org/10.1016/j.visres.2009.08.007>.
- Hou, F., Huang, C.-B., Lesmes, L., Feng, L.-X., Tao, L., Zhou, Y.-F., et al. (2010) QCSF in clinical application: Efficient characterization and classification of contrast sensitivity functions in amblyopia. *Investigative Ophthalmology & Visual Science*, 51, 5365–5377.
- Howard, H. J. (1919). A test for the judgment of distance. *Transactions of the American phthalmological Society*, 17, 195–235.
- Howard, I. P., & Heckmann, T. (1989). Circular vection as a function of the relative sizes, distances, and positions of two competing visual displays. *Perception*, 18(5), 657–665.
- Howard, I., & Rogers, B. (2002). Seeing in depth: Vol.2. Depth perception I. Toronto, Canada: Porteous.

- Howard, I., & Rogers, B. J. (2012). *Perceiving in depth, volume 2: Stereoscopic vision*. Oxford: Oxford University Press.
- Hsu, L.-C., Yeh, S.-L., & Kramer, P. (2006). A common mechanism for perceptual filling-in and motion-induced blindness. *Vision Research*, 46, 1973–1981.
- Huang, P. C., Baker, D. H., & Hess, R. F. (2012). Interocular suppression in normal and amblyopic vision: Spatio-temporal properties. *Journal of Vision*, 12(11), 29-29.
- Hubel, D. H., & Wiesel, T. N. (1965). Binocular interaction in striate cortex of kittens reared with artificial squint. *Journal of Neurophysiology*, 28, 1041–1059.
- Hubel, D. H., & Wiesel, T. N. (1968). Receptive fields and functional architecture of monkey striate cortex. *Journal of Physiology*, 195(1), 215–243.
- Hubel, D. H., Wiesel, T. N., Yeagle, E. M., Lafer-Sousa, R., & Conway, B. R. (2015). Binocular stereoscopy in visual areas V-2, V-3, and V-3A of the macaque monkey. *Cerebral Cortex*, 25(4), 959–971.
- Huguet, G., Rinzel, J., & Hupé, J.-M. (2014). Noise and adaptation in multistable perception: Noise drives when to switch, adaptation determines percept choice. *Journal of Vision*, 14(3), 19.
- Hulme, O. J., & Zeki, S. (2007). The sightless view: neural correlates of occluded objects. *Cerebral Cortex*, 17(5), 1197–1205.
- Hung, G., Semmlow, J., & Ciuffreda, K. (1983). Identification of accommodative vergence contribution to the near response using response variance. *Investigative Ophthalmology & Visual Science*, 24(6), 772–777.
- Israel, I., & Berthoz, A. (1989). Contribution of the otoliths to the calculation of linear displacement. *Journal of Neurophysiology*, 62, 247–263.
- James, K. H., Humphrey, K., & Goodale, M. A. (2001). Manipulating and recognizing virtual objects: Where the action is. *Canadian Journal of Experimental Psychology*, 55, 111–120.
- Jiang, Y., & He, S. (2006). Cortical responses to invisible faces: Dissociating subsystems for facial-information processing. *Current Biology*, 16, 2023–2029.
- Jiang, Y., Costello, P., & He, S. (2007). Processing of invisible stimuli: Advantage of upright faces and recognizable words in overcoming interocular suppression. *Psychological Science*, 18, 349–355.
- Johansson, G. (1973). Visual perception of biological motion and a model for its analysis. *Perception & Psychophysics*, 14(2), 201–211.
- Johnston, E. B. (1991). Systematic distortions of shape from stereopsis. *Vision Research*, 31, 1351–1360.
- Joly, O., Vanduffel, W., & Orban, G. A. (2009). The monkey ventral premotor cortex processes 3D shape from disparity. *Neuroimage*, 47(1), 262–272.

- Jones, R. (1977). Anomalies of disparity detection in the human visual system. *The Journal of Physiology*, 264, 621.
- Jordan, J. R., Geisler, W. S., & Bovik, A. C. (1990). Color as a source of information in the stereo correspondence process. *Vision Research*, 30, 1955–1970.
- Journal of the Optical Society of America A: Optics, Image Science, and Vision*, 2(2),322–341.
- Julesz, B. (1971). *Foundations of cyclopean perception*. University of Chicago Press.
- Julesz, B., & Tyler, C. W. (1976). Neurontropy, an entropy-like measure of neural correlation, in binocular fusion and rivalry *Biological Cybernetics*, 23, 25–32.
- Julesz, B., Kropfl, W., & Petrig, B. (1980). Large evoked potentials to dynamic random-dot correlograms and stereograms permit quick determination of stereopsis. *Proc. Natl. Acad. Sci. U.S.A.* 77(4), 2348–2351.
- Kalarickal, G. J., & Marshall, J. A. (2000). Neural model of temporal and stochastic properties of binocular rivalry. *Neurocomputing*, 32–33, 843–853.
- Kalil, R. E., Jhaveri, S. R., & Richards, W. (1971). Anomalous retinal pathways in the Siamese cat: An inadequate substrate for normal binocular vision. *Science*, 174, 302–305.
- Kamihirata, H., Oga, T., Aoki, S. C., & Fujita, I. (2015). A gap between adjacent surfaces deteriorates depth perception based on binocular correlation computation. *Journal of Physiological Sciences*, 65(Suppl. 1), S155.
- Kamitani, Y., & Tong, F. (2005). Decoding the visual and subjective contents of the human brain. *Nature Neuroscience*, 8(5), 679–685.
- Kamitani, Y., & Tong, F. (2006). Decoding seen and attended motion directions from activity in the human visual cortex. *Current Biology*, 16(11),1096–1102.
- Kane, D., Guan, P., & Banks, M. S. (2014). The limits of human stereopsis in space and time. *The Journal of Neuroscience*, 34(4), 1397–1408.
- Kaneko, H., & Howard, I. P. (1996). Relative size disparities and the perception of surface slant. *Vision Research*, 36(13), 1919–1930.
- Kang, M. S., Heeger, D. H., & Blake, R. (2009). Periodic perturbations producing phase-locked luctuations in visual perception. *Journal of Vision*, 9, 1–12.
- Karsch, K., Liu, C., & Kang, S. (2012). Depth extraction from video using non-parametric sampling. *Proceedings of the European Conference on Computer Vision*, 7576, 775–788.
- Kartashova, T., Sekulovski, D., de Ridder, H., te Pas, S. F., & Pont, S. C. (2016). The global structure of the visual light field and its relation to the physical light field. *Journal of Vision*, 16(10):9, 1–18.

- Kastner, S., O'Connor, D. H., Fukui, M. M., Fehd, H. M., Herwig, U., & Pinsk, M. A. (2004). Functional imaging of the human lateral geniculate nucleus and pulvinar. *Journal of Neurophysiology*, 91(1), 438–448.
- Kastner, S., Pinsk, M. A., De Weerd, P., Desimone, R., & Ungerleider, L. G. (1999). Increased activity in human visual cortex during directed attention in the absence of visual stimulation. *Neuron*, 22(4), 751–761.
- Kastner, S., Schneider, K. A., & Wunderlich, K. (2006). Beyond a relay nucleus: Neuroimaging views on the human LGN. *Progress in Brain Research*, 155, 125–143.
- Katsumi, O., Tanino, T., & Hirose, T. (1986). Objective evaluation of binocular function using the pattern reversal visual evoked response. II. Effect of mean luminosity. *Acta Ophthalmologica (Copenhagen)*, 64(2), 199–205.
- Katyal, S., He, S., & Engel, S. (2015). Adapting the mechanism that initiates binocular rivalry. *Journal of Vision*, 15(12): 274.
- Kellman, P. J. & Shipley, T. F. (1991). A theory of visual interpolation in object perception. *Cognitive Psychology*, 23, 141–221.
- Kellman, P. J., Garrigan, P., & Shipley, T. F. (2005a) Object interpolation in three dimensions. *Psychological Review*, 112(3), 586–609.
- Kellman, P. J., Garrigan, P., Shipley, T. F., Yin, C., & Machado, L. (2005b) 3-D interpolation in object perception: Evidence from an objective performance paradigm. *Journal of Experimental Psychology: Human Perception and Performance*, 31, 558–583.
- Kemp, R., McManus, C., & Pigott, T. (1990). Sensitivity to the displacement of facial features negative and inverted images. *Perception*, 19, 531–543.
- Kersten, D., Knill, D. C., Mamassian, P., & Buhlhoff, I. (1996). Illusory motion from shadows. *Nature*, 379, 31.
- Kersten, D., Mamassian, P., & Knill, D. C. (1997) Moving cast shadows induce apparent motion in depth. *Perception*, 26, 171–192.
- Khoei, M. A., Masson, G. S., & Perrinet, L. U. (2017) The flash-lag effect as a motion-based predictive shift. *PLOS Computational Biology*, 13(1), e1005068.
- Khuu, S.K. (2012) The role of motion streaks in the perception of the kinetic Zollner illusion. *Journal of Vision*, 12(6):19,1-14.
- Kibbe, M. M., & Leslie, A. M. (2016). The ring that does not bind: Topological class in infants' working memory for objects. *Cognitive Development*, 38, 1–9.

- Kilgour, A. R., & Lederman, S. J. (2002). Face recognition by hand. *Perception & Psychophysics*, 64, 339–352.
- Kim, C.-Y., & Blake, R. (2005). Psychophysical magic: Rendering the visible 'invisible'. *Trends in Cognitive Sciences*, 9(8), 381–388.
- Kim, J., Khuu, S., & Palmisano, S. (2016). Vection depends on perceived surface properties. *Attention, Perception, & Psychophysics*, 78, 1163–1173.
- Kingdom, F. A. A., Jennings, B. J., & Georgeson, M. A. (2018). Adaptation to interocular difference. *Journal of Vision*, 18(5):9, 1–11.
- Kingdom, F. A. A., Prins, N., & Hayes, A. (2003). Mechanism independence for texture modulation detection is consistent with filter-rectify-filter mechanism. *Visual Neuroscience*, 20, 65–76.
- Kingdom, F. A. A., Yoonessi, A., & Gheorghiu, E. (2007). The leaning tower illusion: A new illusion of perspective. *Perception*, 36, 475–477.
- Kiorpes, L., & Movshon, J. A. (2004). Development of sensitivity to visual motion in macaque monkeys. *Visual Neuroscience*, 21(6), 851–859. <http://dx.doi.org/10.1017/S0952523804216054>.
- Kiorpes, L., Kiper, D. C., O'Keefe, L. P., Cavanaugh, J. R., & Movshon, J. A. (1998). Neuronal correlates of amblyopia in the visual cortex of macaque monkeys with experimental strabismus and anisometropia. *Journal of Neuroscience*.
- Kitterle, F. L., & Thomas, J. (1980). The effects of spatial frequency, orientation, and color upon binocular rivalry and monocular pattern alternation. *Bulletin of the Psychonomic Society*, 16(5), 405–407. <http://dx.doi.org/10.3758/BF03329581>.
- Kleffner, D. A., & Ramachandran, V. S. (1992). On the perception of shape from shading. *Perception and Psychophysics*, 52, 18–36.
- Klink, P. C., Brascamp, J. W., Blake, R., & Van Wezel, R. J. (2010). Experience-driven plasticity in binocular vision. *Current Biology*, 20(16), 1464–1469.
- Klink, P., Van Ee, R., Nijs, M., Brouwer, G., Noest, A., & Van Wezel, R. (2008). Early interactions between neuronal adaptation and voluntary control determine perceptual choices in bistable vision. *Journal of Vision*, 8(5), 16.
- Klymenko, V., & Weisstein, N. (1980). Illusory contour produced by rotation-in-depth [Abstract]. *Optics News*, 6(3), 61.
- Knapen, T., Brascamp, J., Pearson, J., van Ee, R., & Blake, R. (2011). The role of frontal and parietal brain areas in bistable perception. *Journal of Neuroscience*, 31(28), 10293–10301.
- Knapen, T., Kanai, R., Brascamp, J. W., van Boxtel, J., & van Ee, R. (2007). Distance in feature space

- determines exclusivity in visual rivalry. *Vision Research*, 47, 3269–3275.
- Knapen, T., Paffer, C., Kanai, R., & van Ee, R. (2007). Stimulus flicker alters interocular grouping during binocular rivalry. *Vision Research*, 47, 1–7.
- Koch, C. (2007). *The quest for consciousness: A neurobiological approach*. Greenwood Village, CO: Roberts & Company.
- Koenderink, J. J. (1986). Optic flow. *Vision Research*, 26(1), 161–179.
- Koenderink, J. J. 1990 *Solid shape*. Cambridge, Massachusetts, London, England: MIT Press.
- Koenderink, J. J., & Van Doorn, A. J. (1991). Affine structure from motion. *Journal of The Optical Society of America A-optics Image Science and Vision*, 8(2), 377–385.
- Koenderink, J. J., Pont, S. C., van Doorn, A. J., Kappers, A. M. L., & Todd, J. T. (2007). The visual light field. *Perception*, 36(11), 1595–1610.
- Koenderink, J. J., van Doorn, A. J., & Kappers, A. M. (1992). Surface perception in pictures. *Perception & Psychophysics*, 52(5), 487–496.
- Koenderink, J. J., van Doorn, A. J., & Pont, S. C. (2004). Light direction from shaded random Gaussian surfaces. *Perception*, 33, 1405–1420.
- Koenderink, J. J., van Doorn, A. J., Kappers, A. M. L., te Pas, S. F., & Pont, S. C. (2003). Illumination direction from texture shading. *Journal of the Optical Society of America A*, 20, 987–995.
- Koenderink, J., Valsecchi, M., van Doorn, A., Wagemans, J., & Gegenfurtner, K. (2017). Eidolons: Novel stimuli for vision research. *Journal of Vision*, 17(2):7, 1–36.
- Kogo, N., Galli, A., & Wagemans, J. (2011). Switching dynamics of border ownership: A stochastic model for bi-stable perception. *Vision Research*, 51(18), 2085–2098.
- Kogo, N., Strecha, C., Van Gool, L., & Wagemans, J. (2010). Surface construction by a 2-D differentiation–Integration process: A neurocomputational model for perceived border ownership, depth, and lightness in Kanizsa figures. *Psychological Review*, 117(2), 406–439.
- Kogo, N., Van Gool, L., & Wagemans, J. (2010). Linking depth to lightness and anchoring within the differentiation–integration formalism. *Vision Research*, 50(15), 486–1500.
- Kolster, H., Mandeville, J. B., Arsenault, J. T., Ekstrom, L. B., Wald, L. L., & Vanduffel, W. (2009). Visual
- Komatsu, H. (2006). The neural mechanisms of perceptual filling-in. *Nature Reviews Neuroscience*, 7(3), 220–231, doi:10.1038/nrn1869.
- Kondo, H. M., Kitagawa, N., Kitamura, M. S., Koizumi, A., Nomura, M., & Kashino, M. (2012). Separability and commonality of auditory and visual bistable perception. *Cerebral Cortex*, 22(8), 1915–1922.

- Kountouriotis, G. K., Mole, C. D., Merat, N., & Wilkie, R. M. (2016). The need for speed: Global optic flow speed influences steering. *Royal Society Open Science*, 3(5): 160096.
- Kountouriotis, G. K., Shire, K. A., Mole, C. D., Gardner, P. H., Merat, N., & Wilkie, R. M. (2013). Optic flow asymmetries bias high-speed steering along roads. *Journal of Vision*, 13(10):23, 1–9.
- Kourtzi, Z., & Kanwisher, N. (2001). Representation of perceived object shape by the human lateral occipital complex. *Science*, 293(5534), 1506–1509.
- Kovács, G. Y., Vogels, R., & Orban, G. A. (1995). Selectivity of macaque inferior temporal neurons for partially occluded shapes. *The Journal of neuroscience*, 15 (3), 1984–1997.
- Kovács, I., Papatomas, T. V., Yang, M., & Fehér, A. (1996). When the brain changes its mind: Interocular grouping during binocular rivalry. *Proceedings of the National Academy of Sciences of the United States of America*, 93,15508–15511.
- Kowler, E. (2011). Eye movements: The past 25 years. *Vision Research*, 51(13), 1457–1483.
- Kravitz, D. J., Saleem, K. S., Baker, C. I., & Mishkin, M. (2011). A new neural framework for visuospatial processing. *Nature Reviews Neuroscience*, 12(4),217–230.
- Kreiman, G., Fried, I., & Koch, C. (2002). Single-neuron correlates of subjective vision in the human medial temporal lobe. *Proceedings of the National Academy of Sciences of the United States of America*, 99, 8378–8383.
- Krueger, L. E. (1984). Perceived numerosity: A comparison of magnitude production, magnitude estimation, and discrimination judgments. *Perception & Psychophysics*, 35, 536–542.
- Kruger, P. B., & Pola, J. (1986). Stimuli for accommodation: Blur, chromatic aberration and size. *Vision Research*, 26(6), 957–971.
- Kruger, P. B., Mathews, S., Aggarwala, K. R., & Sanchez, N. (1993). Chromatic aberration and ocular focus: Fincham revisited. *Vision Research*, 33(10), 1397–1411.
- Kruger, P. B., Mathews, S., Aggarwala, K. R., Yager, D., & Kruger, E. S. (1995). Accommodation responds to changing contrast of long, middle and short spectral waveband components of the retinal image. *Vision Research*, 35(17), 2415–2429.
- Kwon, M., Wiecek, E., Dakin, S. C., & Bex, P. J. (2015). Spatial-frequency dependent binocular imbalance in amblyopia. *Scientific Reports*, 5, 17181.
- Kwong, K. K., Belliveau, J. W., Chesler, D. A., Goldberg, I. E., Weisskoff, R. M., Pncelet, B. P., et al. (1992). Dynamic magnetic resonance imaging of human brain activity during primary sensory stimulation. *Proceedings of the National Academy of Sciences of the United States of America*, 89, 5675–5679.
- Lages, M. (2006). Bayesian models of binocular 3-d motion perception. *Journal of Vision*,6(4) 14–14.

- Lages, M., Adams, W. J., & Graf, E. W. (2009) Motion-aftereffect-induced blindness. *Journal of Vision*, 9(11):11, 1–7.
- Laing, C. R., & Chow, C. C. (2002). A spiking neuron model for binocular rivalry. *Journal of Computational Neuroscience*, 12, 39–53.
- Lamme, V. A. (1995). The neurophysiology of figureground segregation in primary visual cortex. *Journal of Neuroscience*, 15, 1605–1615.
- Lamme, V. A., Van Dijk, B. W., & Spekreijse, H. (1992). Texture segregation is processed by primary visual cortex in man and monkey. Evidence from VEP experiments. *Vision Research*, 32(5), 797–807.
- Land, M., & Horwood, J. (1995, September 28). Which parts of the road guide steering? *Nature*, 377, 339–340.
- Landers, D. D., & Cormack, L. K. (1997). Asymmetries and errors in perception of depth from disparity suggest a multicomponent model of disparity processing. *Perception & Psychophysics*, 59, 219–231.
- Langer, M. S., & Zucker, S. W. (1994). Shape from shading on a cloudy day. *Journal of the Optical Society of America A*, 11, 467–478.
- Lappin, J. S., & Craft, W. D. (2000). Foundations of spatial vision: From retinal images to perceived shapes. *Psychological Review*, 107, 6–38.
- Lappin, J. S., & Craft, W. D. 2000 Foundations of spatial vision: From retinal images to perceived shapes. *Psychological Review*, 107, 6–38.
- Layton, O. W., & Yazdanbakhsh, A. (2015). A neural model of border-ownership from kinetic occlusion. *Vision Research*, 106, 64–80.
- Leat, S. J., St Pierre, J., Hasan-Abadi, S., & Faubert, J. (2001). The moving dynamic random dot stereotest: Development, age norms, and comparison with the Frisby, Randot and Stereo Smile tests. *Journal of Pediatric Ophthalmology & Strabismus*, 38, 284–294.
- Leder, H., & Bruce, V. (2000). When inverted faces are recognized: The role of configural information in face recognition. *The Quarterly Journal of Experimental Psychology*, 53A(2), 513–536.
- Ledgeway, T., & Smith, A. T. (1994). Evidence for separate motion detecting mechanisms for first- and second-order motion in human vision. *Vision Research*, 34, 2727–2740.
- Lee, S. H., Blake, R., & Heeger, D. J. 2005 Traveling waves of activity in primary visual cortex during binocular rivalry. *Nature Neuroscience*, 8, 22–23.
- Lee, S. H., Blake, R., & Heeger, D. J. 2007 Hierarchy of cortical responses underlying binocular rivalry. *Nature Neuroscience*, 10, 1048–1054.
- Lee, S., Shioiri, S., & Yaguchi, H. (2003). Effects of temporal frequency and contrast on spatial frequency



- characteristics for disparity threshold. *Optical Review*, 10(2), 120–123.
- Lee, S., Shioiri, S., & Yaguchi, H. (2007). Stereo channels with different temporal frequency tunings. *Vision Research*, 47(3), 289–297.
- Lee, S.-H., & Blake, R. (2002). V1 activity is reduced during binocular rivalry. *Journal of Vision*, 2(9), 618–626.
- Lee, S.-H., Blake, R., & Heeger, D. (2005). Traveling waves of activity in primary visual cortex during binocular rivalry. *Nature Neuroscience*, 8, 22–23.
- Lee, S.-H., Blake, R., & Heeger, D. (2007). Hierarchy of cortical responses underlying binocular rivalry. *Nature Neuroscience*, 10, 1048–1054.
- Leekam, S. R., Nieto, C., Libby, S. J., Wing, L., & Gould, J. (2007). Describing the sensory abnormalities of children and adults with autism. *Journal of Autism and Developmental Disorders*, 37(5), 894–910.
- Legge, G. E. (1984). Binocular contrast summation I. Detection and discrimination. *Vision Research*, 24, 373–383.
- Legge, G. E. (1984). Binocular contrast summation–II. Quadratic summation. *Vision Research*, 24, 385–394.
- Legge, G. E., & Rubin, G. S. (1981). Binocular interactions in suprathreshold contrast perception. *Perception & Psychophysics*, 30, 49–61.
- Lehky, S. R. (1988). An astable multivibrator model of binocular rivalry. *Perception*, 17(2), 215–228.
- Lehky, S. R., & Sejnowski, T. J. (1990). Neural model of stereoacuity and depth interpolation based on a distributed representation of stereo disparity. *Journal of Neuroscience*, 10, 2281–2299.
- Leopold, D. A., & Logothetis, N. K. (1996, February 8). Activity changes in early visual cortex reflect monkeys' percepts during binocular rivalry. *Nature*, 379(6565), 549–553.
- Leopold, D. A., Wilke, M., Maier, A., & Logothetis, N. (2002). Stable perception of visually ambiguous patterns. *Nature Neuroscience*, 5, 605–609.
- Leopold, D., & Logothetis, N. (1999). Multistable phenomena: Changing views in perception. *Trends in Cognitive Sciences*, 3(7), 254–264.
- Lesmes, L. A., Lu, Z.-L., Baek, J., & Albright, T. D. (2010). Bayesian adaptive estimation
- Levelt, W.J.M. (1965). On binocular rivalry. Soesterberg, The Netherlands: Institute for Perception RVO-TNO. Available at <<http://www.mpi.nl/world/materials/>
- Leventhal, A. G., Wang, Y., Pu, M., Zhou, Y., & Ma, Y. (2003). GABA and its agonists improved visual cortical function in senescent monkeys. *Science*, 300, 812–815.
- Levi, D. M. (2008). Crowding – An essential bottleneck for object recognition: A mini-review. *Vision*

- Research, 48(5), 635–654.
- Levi, D. M., & Harwerth, R. S. (1977). Spatio-temporal interactions in anisometropic and strabismic amblyopia. *Investigative Ophthalmology & Visual Science*, 16(1), 90–95.
- Levi, D. M., & Li, R. W. (2009). Improving the performance of the amblyopic visual system. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 364(1515), 399–407.
- Levi, D. M., & Manny, R. E. (1980). The pathophysiology of amblyopia: Electrophysiological studies. *Annals of the New York Academy of Sciences*, 338(1), 243–260.
- Li, A., & Zaidi, Q. (2000). Perception of three dimensional shape from texture is based on oriented energy. *Vision Research*, 40, 217–242.
- Li, A., & Zaidi, Q. (2001a). Information limitations in perception of shape from texture. *Vision Research*, 41, 1519–1533.
- Li, A., & Zaidi, Q. (2001b). Veridicality of three dimensional shape perception predicted from amplitude spectra of natural textures. *Journal of the Optical Society of America A, Optics, Image Science, and Vision*, 18, 2430–2447.
- Li, A., & Zaidi, Q. (2004). Three-dimensional shape from non-homogeneous textures: Carved and stretched surfaces. *Journal of Vision*, 4(10):3, 860–878,
- Li, J., Thompson, B., Ding, Z., Chan, L. Y., Chen, X., Yu, M., et al. (2012). Does partial occlusion promote normal binocular function? *Investigative Ophthalmology & Visual Science*, 53(11), 6818–6827.
- Li, W., Piëch, V., & Gilbert, C. D. (2004). Perceptual learning and top-down influences in primary visual cortex. *Nature Neuroscience*, 7(6), 651–657.
- Li, Z., & Atick, J. J. (1994). Efficient stereo coding in the multiscale representation. *Network: Computation in Neural Systems*, 5, 157–174.
- Li, Z., & Atick, J. J. (1994). Efficient stereo coding in the multiscale representation. *Network: Computation in Neural Systems*, 5, 157–174.
- Li, Z., & Durgin, F. H. (2009). Downhill slopes look shallower from the edge. *Journal of Vision*, 9(11):6, 1–15.
- Li, Z., & Durgin, F. H. (2012). A comparison of two theories of perceived distance on the ground plane: The angular expansion hypothesis and the intrinsic bias hypothesis. *i-Perception*, 3(5), 368.
- Li, Z., Phillips, J., & Durgin, F. H. (2011). The underestimation of egocentric distance: Evidence from frontal matching tasks. *Attention, Perception, & Psychophysics*, 73(7), 2205–2217.
- Li, Z., Sun, E., Strawser, C. J., Spiegel, A., Klein, B., & Durgin, F. H. (2013). On the anisotropy of perceived ground extents and the interpretation of walked distance as a measure of perception. *Journal of*

- Experimental Psychology: Human Perception and Performance, 39(2), 477.
- Liang, Z., Yang, Y., Li, G., Zhang, J., Wang, Y., Zhou, Y., et al. (2010). Aging affects the direction selectivity of MT cells in rhesus monkeys. *Neurobiology of Aging*, 31(5), 863–873.
- Lig, R., Wohlschläger, A.M., Burazanis, S., Wöller, A., Nunnemann, S. & Mühlau, M. (2008). Neural correlates of spontaneous percept switches in ambiguous stimuli: An event-related functional magnetic resonance imaging study. *Cognitive Neuroscience*, 28, 2325–2332.
- Likova, L. L., & Tyler, C. W. (2007). Stereo motion processing in the human occipital cortex. *Neuroimage*, 38, 293–305.
- Likova, L., & Tyler, C. W. (2008). Occipital network for figure/ground organization. *Experimental Brain Research*, 189(3), 257–267. <http://dx.doi.org/10.1007/s00221-008-1417-6>
- Lin, Z., & He, S. (2009). Seeing the invisible: The scope and limits of unconscious processing in binocular rivalry. *Progress in Neurobiology*, 87, 195–211.
- Liu, L., Stevenson, S. B., & Schor, C. M. (1994). Quantitative stereoscopic depth without binocular correspondence. *Nature*, 367, 66–68.
- Ling, S., & Blake, R. 2009 Suppression during binocular rivalry broadens orientation tuning. *Psychological Science*, 20(11), 1348–1355.
- Liu, C. H., Ward, J., & Markall, H. (2007). The role of active exploration of 3D face stimuli on recognition memory of facial information. *Journal of Experimental Psychology: Human Perception and Performance*, 33, 895–904.
- Liu, J., & Newsome, W. T. 2005 Correlation between speed perception and neural activity in the middle temporal visual area. *Journal of Neuroscience*, 25, 711–722.
- Liu, L., Tyler, C. W., & Schor, C. M. (1992). Failure of Rivalry at low contrast: Evidence of a suprathreshold binocular summation process. *Vision Research*, 32(8), 1471–1479.
- Liu, Y., Vogels, R., & Orban, G. A. (2004) Convergence of depth from texture and depth from disparity in macaque inferior temporal cortex. *Journal of Neuroscience*, 24, 3795–3800.
- Liu, L. & Schor, C. 1994 The spatial properties of binocular suppression zone. *Vision Research*, 34, 937–947.
- Livingstone, M. S., & Hubel, D. H. (1987) Psychophysical evidence for separate channels for the perception of form, color, movement, and depth. *Journal of Neuroscience*, 7, 3416–3468.
- Livingstone, M. S., & Hubel, D. H. (1988) Segregation of form, color, movement, and depth: Anatomy, physiology, and perception. *Science*, 240, 740–749.
- Logothetis, N. K., Leopold, D. A., & Sheinberg, D. L. 1996 What is rivaling during binocular rivalry? *Nature*, 380, 621–624.

- Longuet-Higgins, H. C. (1982). The role of the vertical dimension in stereoscopic vision. *Perception*, 11, 377–386.
- Lu, Z. & Sperling, G. (1995). The functional architecture of human visual motion perception. *Vision Research*, 35, 2697–2722.
- Lu, Z. & Sperling, G. (1995). The functional architecture of human visual motion perception. *Vision Research*, 35, 2697–2722.
- Lu, Z. & Sperling, G. (2001). Three-systems theory of human visual motion perception: Review and Update. *Journal of Optical Society of America A: Optics, Image Science, and Vision*, 18, 2331–2370.
- Ludwig I, Pieper W, Lachnit H, (2007) Temporal integration of monocular images separated in time: stereopsis, stereoacuity, and binocular luster. *Perception & Psychophysics*, 69, 92–102.
- Lunghi, C., Burr, D. C., & Morrone, C. (2011). Brief periods of monocular deprivation disrupt ocular balance in human adult visual cortex. *Current Biology*, 21(14), R538–R539.
- Machilsen, B., & Wagemans, J. (2011). Integration of contour and surface information in shape detection. *Vision Research*, 51, 179–186.
- Malach, R., Reppas, J. B., Benson, R. B., Kwong, K. K., Jiang, H., Kennedy, W. A., et al. (1995). Object-related activity revealed by functional magnetic resonance imaging in human occipital cortex. *Proceedings of the National Academy of Sciences of the United States of America*, 92, 8135–8138.
- Malik, J., Anderson, B. L., & Charowhas, C. E. (1999). Stereoscopic occlusion junctions. *Nature Neuroscience*, 2(9), 840–843.
- Malkoc, G., & Kingdom, F. A. A. (2012). Dichoptic difference thresholds for chromatic stimuli. *Vision Research*, 62, 75–83.
- Mamassian P. (2004). Impossible shadows and the shadow correspondence problem. *Perception*, 33, 1279–1290.
- Mamassian, P., & Goutcher, R. (2001). Prior knowledge on the illumination position. *Cognition*, 81, B1–B9.
- Maniatis, L. M. (2008). The leaning tower illusion is not a simple perspective illusion. *Perception*, 37, 1769–1772.
- Manny, R. E. (1992). Orientation selectivity of 3-month-old infants. *Vision Research*, 32, 1817–1828.
- Mansouri, B., Thompson, B., & Hess, R. F. (2008). Measurement of suprathreshold binocular interactions in amblyopia. *Vision Research*, 48(28), 2775–2784.
- Marcas, V. L., Xiao, D. K., Raiguel, S. E., Maes, H., & Orban, G. A. (1995). Processing of kinetically defined boundaries in the cortical motion area MT of the macaque monkey. *Journal of Neurophysiology*, 74(3),

1258–1270.

- Marcus, D. S., & Van Essen, D. C. (2002). Scene segmentation and attention in primate cortical areas V1 and V2. *Journal of Neurophysiology*, 88, 2648–2658.
- Marlow, P. J. & Anderson, B. L. (2015) Material properties derived from three-dimensional shape representations. *Vision Research*, 115, 199–208.
- Marr, D. (1982) *Vision*. New York: W.H. Freeman.
- Marr, D., & Nishihara, H. K. (1978). Representation and recognition of the spatial organization of three-dimensional shapes. *Proceedings of the Royal Society, London, B*, 200, 269–294.
- Marshall, J. A., Burbeck, C. A., Ariely, D., Rolland, J.P., & Martin, K. E. (1996). Occlusion edge blur: A cue to relative visual depth. *Journal of the Optical Society of America A*, 13, 681–688.
- Maruko, I., Zhang, B., Tao, X., Tong, J., Smith, E. L., III, & Chino, Y. M. (2008). Postnatal development of disparity sensitivity in visual area 2 (v2) of macaque monkeys. *Journal of Neurophysiology*, 100(5), 2486–2495.
- Mathes, B., & Fahle, M. (2007). The electrophysiological correlate of contour integration is similar for color and luminance mechanisms. *Psychophysiology*, 44, 305–322.
- Mathes, B., Trenner, D., & Fahle, M. (2006). The electrophysiological correlate of contour integration is modulated by task demands. *Brain Research*, 1114, 98–112.
- Maurer, D., Grand, R. Le., & Mondloch, C. J. (2002). The many faces of configural processing. *Trends in Cognitive Sciences*, 6(6), 255–260.
- Maxwell, J., Tong, J., & Schor, C. M. (2010). The first and second order dynamics of accommodative convergence and disparity convergence. *Vision Research*, 50(17), 1728–1739.
- May, K. A., & Zhaoping, L. (2016). Efficient coding theory predicts a tilt aftereffect from viewing untilted patterns. *Current Biology*, 26, 1571–1576.
- May, K. A., Zhaoping, L., & Hibbard, P. B. (2012). Perceived direction of motion determined by adaptation to static binocular images. *Current Biology*, 22, 28–32.
- McCormack, G. L. (1985). Vergence adaptation maintains heterophoria in normal binocular vision. *American Journal of Optometry and Physiological Optics*, 62(8), 555–561. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/4037062>.
- McKee, S. P. (1983). The spatial requirements for fine stereoacuity. *Vision Research* 23(2), 191–198.
- McKee, S. P., & Taylor, D. G. (2010). The precision of binocular and monocular depth judgments in natural settings. *Journal of Vision*, 10(10):5, 1–13.
- McKee, S. P., Levi, D. M., Schor, C. M., & Movshon, J. A. (2016). Saccadic latency in amblyopia. *Journal of*

- Vision, 16(5), 1–15.
- McKee, S. P., Welch, L., Taylor, D. G., & Bowne, S. F. (1990). Finding the common bond: Stereoacuity and the other hyperacuities. *Vision Research*, 30(6), 879–891.
- McLin, L. N., Schor, C. M., & Kruger, P. B. (1988). Changing size (looming) as a stimulus to accommodation and vergence. *Vision Research*, 28(8), 883–898.
- McMains, S. A., Fehd, H. M., Emmanouil, T. A., & Kastner, S. (2007). Mechanisms of feature- and space-based attention: Response modulation and baseline increases. *Journal of Neurophysiology*, 98(4), 2110–2121.
- Meadows, J. (1974). Disturbed perception of colors associated with localized cerebral lesions. *Brain*, 97, 615–632.
- Meese, T. S., & Baker, D. H. (2011). A reevaluation of achromatic spatio-temporal vision: Nonoriented filters are monocular, they adapt, and can be used for decision making at high flicker speeds. *i-Perception*, 2, 159–182.
- Meng, M., & Tong, F. (2004). Can attention selectively bias bistable perception? Differences between binocular rivalry and ambiguous figures. *Journal of Vision*, 4, 539–551.
- Menz, M. D., & Freeman, R. D. (2003). Stereoscopic depth processing in the visual cortex: A coarse to fine mechanism. *Nature Neuroscience*, 6, 59–65.
- Merigan, W. H. (2000). Cortical area V4 is critical for certain texture discriminations, but this effect is not dependent on attention. *Visual Neuroscience*, 17(6), 949–958.
- Merigan, W. H., & Pham, H. A. (1998). V4 lesions in macaques affect both single- and multiple-viewpoint shape discriminations. *Visual Neuroscience*, 15(2), 359–367.
- Milner, A. D., & Goodale, M. A. (2006). *The visual brain in action*, 2nd ed. New York: Oxford University Press.
- Milner, A. D., & Goodale, M. A. (2008). Two visual systems re-viewed. *Neuropsychologia*, 46(3), 774–785, doi: 10.1016/j.neuropsychologia.2007.10.005.
- Milner, A. D., Perrett, D. I., Johnston, R. S., Benson, P. J., Jordan, T. R., Heeley, D. W. et al. (1991). Perception and action in 'visual form agnosia'. *Brain*, 114(Pt. 1B), 405–428.
- Mitchell, D. E., & Sengpiel, F. (2009). Neural mechanisms of recovery following early visual deprivation. *Philosophical Transactions of the Royal Society of London, Series B*, 364, 383–398.
- Mitchell, D. E., Kind, P. C., Sengpiel, F., & Murphy, K. M. (2003). Brief daily periods of binocular vision prevent deprivation-induced acuity loss. *Current Biology*, 13, 1704–1708.
- Mitchell, D. E., Kind, P. C., Sengpiel, F., & Murphy, K. M. (2006). Short daily periods of concordant

- binocular vision prevent the development of deprivation amblyopia. *European Journal of Neuroscience*, 23, 2458–2466.
- Mitchell, J. F., Stoner, G. R., & Reynolds, J. H. (2004). Object-based attention determines dominance in binocular rivalry. *Nature*, 429(6990), 410–413.
- Mitchison, G. J., & Westheimer, G. (1984). The perception of depth in simple figures. *Vision Research*, 24(9), 1063–1073.
- Mittelstaedt, M. L., & Mittelstaedt, H. (2001) Idiopathic navigation in humans: Estimation of path length. *Experimental Brain Research*, 139, 318–332.
- Mole, C. D., Kountouriotis, G., Billington, J., & Wilkie, R. M. (2016). Optic flow speed modulates guidance level control: New insights into two-level steering. *Journal of Experimental Psychology: Human Perception and Performance*, 42(11), 1818–1838.
- Mon-Williams, M., & Tresilian, J. R. (1999). Some recent studies on the extra retinal contribution to distance perception. *Perception*, 28, 167–181.
- Moore, C. M., Stephens, T., & Hein, E. (2010). Features, as well as space and time, guide object persistence. *Psychonomic bulletin & review*, 17(5), 731–736.
- Moreno-Bote, R., Shpiro, A., Rinzel, J., & Rubin, N. (2010). Alternation rate in perceptual bistability is maximal at and symmetric around equi-dominance. *Journal of Vision*, 10(11):1, 1–18.
- Morgenstern, Y., Murray, R. F., & Harris, L.R. (2011). The human visual system's assumption that light comes from above is weak. *Proceedings of the National Academy of Sciences, USA*, 108, 12551–12553.
- Motoyoshi, I. (1999). Texture filling-in and texture segregation revealed by transient masking. *Vision Research*, 39, 1285–1291.
- Moutoussis, K., Keliris, G., Kourtzi, Z., & Logothetis, N. (2005). A binocular rivalry study of motion perception in the human brain. *Vision Research*, 45(17), 2231–2243.
- Moutsiana, C., de Haas, B., Papageorgiou, A., van Dijk, J. A., Balraj, A., Greenwood, J. A., & Schwarzkopf, D. S. (2016) Cortical idiosyncrasies predict the perception of object size. *Nature Communications*, 7, 12110.
- Movshon, J. A., & Newsome, W. T. (1996). Visual response properties of striate cortical neurons projecting to area MT in macaque monkeys. *The Journal of Neuroscience*, 16(23), 7733–7741.
- Movshon, J. A., Eggers, H. M., Gizzi, M. S., Hendrickson, A. E., Kiorpes, L., & Boothe, R. G. (1987). Effects of early unilateral blur on the macaque's visual system. III. Physiological observations. *Journal of Neuroscience*, 7(5), 1340–1351.
- Murphy, K. M., & Mitchell, D. E. (1986). Bilateral amblyopia after a short period of reverse occlusion in

- kittens. *Nature*, 323(6088), 536–538.
- Murphy, K. M., & Mitchell, D. E. (1987). Reduced visual acuity in both eyes of monocularly deprived kittens following a short or long period of reverse occlusion. *Journal of Neuroscience*, 7(5), 1526–1536.
- Murray, M. M., Imber, M. L., Javitt, D. C., & Foxe, J. J. (2006). Boundary completion is automatic and dissociable from shape discrimination. *The Journal of Neuroscience*, 26, 12043–12054.
- Murray, M. M., Wylie, G. R., Higgins, B. A., Javitt, D. C., Schroeder, C. E., & Foxe, J. J. (2002). The spatiotemporal dynamics of illusory contour processing: Combined high-density electrical mapping, source analysis, and functional magnetic resonance imaging. *The Journal of Neuroscience*, 22, 5055–5073.
- Murray, S. O., Boyaci, H., & Kersten, D. (2006). The representation of perceived angular size in human primary visual cortex. *Nature Neuroscience*, 9(3), 429–434.
- Murray, S., & Bex, P. J. (2010). Perceived blur in naturally contoured images depends on phase. *Frontiers in Psychology*, 1, 185.
- Muthukumaraswamy, S. D., Edden, R. A., Jones, D. K., Swettenham, J. B., & Singh, K. D. (2009). Resting GABA concentration predicts peak gamma frequency and fMRI amplitude in response to visual stimulation in humans. *Proceedings of the National Academy of Sciences of the United States of America*, 106(20), 8356–8361.
- Myers, T. A., & Crowther, J. H. (2009). Social comparison as a predictor of body dissatisfaction: A meta-analytic review. *Journal of Abnormal Psychology*, 118, 683–698.
- Nakamura, S. (2008). Effects of stimulus eccentricity on vection reevaluated with a binocularly defined depth. *Japanese Psychological Research*, 50(2), 77–86.
- Nakamura, S., & Shimojo, S. (1998). Stimulus size and eccentricity in visually induced perception of horizontally translational self-motion. *Perceptual and Motor Skills*, 87(2), 659–663.
- Nakayama, K., & Loomis, J. M. (1974). Optical velocity patterns, velocity-sensitive neurons, and space perception: A hypothesis. *Perception*, 3(1), 63.
- Nakayama, K., & Shimojo, S. (1990). Toward a neural understanding of visual surface representation. *Cold spring harbor symposia on quantitative biology*, 55, 911–924. Cold Spring Harbor, MA: Cold Spring Harbor Laboratory Press.
- Nakayama, K., & Shimojo, S. (1990). DaVinci stereopsis: Depth and subjective contours from unpaired monocular points. *Vision Research*, 30, 1811–1825.
- Nakayama, K., He, Z. J., & Shimojo, S. (1995). Visual surface representation: A critical link between lower-level and higher level vision. In S. M. Kosslyn & D. N. Osherson (Eds.), *An invitation to cognitive science*:



- Visual cognition (pp. 1–70). Cambridge, MA: M.I.T. Press.
- Nakayama, K., Shimojo, S., & Silverman, G. H. (1989). Stereoscopic depth: Its relation to image segmentation, grouping and the recognition of occluded objects. *Perception*, 18, 55–68.
- Nassi, J. J., & Callaway, E. M. (2009). Parallel processing strategies of the primate visual system. *Nature Reviews Neuroscience*, 10(5), 360–372.
- Nawrot, E., Mayo, S. L., & Nawrot, M. (2009). The development of depth perception from motion parallax in infancy. *Attention, Perception & Psychophysics*, 71(1) 194–199.
- Nawrot, M., & Blake, R. (1991). A neural network model of kinetic depth. *Visual Neuroscience*, 6, 219–227.
- Nawrot, M., & Joyce, L. (2006). The pursuit theory of motion parallax. *Vision Research*, 46, 4709–4725.
- Nawrot, M., & Stroyan, K. (2009). The motion/pursuit law for visual depth perception from motion parallax. *Vision Research*, 49, 1969–1978.
- Newsome, W. T., Wurtz, R. H., & Komatsu, H. (1988). Relation of cortical areas MT and MST to pursuit eye movements. II. Differentiation of retinal from extraretinal inputs. *Journal of Neurophysiology*, 60(2), 604–620.
- Newsome, W., & Pare, E. (1988). A selective impairment of motion perception following lesions of the middle temporal visual area (MT). *Journal of Neuroscience*, 8(6), 2201–2211.
- Nguyen, A. T. T., Palmer, C. J., Otsuka, Y., & Clifford, C. W. (2018). Biases in perceiving gaze vergence. *Journal of Experimental Psychology: General*, 147(8), 1125–1133.
- Nguyen, V. A., Freeman, A. W., & Alais, D. (2003). Increasing depth of binocular rivalry suppression along two visual pathways. *Vision Research*, 43(19), 2003–2008.
- Nguyen, V. A., Freeman, A. W., & Wenderoth, P. (2001). The depth and selectivity of suppression in binocular rivalry. *Perception & Psychophysics*, 63, 348–360.
- Ni, A. M., Murray, S. O., & Horwitz, G. D. (2014). Object-centered shifts of receptive field positions in monkey primary visual cortex. *Current Biology*, 24(14), 1653–1658.
- Nienborg, H., Bridge, H., Parker, A. J., & Cumming, B. G. (2005). Neuronal computation of disparity in V1 limits temporal resolution for detecting disparity modulation. *The Journal of Neuroscience*, 25(44), 10207–10219.
- Nijhawan, R. (1994). Motion extrapolation in catching. *Nature*, 370(6487), 256–257.
- Ninio, J. (1985). Orientational versus horizontal disparity in the stereoscopic appreciation of slant. *Perception*, 14, 305–314.
- Noest, A. J., van Ee, R., Nijs, M. M., & van Wezel, R. J. A. (2007). Percept-choice sequences driven by

- interrupted ambiguous stimuli: A low-level neural model. *Journal of Vision*, 7(8):10, 1–14.
- Norcia, A. M., & Tyler, C. W. (1984). Temporal frequency limits for stereoscopic apparent motion processes. *Vision Research*, 24(5), 395–401.
- Norcia, A. M., Gerhard, H. E., & Meredith, W. J. (2017). Development of relative disparity sensitivity in human visual cortex. *Journal of Neuroscience*, 37(23), 5608–5619.
- Norman, H. F., Norman, J. F., & Bilotta, J. 2000 The temporal course of suppression during binocular rivalry. *Perception*, 29, 831–841.
- Norman, H. F., Norman, J. F., Todd, J. T., & Lindsey, D. T. (1996). Spatial interactions in perceived speed. *Perception*, 25, 815–830.
- Norman, J. F., Crabtree, C. E., Bartholomew, A. N., & Ferrell, E. L. (2009). Aging and the perception of slant from optical texture, motion parallax, and binocular disparity. *Perception & Psychophysics*, 71(1), 116–130.
- Norman, J. F., Ross, H. E., Hawkes, L. M., & Long, J. R. (2003). Aging and the perception of speed. *Perception*, 32, 85–96.
- North, R., & Henson, D. B. (1981). Adaptation to prism-induced heterophoria in subjects with abnormal binocular vision or asthenopia. *American Journal of Optometry and Physiological Optics*, 58(9), 746–752. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7294146>.
- O'Keefe, L. P. & Movshon, J. A. 1998 Processing of first-order and second-order motion signals by neurons in area MT of the macaque monkey. *Visual Neuroscience*, 15, 305–317.
- Ogawa, S., & Lee, T. M. (1990). Magnetic resonance imaging of blood vessels at high fields: In vivo and in vitro measurements and image simulation. *Magnetic Resonance in Medicine*, 16(1), 9–18.
- Ogawa, S., Lee, T. M., Kay, A. R., & Tank, D. W. (1990). Brain magnetic resonance imaging with contrast dependent on blood oxygenation. *Proceedings of the National Academy of Sciences of the United States of America*, 87(24), 9868–9872.
- Ogawa, S., Lee, T. M., Nayak, A. S., & Glynn, P. (1990). Oxygenation-sensitive contrast in magnetic resonance image of rodent brain at high magnetic fields. *Magnetic Resonance in Medicine*, 14(1), 68–78.
- Ogawa, S., Tank, D., Menon, R., Ellermann, J., Kim, S., Merkle, H., et al. (1992). Intrinsic signal changes accompanying sensory stimulation: Functional brain mapping with magnetic resonance imaging. *Proceedings of the National Academy of Sciences of the United States of America*, 89, 591–5955.
- Ohzawa, I., DeAngelis, G. C., & Freeman, R. D. (1990). Stereoscopic depth discrimination in the visual cortex: Neurons ideally suited as disparity detectors. *Science*, 249, 1037–1041.

- Oliva, A., & Schyns, P. G. 1997 Coarse blobs or fine edges? Evidence that information diagnosticity changes the perception of complex visual stimuli. *Cognitive Psychology*, 34, 72–107.
- Ooi, T. L., & He, Z. J. (1999). Binocular rivalry and visual awareness: The role of attention. *Perception*, 28(5), 551–574.
- Ooi, T. L., & He, Z. J. (2003a). A distributed intercortical processing of binocular rivalry: Psychophysical evidence. *Perception*, 32(2), 155–166.
- Ooi, T. L., & He, Z. J. (2003b). On the initiation and spreading of interocular suppression from binocular vertical contours [Abstract]. *Journal of Vision*, 3(9)452, 452a. doi:10.1167/3.9.452.  
<http://journalofvision.org/3/9/452/>.
- Ooi, T. L., & He, Z. J. (2005). Surface representation and attention modulation mechanisms in binocular rivalry. In D. Alais & R. Blake (Eds.), *Binocular rivalry*(pp. 117–135). Cambridge, MA: MIT Press.
- Ooi, T. L., & He, Z. J. (2006). Binocular rivalry and surface boundary processing. *Perception*, 35(5), 581–603.
- Ooi, T. L., & He, Z. J. (2007). A distance judgment function based on space perception mechanisms: Revisiting Gilinsky's (1951) equation. *Psychological Review*, 114, 441–454.
- Ooi, T. L., Su, Y. R., Natale, D. M., & He, Z. J. (2013). A push-pull treatment for strengthening the “lazy eye” in amblyopia. *Current Biology*, 23(8), 309–310.
- Oppenheim, A. V., & Lim, J. S. (1981). The importance of phase in signals. *Proceedings of the IEEE*, 69, 529–541.
- Orban, G. A., Dupont, P., De Bruyn, B., Vogels, R., Vanden-berghe, R., & Mortelmans, L. (1995). A motion area in human visual cortex. *Proceedings of the National Academy of Sciences of the United States of America*, 92, 993–997.
- Orban, G. A., Janssen, P., & Vogels, R. (2006). Extracting 3D structure from disparity. *Trends in Neuroscience*, 29, 466–473.
- Orban, G. A., Saunders, R. C., & Vandenbussche, E. (1995). Lesions of the superior temporal cortical motion areas impair speed discrimination in the macaque monkey. *European Journal of Neuroscience*, 7, 2261–2276.
- Orban, G. A., Van Essen, D., & Vanduffel, W. (2004). Comparative mapping of higher visual areas in monkeys and humans. *Trends in Cognitive Sciences*, 8(7), 315–324.
- Ostrovsky, Y., Cavanagh, P., & Sinha, P. (2005) Perceiving illumination inconsistencies in scenes. *Perception*, 34, 1301–1314.
- Otero-Millan, J., Troncoso, X. G., Macknik, S. L., Serrano-Pedraza, I. & Martinez-Conde, S. (2008). Saccades

- and microsaccades during visual fixation, exploration, and search: Foundations for a common saccadic generator. *Journal of Vision*, 8, 1–18.
- O’Shea, J. P., Agrawala, M., & Banks, M. S. (2010) The influence of shape cues on the perception of lighting direction. *Journal of Vision*, 10(12):21, 1–21.
- O’Shea, R. P. (1998). Effects of orientation and spatial frequency on monocular and binocular rivalry. In N. Kasabov, R. Kozma, K. Ko, R. O’Shea, G. Coghill, & T. Gedeon (Eds.), *Progress in connectionist-based information systems: Proceedings of the 1997 International Conference on Neural Information Processing and Intelligent Information Systems* (pp. 67–70). Singapore: Springer Verlag.
- O’Shea, R. P. (2011). Binocular rivalry stimuli are common but rivalry is not. *Frontiers in Psychology*, 5, 148.
- O’Shea, R. P., Blackburn, S. G., & Ono, H. 1994 Contrast as a depth cue. *Vision Research*, 34, 1595–1604.
- O’Shea, R. P., Parker, A., La Rooy, D., & Alais, D. (2009). Monocular rivalry exhibits three hallmarks of binocular rivalry: Evidence for common processes. *Vision Research*, 49(7), 671–681.
- O’Shea, R., Sims, J. H., & Govan, G. (1997). The effect of spatial frequency and field size on the spread of exclusive visibility in binocular rivalry. *Vision Research*, 37(2), 175–183.
- Pack, C. C., Gartland, A. J., & Born, R. T. (2004). Integration of contour and terminator signals in visual area MT of alert macaque. *Journal of Neuroscience*, 24(13), 3268–3280.
- Paffen, C. L. E., Naber, M., & Verstraten, F. A. J. 2008 The spatial origin of a perceptual transition in binocular rivalry. *PloS One*, 3, e2311.
- Pagano, C. C., & Bingham, G. P. (1998). Comparing measures of monocular distance perception: Verbal and reaching errors are not correlated. *Journal of Experimental Psychology: Human Perception and Performance*, 24, 1037–1051.
- Palmer, S. E., & Ghose, T. 2008 Extremal edges: A powerful cue to depth perception and figure–ground organization. *Psychological Science*, 19, 77–84.
- Palmer, S. E., Brooks, J. L., & Lai, K. S. (2007). The occlusion illusion: Partial modal completion or apparent distance? *Perception*, 36(5), 650–669.
- Pan, J. S., & Bingham, G. P. (2013). With an eye to low vision: Optic flow enables perception despite image blur. *Optometry and Vision Science*, 90(10), 1119–1127.
- Pan, J. S., Li, J., Chen, Z., Mangiaracina, E. A., Connell, C. S., Wu, H., et al. (2017) Motion-generated optical information allows event perception despite blurry vision in and amblyopic patients. *Journal of Vision*, 17(12), 13.
- Paradiso, M. A., & Nakayama, K. 1991 Brightness perception and filling-in. *Vision Research*, 31, 1221–

1236.

- Park, S., Brady, T. F., Greene, M. R., & Oliva, A. (2011). Disentangling scene content from spatial boundary: Complementary roles for the parahippocampal place area and lateral occipital complex in representing real-world scenes. *The Journal of Neuroscience*, 31(4), 1333–1340.
- Parker, A. J. (2007). Binocular depth perception and the cerebral cortex. *Nature Reviews Neuroscience*, 8, 379–391.
- Parker, A. J., & Yang, Y. (1989). Spatial properties of disparity pooling in human stereo vision. *Vision Research*, 29, 1525–1538.
- Parkes, L., Lund, J., Angelucci, A., Solomon, J. A., & Morgan, M. (2001). Compulsory averaging of crowded orientation signals in human vision. *Nature Neuroscience*, 4, 739–744.
- Pasternak, T., & Merigan, W. H. (1994). Motion perception following lesions of the superior temporal sulcus in the monkey. *Cerebral Cortex*, 4, 247–259.
- Pastukhov, A., & Braun, J. (2007). Perceptual reversals need no prompting by attention. *Journal of Vision*, 7(10):5, 1–17.
- Patel, S. S., Jiang, B. C., White, J. M., & Ogmen, H. (1999). Nonlinear alteration of transient vergence dynamics after sustained convergence. *Optometry & Vision Science*, 76(9), 656–663.
- Patten, M. L., & Welchman, A. E. (2015). fMRI activity in posterior parietal cortex relates to the perceptual use of binocular disparity for both signal-in-noise and feature difference tasks. *PLoS One*, 10(11), 1–22.
- Patterson, R. (1990). Spatiotemporal properties of stereoacuity. *Optometry and Vision Science*, 67(2), 123–128.
- Pearson, J., & Brascamp, J. (2008). Sensory memory for ambiguous vision. *Trends in Cognitive Sciences*, 12, 334–341.
- Pearson, J., & Clifford, C. W. G. (2005). When your brain decides what you see: Grouping across monocular, binocular, and stimulus rivalry. *Psychological Science*, 16, 516–519.
- Pearson, J., Clifford, C. W. G., & Tong, F. (2008). The functional impact of mental imagery on conscious perception. *Current Biology*, 18, 982–986.
- Pelli, D. G., & Tillman, K. A. (2008). The uncrowded window of object recognition. *Nature Neuroscience*, 11(10), 1129–1135.
- Perdreau, F., & Cavanagh, P. (2013). The artist's advantage: Better integration of object information across eye movements. *i-Perception*, 4(6), 380–395.
- Peterson, M. A., & Salvagio, E. (2008). Inhibitory competition in figure-ground perception: Context and

- convexity. *Journal of Vision*, 8(16):4, 1–13.
- Petrig, B., Julesz, B., Kropfl, W., Baumgartner, G., & Anliker, M. (1981, September 18). Development of stereopsis and cortical binocularity in human infants: Electrophysiological evidence. *Science*, 213(4514), 1402–1405.
- Pettigrew, J. D. (2001). Searching for the switch: Neural bases for perceptual rivalry alternations. *Brain and Mind*, 2, 85–118.
- Pianta, M., & Gillam, B. (2003). Monocular gap stereopsis: Manipulation of the outer edge disparity and the shape of the gap. *Vision Research*, 43, 1937–1950.
- Pianta, M. J., & Kalloniatis, M. (1998). Characteristics of anisometric suppression: Simple reaction time measurements. *Perception & Psychophysics*, 60, 491–502.
- Pinna, B., Brelstaff, G., & Spillmann, L. (2001). Surface color from boundaries: A new water color illusion. *Vision Research*, 41, 2669–2676.
- Pinna, B., Werner, J. S., & Spillmann, L. (2003). The watercolor effect: A new principle of grouping and figure–ground organization. *Vision Research*, 43, 43–52.
- Poljac, E., Neggers, B., & Van Den Berg, A. V. (2006). Collision judgment of objects approaching the head. *Experimental Brain Research*, 171(1), 35–46.
- Polonsky, A., Blake, R., Braun, J., & Heeger, D. J. (2000). Neuronal activity in human primary visual cortex correlates with perception during binocular rivalry. *Nature Neuroscience*, 3, 1153–1159.
- Porrill, J., Frisby, J. P., Adams, W. J., & Buckley, D. (1999). Robust and optimal use of information in stereo vision. *Nature*, 397, 63–65.
- Porterfield, W. (1737). An essay concerning the motions of our eyes: Part I. Of their external motions. *Edinburgh Medical Essays and Observations*, 3, 160–263.
- Pressnitzer, D., & Hupé, J.-M. (2006). Temporal dynamics of auditory and visual bistability reveal common principles of perceptual organization. *Current Biology*, 16(13), 1351–1357.
- Preston, T. J., Li, S., Kourtzi, Z., & Welchman, A. E. (2008). Multivoxel pattern selectivity for perceptually relevant binocular disparities in the human brain. *The Journal of Neuroscience*, 28(44), 11315–11327.
- Previc, F. H. (1990). Functional specialization in the lower and upper visual-fields in humans – its ecological origins and neurophysiological implications. *Behavioral and Brain Sciences*, 13(3), 519–541.
- Prieur, D. S., & Rebsam, A. (2016). Retinal axon guidance at the midline: Chiasmatic misrouting and consequences. *Developmental Neurobiology*, 77, 844–860.
- Prince, S., Cumming, B., & Parker, A. (2002). Range and mechanism of encoding of horizontal disparity in macaque V1. *Journal of Neurophysiology*, 87, 209–221.

- Proffitt, D. R. (2006). Embodied perception and the economy of action. *Perspectives on Psychological Science*, 1, 110–122.
- Proffitt, D. R. (2013). An embodied approach to perception: By what units are visual perceptions scaled? *Perspectives on Psychological Science*, 8, 474–483.
- Qiu, F. T., & von der Heydt, R. (2007). Neural representation of transparent overlap. *Nature Neuroscience*, 10, 283–284.
- Qiu, F. T., & von der Heydt, R. (2005). Figure and ground in the visual cortex: V2 combines stereoscopic cues with Gestalt rules. *Neuron*, 47, 155–166.
- Raghuandan, A., Anderson, C. S., & Saladin, J. J. (2009). Spatial scaling of the binocular capture effect. *Optometry and Vision Science*, 86(3), 279–285.
- Raghuram, A., Lakshminarayanan, V., & Khanna, R. (2005). Psychophysical estimation of speed discrimination. II. Aging effects. *Journal of the Optical Society of America A*, 22, 2269–2280.
- Raiguel, S., Van Hulle, M. M., Xiao, D.-K., Marcar, V. L., & Orban, G. A. (1995). Shape and spatial distribution of receptive fields and antagonistic motion surrounds in the middle temporal area (V5) of the macaque. *European Journal of Neuroscience*, 7, 2064–2082.
- Ramachandran, V. S. (1988a). Perception of shape from shading. *Nature*, 331, 163–166.
- Ramachandran, V. S. (1988b). Perceiving shape from shading. *Scientific American*, 259, 58–65.
- Ramamurthy, M., Bedell, H. E., & Patel, S. S. (2005). Stereo thresholds for moving line stimuli for a range of velocities. *Vision Research*, 45, 789–799.
- Rauschenberger, R., Liu, T., Slotnick, S. D., & Yantis, S. (2006). Temporally unfolding neural representation of pictorial occlusion. *Psychological Science*, 17(4), 358–364.
- Read, J. C. A., Vaz, X. A., & Serrano-Pedraza, I. (2011). Independent mechanisms for bright and dark image features in a stereo correspondence task. *Journal of Vision*, 11(12):4, 1–14.
- Read, J. C., & Cumming, B. G. (2007). Sensors for impossible stimuli may solve the stereo correspondence problem. *Nature Neuroscience*, 10, 1322–1328.
- Regan, D., Erkelens, C. J., & Collewijn, H. (1986). Necessary conditions for the perception of motion in depth. *Investigative Ophthalmology & Visual Science*, 27(4), 584–597.
- Regan, D., Giaschi, D. E., Sharpe, J., & Hong, X. H. (1992). Visual processing of motion-defined form: Selective failure in patients with parietotemporal lesions. *Journal of Neuroscience*, 12, 2198–2210.
- Rensink, R. A., & Cavanagh, P. (2004). Influence of cast shadows on visual search. *Perception*, 33, 1339–1358.
- Richards, W. (1971). Anomalous stereoscopic depth perception. *Journal of the Optical Society of*

- America, 61, 410–414.
- Riecke, B. E., Schulte-Pelkum, J., Avraamides, M. N., Von Der Heyde, M., & Bulthoff, H. H. (2006). Cognitive factors can influence self-motion perception (vection) in virtual reality. *ACM Transactions on Applied Perception*, 3, 194–216.
- Rizzolatti, G., & Craighero, L. 2004 The mirror-neuron system. *Annual Review of Neuroscience*, 27, 169–192.
- Rock, I., Hall, S., & Davis, J. (1994). Why do ambiguous figures reverse? *Acta Psychologica*, 87, 33–59.
- Roeber, U., & Schröger, E. (2004). Binocular rivalry is partly resolved at early processing stages with steady and with flickering presentation: A human event related brain potential study. *Neuroscience Letters*, 371, 51–55.
- Roelfsema, P. R., Tolboom, M., & Khayat, P. S. (2007). Different processing phases for features, figures, and selective attention in the primary visual cortex. *Neuron*, 56, 785–792.
- Rogers, B. J., & Bradshaw, M. F. (1993). Vertical disparities, differential perspective and binocular stereopsis. *Nature*, 361(6409), 253–255.
- Rogers, B. J., & Graham, M. E. (1982). Similarities between motion parallax and stereopsis in human depth perception. *Vision Research*, 22, 261–270.
- Rogers, B. J., & Graham, M. E. (1983, September 30) Anisotropies in the perception of three-dimensional surfaces. *Science*, 221(4618), 1409–1411.
- Rogers, B., & Bradshaw, M. (1995). Binocular judgments of depth, size, shape and absolute distance is the same d used for all judgments. *Investigative Ophthalmology & Visual Science* (vol. 36, pp. S230). Lippincott-Ravan Publication. S230-S230.
- Rokers, B., Cormack, L. K., & Huk, A. C. (2009). Disparity- and velocity- based signals for 3D motion perception in human MTp. *Nature Neuroscience*, 12(8), 1050–1055.
- Romano, P. E., Romano, J. A., & Puklin, J. E. (1975). Stereoacuity development in children with normal binocular single vision. *American Journal of Ophthalmology*, 79(6), 966–971.
- Ross, H. E., & Plug, C. (2002). *The mystery of the moon illusion: Exploring size perception*. Oxford, UK:Oxford University Press.
- Rossion, B., & Gauthier, I. (2002). How does the brain process upright and inverted faces? *Behavioral and Cognitive Neuroscience Reviews*, 1(1), 63–75.
- Rousselet, G. A., Fabre-Thorpe, M., & Thorpe, S. J. 2002 Parallel processing in high level categorization of natural images. *Nature Neuroscience*, 5, 629–630.
- Rousselet, G. A., Thorpe, S. J., & Fabre-Thorpe, M. 2004 Processing of one, two or four natural scenes in



- humans: The limits of parallelism. *Vision Research*, 44,877–894.
- Rubenstein, J. L., & Merzenich, M. M. (2003). Model of autism: Increased ratio of excitation/inhibition in key neural systems. *Genes, Brain and Behavior*, 2(5),255–267.
- Rubin, N., & Hupé, J.-M. (2005). Dynamics of perceptual bistability: Plaids and binocular rivalry compared. In D. Alais & R. Blake (Eds.), *Binocular rivalry*. Cambridge, MA: MIT Press.
- Rushton, S. K., & Warren, P. A. (2005). Moving observers, relative retinal motion and the detection of object movement. *Current Biology*, 15, R542–R543.
- Ryan, C., & Gillam, B. (1993). A proximity-contingent stereoscopic depth aftereffect: Evidence for adaptation to disparity gradients. *Perception*, 22, 403–418.
- Sacks, O. (2006). A neurologist's notebook, Stereo Sue (Vol. 64). *The New Yorker*. June 19.
- Saiki, J. (2003). Spatiotemporal characteristics of dynamic feature binding in visual working memory. *Vision Research*, 43(20), 2107–2123.
- Saito, H., Yukie, M., Tanaka, K., & Hikosaka, K. (1986). Integration of direction signals of image motion in the superior temporal sulcus of the macaque monkey. *Journal of Neuroscience*, 6, 145–157.
- Sakai, E., Bi, H., Maruko, I., Zhang, B., Zheng, J., Wensveen, J., et al. (2006). Cortical effects of brief daily periods of unrestricted vision during early monocular form deprivation. *Journal of Neurophysiology*, 95, 2856–2865.
- Sanada, T. M., & DeAngelis, G. C. (2014). Neural representation of motion-in-depth in area MT. *The Journal of Neuroscience*, 34(47), 15508–15521.
- Sandberg, K., Blicher, J. U., Del Pin, S. H., Andersen, L. M., Rees, G., & Kanai, R. (2016). Improved estimates for the role of grey matter volume and GABA in bistable perception. *Cortex; A Journal Devoted to the Study of the Nervous System and Behavior*, 83, 292–305.
- Sasaki, R., Angelaki, D. E., & DeAngelis, G. C. (2013). Estimating heading in the presence of moving objects: Population decoding of activity from area MSTd. *Society Neuroscience Abstracts*, 39, 360.17.
- Sassi, M., Vancleef, K., Machilsen, B., Panis, S., & Wagemans, J. (2010). Identification of everyday objects on the basis of Gaborized outline versions. *i-Perception*, 1, 121–142.
- Saunders, J. A., & Backus, B. T. (2006). Perception of surface slant from oriented textures. *Journal of Vision*, 6(9):3, 882–897.
- Saygin, A. P., & Sereno, M. I. (2008). Retinotopy and attention in human occipital temporal, parietal, and frontal cortex. *Cerebral Cortex*, 18(9), 2158–2168.
- Schiller, P. H., Logothetis, N. K., & Charles, E. R. (1991). Parallel pathway's in the visual system: Their role in perception at isoluminance. *Neuropsychologia*, 29(6), 433–441.

- Schira, M. M., Tyler, C. W., Breakspear, M., & Spehar, B. (2009). The foveal confluence in human visual cortex. *Journal of Neuroscience*, 29(28), 9050–9058.
- Schlosberg, H. (1941). Stereoscopic depth from single pictures. *The American Journal of Psychology*, 54, 601–605.
- Schluppeck, D., Glimcher, P., & Heeger, D. J. (2005). Topographic organization for delayed saccades in human posterior parietal cortex. *Journal of Neurophysiology*, 94(2), 1372–1384.
- Schneider, K. A., Richter, M. C., & Kastner, S. (2004). Retinotopic organization and functional subdivisions of the human lateral geniculate nucleus: A high resolution functional magnetic resonance imaging study. *Journal of Neuroscience*, 24(41), 8975–8985.
- Schoenfeld, M. A., Tempelmann, C., Martinez, A., Hopf, J. M., Sattler, C., Heinze, H. J. et al. (2003). Dynamics of feature binding during object-selective attention. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 11806–11811.
- Schofield, A. J., & Georgeson, M. A. (1999). Sensitivity to modulations of luminance and contrast in visual white noise: Separate mechanisms with similar behaviour. *Vision Research*, 39(16), 2697–2716.
- Scholte, H. S., Witteveen, S. C., Spekreijse, H., & Lamme, V. A. (2006). The influence of inattention on the neural correlates of scene segmentation. *Brain Research*, 1076(1), 106–115.
- Schor, C. M. (1977). Visual stimuli for strabismic suppression. *Perception*, 583–593.
- Schor, C. M. (1979). The relationship between fusional vergence eye movements and fixation disparity. *Vision Research*, 19(12), 1359–1367.
- Schor, C. M., & Kotulak, J. C. (1986). Dynamic interactions between accommodation
- Schor, C. M., & Wood, I. (1983). Disparity range for local stereopsis as a function of luminance spatial frequency. *Vision Research*, 23(12), 1649–1654.
- Schubö, A., Meinecke, C., & Schröger, E. (2001). Automaticity and attention: Investigating automatic processing in texture segmentation with event related brain potentials. *Cognitive Brain Research*, 11(3), 341–361.
- Schumer, R., & Ganz, L. (1979). Independent stereoscopic channels for different extents of spatial pooling. *Vision Research*, 19, 1303–1314.
- Schwaninger, A., Ryf, S., & Hofer, F. (2003). Configural information is processed differently in the perception and recognition of faces. *Vision Research*, 43, 1501–1505.
- Schwartz, G., Taylor, S., Fisher, C., Harris, R., & Berry, M. J., II. (2007).
- Schwartz, O., Hsu, A., & Dayan, P. (2007). Space and time in visual context. *Nature Reviews Neuroscience*, 8, 522–535.

- Schwartz, O., Sejnowski, T. J., & Dayan, P. (2009) Perceptual organization in the tilt illusion. *Journal of Vision*, 9(4):19, 1–20.
- Schwarzkopf, D. S., Song, C., & Rees, G. (2011) The surface area of human V1 predicts the subjective experience of object size. *Nature Neuroscience*, 14(1), 28–30.
- Schyns, P. G., & Oliva, A. 1994 From blobs to boundary edges: Evidence for time and spatial-scale-dependent scene recognition. *Psychological Science*, 5,195–200.
- Searcy, J. H., & Bartlett, J. C. (1996). Inversion and processing of component and spatial-relational information in faces. *Journal of Experimental Psychology Human Perception and Performance: Section A*, 22A(4), 904–915.
- Sedgwick, H. A. (1986) Space perception. In K. R. Boff, L. Kaufman, & J. P. Thomas (Eds.), *Handbook of perception and human performance* (vol. 1, pp. 21-1–21-57). New York: Wiley.
- Sedgwick, H. A., & Levy, S. (1985). Environment-centered and viewer-centered perception of surface orientation. *Computer Vision, Graphics, and Image Processing*, 31.
- Seely, J., & Chow, C. C. (2011). Role of mutual inhibition in binocular rivalry. *Journal of Neurophysiology*, 106(5), 2136–2150.
- Selzer, T.R. & Ekröll, V. 2009 Intermittent occlusion enhances the smoothness of sampled motion. *Journal of Vision*, 9, 1-18.
- Semmlow, J. L., & Hung, G. K. (1981). Experimental evidence for separate mechanisms mediating accommodative vergence and vergence accommodation. *Documenta Ophthalmologica*, 51(3), 209–224.
- Semmlow, J., & Wetzell, P. (1979). Dynamic contributions of the components of binocular vergence. *Journal of the Optical Society of America*, 69(5), 639.
- Seno, T. & Sato, T. 2009 Positional and directional preponderances in vection. *Experimental Brain Research*, 192, 221–229.
- Serences, J. T., & Boynton, G. M. (2007a). Feature-based attentional modulations in the absence of direct visual stimulation. *Neuron*, 55(2), 301–312.
- Serences, J. T., & Boynton, G. M. (2007b). The representation of behavioral choice for motion in human visual cortex. *Journal of Neuroscience*, 27(47),12893–12899.
- Sereno, M. E., Trinath, T., Augath, M., & Logothetis, N. K. (2002). Three-dimensional shape representation in monkey cortex. *Neuron*, 33, 635–652.
- Series, P., Lorenceau, J., & Fregnac, Y. (2003). The silent surround of V1 receptive fields: Theory and experiments. *The Journal of Physiology (Paris)*, 97,453–474.

- Serrano-Pedraza, I., & Read, J. C. (2009). Stereo vision requires an explicit encoding of vertical disparity. *Journal of Vision*, 9(4)3, 1–13.
- Serrano-Pedraza, I., & Read, J. C. A. (2010). Multiple channels for horizontal, but only one for vertical corrugations? A new look at the stereo anisotropy. *Journal of Vision*, 10(12):10, 1–11.
- Serrano-Pedraza, I., Brash, C., & Read, J. C. (2013). Testing the horizontal-vertical stereo anisotropy with the critical-band masking paradigm. *Journal of Vision*, 13(11), 15.
- Serrano-Pedraza, I., Herbert, W., Villa-Laso, L., Widdall, M., Vancleef, K., & Read, J. C. A. (2016). The stereoscopic anisotropy develops during childhood. *Investigative Ophthalmology and Visual Science*, 1(57), 960–970.
- Serrano-Pedraza, I., Clarke, M., & Read, J. C. A. (2011). Single vision during ocular deviation in intermittent exotropia. *Ophthalmic & Physiological Optics*, 31, 45–55.
- Shimojo, S., & Nakayama, K. (1990). Real world occlusion constraints and binocular rivalry. *Vision Research*, 30(1), 69–80.
- Shimono, K., & Wade, N. J. (2002). Monocular alignment in different depth planes. *Vision Research*, 42, 1127–1135.
- Shimono, K., Tam, W. J., Asakura, N., & Ohmi, M. (2005). Localization of monocular stimuli in different depth planes. *Vision Research*, 45, 2631–2641.
- Shioiri, S., Saisho, H., & Yaguchi, H. (2000). Motion in depth based on inter-ocular velocity differences. *Vision Research*, 40, 2565–2572.
- Shors, T. J., Wright, K., & Greene, E. (1992). Control of interocular suppression as a function of differential image blur. *Vision Research*, 32(6), 1169–1175.
- Shors, T. J., Wright, K., & Greene, E. (1992). Control of interocular suppression as a function of different image blur. *Vision Research*, 32, 1169–1175.
- Shors, T. J., Wright, K., & Greene, E. (1992). Control of interocular suppression as a function of different image blur. *Vision Research*, 32, 1169–1175.
- Shors, T. J., Wright, K., & Greene, E. (1992). Control of interocular suppression as a function of different image blur. *Vision Research*, 32, 1169–1175.
- Sigman, M., Cecchi, G. A., Gilbert, C. D., & Magnasco, M. O. (2001). On a common circle: Natural scenes and Gestalt rule. *Proceedings of the National Academy of Science of the United States of America*, 98, 1935–1940.
- Silver, M. A., Ress, D., & Heeger, D. J. (2005). Topographic maps of visual spatial attention in human

- parietal cortex. *Journal of Neurophysiology*, 94(2),1358–1371.
- Silver, M., & Logothetis, N. K. (2007). Temporal frequency and contrast tagging bias the type of competition in interocular switch rivalry. *Vision Research*, 47, 532–543.
- Simons, K. (1981). Stereoacuity norms in young children. *Archives of Ophthalmology*, 99, 439–445.
- Simons, K. (1993). Stereoscopic neuronotropy and the origins of amblyopia and strabismus. In K. Simons (Ed.), *Early visual development: Normal and abnormal* (pp. 409–453). New York: Oxford University Press.
- Simpson, T.L. 1991 The suppression effect of simulated anisometropia. *Ophthalmic & Physiological Optics*, 11, 350-358.
- Sincich, L. C., Adams, D. L., & Horton, J. C. (2003). Complete flat mounting of the macaque cerebral cortex. *Visual Neuroscience*, 20(6), 663–686.
- Slater, A., & Morison, V. (1985). Shape constancy and slant perception at birth. *Perception*, 14, 337–344.
- Slater, A., Mattock, A., & Brown, E. (1990). Size constancy at birth: Newborn infants' responses to retinal and real size. *Journal of Experimental Child Psychology*, 49, 314–322.
- Slater, A., Morison, V., & Somers, M. (1988). Orientation discrimination and cortical function in the human newborn. *Perception*, 17, 597–602.
- Smith, A. T., Cotton, P. L., Bruno, A., & Moutsiana, C. (2009). Dissociating vision and visual attention in the human pulvinar. *Journal of Neurophysiology*, 101(2), 917–925.
- Smith, S. (2010). FMRIB. Available from: <<http://www.fmrib.ox.ac.uk/>>.
- Snowden, R. J., & Kavanagh, E. (2006). Motion perception in the ageing visual system: Minimum motion, motion coherence, and speed discrimination thresholds. *Perception*, 35, 9–24.
- Sokol, S. (1983). Abnormal evoked potential latencies in amblyopia. *British Journal of Ophthalmology*, 67(5), 310–314.
- Spang, K., Gillam, B., & Fahle, M. (2012). Electrophysiological correlates of binocular stereo depth without binocular disparities. *PLoS ONE*, 7(8).
- Sperandio, I., Chouinard, P. A., & Goodale, M. A. (2012). Retinotopic activity in V1 reflects the perceived and not the retinal size of an afterimage. *Nature Neuroscience*, 15(4), 540–542.
- Srinivasan, R., & Petrovic, S. (2006). MEG phase follows conscious perception during binocular rivalry induced by visual stream segregation. *Cerebral Cortex*, 16, 597–608.
- Stensaas, S. S., Eddington, D. K., & Dobbelle, W. H. (1974). The topography and variability of the primary visual cortex in man. *Journal of Neurosurgery*, 40, 747–755.
- Sterzer, P., Kleinschmidt, A., & Ress, G. (2009). The neural bases of multistable perception. *Trends in*

- Cognitive Sciences, 13, 310–318.
- Stevenson, S. B., Cormack, L. K., Schor, C. M., & Tyler, C. W. (1992). Disparity tuning in mechanisms of human stereopsis. *Vision Research*, 32, 1685–1694.
- Stocker, A. A., & Simoncelli, E. P. (2006). Noise characteristics and prior expectations in human visual speed perception. *Nature Neuroscience*, 9(4), 578.
- Stroyan, K., & Nawrot, M. (2011). Visual depth from motion parallax and eye pursuit. *Journal of Mathematical Biology*, 64, 1157–1188.
- Stuit, S. M., Paffen, C. L. E., van der Smagt, M. J., & Verstraten, F. A. J. (2011). What is grouping during binocular rivalry? *Frontiers in Human Neuroscience*, 5, 117.
- Stuit, S. M., Paffen, C. L. E., van der Smagt, M. J., & Verstraten, F. A. J. (2014). Image-based grouping during binocular rivalry is dictated by eye-of origin. *PLoS ONE*, 9(7), e95327.
- Su, R. Y., He, Z. J., & Ooi, T. L. (2010a). Boundary contour based surface integration affected by color. *Vision Research*, 50, 1833–1844.
- Su, Y., He, Z. J., & Ooi, T. L. (2010b). Surface completion affected by luminance contrast polarity and common motion. *Journal of Vision*, 10, 1–14.
- Su, Y., He, Z. J., & Ooi, T. L. 2009 Coexistence of binocular integration and suppression determined by surface border information. *Proceedings of the National Academy of Sciences, USA*, 106, 15990–15995.
- Su, Y., Ooi, T. L., & He, Z. J. 2007 The speed and spreading of binocular rivalry dominance from boundary contours. *Journal of Vision*, 7(9), 59 (59a, Abstract).
- Sugita, Y. (1999). Grouping of image fragments in primary visual cortex. *Nature*, 401, 269–272.
- Sun, J., & Perona, P. (1998). Where is the sun? *Nature Neuroscience*, 1, 183–184.
- Suzuki, S., & Grabowecky, M. (2007). Long-term speeding in perceptual switches mediated by attention-dependent plasticity in cortical visual processing. *Neuron*, 56(4), 741–753.
- Suzuki, S., & Grabowecky, M. 2002 Evidence for perceptual “trapping” and adaptation in multistable binocular rivalry. *Neuron*, 36, 143–157.
- Swisher, J. D., Halko, M. A., Merabet, L. B., McMains, S. A., & Somers, D. C. (2007). Visual topography of human intraparietal sulcus. *Journal of Neuroscience*, 27(20), 5326–5337.
- Sy, J. L., Tomarken, A. J., Patel, V., & Blake, R. (2016). The time course of binocular rivalry during the phases of the menstrual cycle. *Journal of Vision*, 16(15):22, 1–19.
- Sylvester, R., & Rees, G. (2006). Extraretinal saccadic signals in human LGN and early retinotopic cortex. *NeuroImage*, 30(1), 214–219.
- Sylvester, R., Haynes, J. D., & Rees, G. (2005). Saccades differentially modulate human LGN and V1

- responses in the presence and absence of visual stimulation. *Current Biology*, 15(1), 37–41.
- Szinte, M., & Cavanagh, P. (2011). Spatiotopic apparent motion reveals local variations in space constancy. *Journal of Vision*, 11(2):4.
- Tam, D. M., Shin, J., & Li, A. (2013). Dominance of orientation over frequency in the perception of 3-D slant and shape. *PLoS One*, 8(5), e64958.
- Tanabe, S., & Cumming, B. G. (2014). Delayed suppression shapes disparity selective responses in monkey V1. *Journal of Neurophysiology*, 111(9), 1759–1769.
- Tanabe, S., Yasuoka, S., & Fujita, I. (2008). Disparity energy signals in perceived stereoscopic depth. *Journal of Vision*, 8(3):22, 1–10.
- Tanaka, J. W., & Farah, M. J. (1993). Parts and wholes in face recognition. *The Quarterly Journal of Experimental Psychology, A, Human Experimental Psychology*, 46(2), 225–245.
- Tanaka, J. W., & Sengco, J. A. (1997). Features and their configuration in face recognition. *Memory & Cognition*, 25(5), 583–592.
- Tanaka, K., Hikosaka, K., Saito, H., Yukie, M., Fukada, Y., & Iwai, E. (1986). Analysis of local and wide-field movements in the superior temporal visual areas of the macaque monkey. *Journal of Neuroscience*, 6, 134–144.
- Tarr, M. J., & Bülthoff, H. H. (1995). Is human object recognition better described by Geon structural descriptions or by multiple views – Comment on Biederman and Gerhardstein (1993). *Journal of Experimental Psychology–Human Perception and Performance*, 21, 1494–1505.
- Tarr, M. J., & Pinker, S. (1989). Mental rotation and orientation-dependence in shape-recognition. *Cognitive Psychology*, 21, 233–282.
- Taya, S., Sato, M., & Nakamizo, S. (2005). Stereoscopic depth aftereffects without retinal position correspondence between adaptation and test stimuli. *Vision Research*, 45, 1857–1866.
- Teghtsoonian, R., & Teghtsoonian, M. (1970). Scaling apparent distance in a natural outdoor setting. *Psychonomic Science*, 21, 215–216.
- Teller, D. Y., Pereverzeva, M., & Zemach, I. K. (2006). Infant color perception and discrete trial preferential looking paradigms. In N. Pitchford & C. P. Biggam (Eds.), *Progress in colour studies. Vol. II: Psychological aspects* (pp. 69–90). Amsterdam: John Benjamin.
- Thomas, O. M., Cumming, B. G., & Parker, A. J. 2002 A specialization for relative disparity in V2. *Nature Neuroscience*, 5, 472–478.
- Thompson, W., Mutch, K., & Berzins, V. (1985) Dynamical occlusion analysis in optical flow fields. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 4, 374–383.

- Tibber, M. S., Greenwood, J. A., & Dakin, S. C. (2012). Number and density discrimination rely on a common metric: Similar psychophysical effects of size, contrast, and divided attention. *Journal of Vision*, 12(6):8, 1–19.
- Todd, J. T., & Bressan, P. 1990 The perception of 3-dimensional affine structure from minimal apparent motion sequences. *Perception & Psychophysics*, 48,419–430.
- Todd, J. T., & Mingolla, E. 1983 The perception of surface curvature and direction of illumination from patterns of shading. *Journal of Experimental Psychology: Human Perception and Performance*, 9, 583–595.
- Todd, J. T., Christensen, J. C., & Guckes, K. M. (2010). Are discrimination thresholds a valid measure of variance for judgments of slant from texture? *Journal of Vision*, 10(2):20, 1–18.
- Todd, J. T., Thaler, L., & Dijkstra, T. M. H. (2005). The effects of field of view on the perception of 3D slant from texture. *Vision Research*, 45, 1501–1517.
- Todd, J. T., Thaler, L., Dijkstra, T. M. H., Koenderink, J. J., & Kappers, A. M. L. (2007). The effects of viewing angle, camera angle and sign of surface curvature on the perception of 3D shape from texture. *Journal of Vision*, 7(12):9, 1–16.
- Todorović, D., & Jovanović, L. (2018). Is the Ebbinghaus illusion a size contrast illusion? *Acta Psychologica*, 185, 180–187.
- Tokunaga, K., Ogawa, M., Ikehata, S., Masuda, T., & Seno, T. (2016). Constitution of a database of vection scenes in Japanese movies and animations and experimental assessments of them. *Transactions of the Virtual Reality Society of Japan*, 21, 35–47. [in Japanese]
- Tomac, S., & Altay, Y. (2000). Near stereoacuity: Development in preschool children; normative values and screening for binocular vision abnormalities; a study of 115 children. *Binocular Vision Strabismus Quarterly*, 15, 221–228.
- Tomchek, S. D., & Dunn, W. (2007). Sensory processing in children with and without autism: A comparative study using the short sensory profile. *American Journal of Occupational Therapy*, 61(2), 190–200.
- Tong, F., & Engel, S. A. (2001). Interocular rivalry revealed in the human cortical blind-spot presentation. *Nature*, 411, 195–199.
- Tong, F., & Nakayama, K. (1999). Robust representations for faces evidence from visual search. *Journal of Experimental Psychology Human Perception and Performance*, 25, 1016–1035.
- Tong, F., Meng, M., & Blake, R. (2006). Neural bases of binocular rivalry. *Trends in Cognitive Sciences*,10, 502–511.



- Tong, F., Nakayama, K., Vaughan, J. T., & Kanwisher, N. (1998). Binocular rivalry and visual awareness in human extrastriate cortex. *Neuron*, 21(4), 753–759.
- Tononi, G., Srinivasan, R., Russell, D. P., & Edelman, G. M. (1998). Investigating neural correlates of conscious perception by frequency-tagged neuromagnetic responses. *Proceedings of the National Academy of Sciences of the United States of America*, 95, 3198–3203.
- Tootell, R. B. H., Mendola, J. D., Hadjikhani, N. K., Ledden, P. J., Liu, A. K., Reppas, J. B., et al. (1997). Functional analysis of V3A and related areas in human visual cortex. *Journal of Neuroscience*, 17(18), 7060–7078.
- Tootell, R. B., Reppas, J. B., Kwong, K. K., Malach, R., Born, R. T., Brady, T. J., Belliveau, J. W. (1995). Functional analysis of human MT and related visual cortical areas using magnetic resonance imaging. *The Journal of Neuroscience*, 15(4), 3215–3230.
- Tootell, R. B., Tsao, D., & Vanduffel, W. (2003). Neuroimaging weighs in: Humans meet macaques in “primate” visual cortex. *Journal of Neuroscience*, 23(10), 3981–3989.
- Treisman, A., & Gelade, G. (1980). A feature-integration theory of attention. *Cognitive Psychology*, 12, 97–136.
- Tresilian, J. R., Mon-Williams, M., & Kelly, B. M. (1999). Increasing confidence divergence as a cue to distance. *Proceedings of the Royal Society London B*, 266, 39–44.
- Troje, N. F., & Kersten, D. (1999). Viewpoint-dependent recognition of familiar faces. *Perception*, 28, 483–487.
- Tsao, D. Y., Vanduffel, W., Sasaki, Y., Fize, D., Knutsen, T. A., Mandeville, J. B., ... Tootell, R. B. (2003). Stereopsis activates V3A and caudal intraparietal areas in macaques and humans. *Neuron*, 39(3), 555–568.
- Tscherning, M. H. E. (1898). *Optique physiologique [Physiological optics]*. Paris, France: Masson and others, Booksellers of the Academy of Medicine.
- Tsirlin, I., Wilcox, L. M. & Allison, R. S. (2010) Monocular occlusions determine the perceived shape and depth of occluding surfaces. *Journal of Vision*, 10(6).
- Tsirlin, I., Wilcox, L. M., & Allison, R. S. (2012). Da Vinci decoded: Does da Vinci stereopsis rely on disparity? *Journal of Vision*, 12(12):2, 1–17.
- Tso, D., Miller, R., & Begum, M. (2017). Neuronal responses underlying shifts in interocular balance induced by short-term deprivation in adult macaque visual cortex. *Journal of Vision*, 17(10):576.
- Tsuchiya, N., Wilke, M., Frässle, S., & Lamme, V. A. (2015). No-report paradigms: Extracting the true neural correlates of consciousness. *Trends in Cognitive Sciences*, 19, 757–770.

- Turati, C., Sangrigoli, S., Ruel, J., & de Schonen, S. (2004). Evidence of the face inversion effect in 4-month-old infants. *Infancy*, 6(2), 257–297.
- Turati, C., Simion, F., & Zanon, L. (2003). Newborns' perceptual categorization for closed and open geometric forms. *Infancy*, 4, 309–325.
- Turati, C., Valenza, E., Leo, I., & Simion, F. (2005). Three-month-olds' visual preference for faces and its underlying visual processing mechanisms. *Journal of Experimental Child Psychology*, 90, 255–273.
- Tyler, C. W. (1974). Depth perception in disparity gratings. *Nature*, 251(140–142).
- Tyler, C. W. (1990). A stereoscopic view of cortical processing streams. *Vision Research*, 30, 1877–1895.
- Tyler, C. W. (1998). Diffuse illumination as a default assumption for shape-from shading in graded images. *Journal of Image Science and Technology*, 42, 319–325.
- Tyler, C. W., & Cavanagh, P. (1991). Purely chromatic perception of motion in depth: Two eyes as sensitive as one. *Perception & Psychophysics*, 49, 53–61.
- Tyler, C. W., & Cavanagh, P. (1991). Purely chromatic perception of motion in depth: Two eyes as sensitive as one. *Perception & Psychophysics*, 49, 53–61.
- Tyler, C. W., & Julesz, B. (1978). Spatial frequency tuning for disparity grating in the cyclopean retina. *Journal of the Optical Society of America*, 68, 1365.
- Tyler, C. W., & Julesz, B. (1980). On the depth of the cyclopean retina. *Experimental Brain Research*, 40, 196–202.
- Tyler, C. W., Barghout, L., & Kontsevich, L. L. (1994). Computational reconstruction of the mechanisms of human stereopsis. In T. B. Lawton (Ed.). *Computational vision based on neurobiology*. Park Grove, CA: SPIE International Society Optical Engineering.
- Tynan, P., & Sekuler, R. (1975). Simultaneous motion contrast: Velocity, sensitivity and depth response. *Vision Research*, 15, 1231–1238.
- Uka, T., & DeAngelis, G. C. (2004). Contribution of area MT to stereoscopic depth perception: Choice-related response modulations reflect task strategy. *Neuron*, 42(2), 297–310.
- Ukai, K., Ando, H., & Kuze, J. (2003). Binocular rivalry alternation rate declines with age. *Perceptual and Motor Skills*, 97, 393–397.
- Van Ee, R., Banks, M. S., & Backus, B. T. (1999). Perceived visual direction near an occluder. *Vision Research*, 39, 4085–4097.
- Vanni, S., Henriksson, L., & James, A. C. (2005). Multifocal fMRI mapping of visual cortical areas. *NeuroImage*, 27(1), 95–105.
- Vattikuti, S., & Chow, C. C. (2010). A computational model for cerebral cortical dysfunction in autism

- spectrum disorders. *Biological Psychiatry*, 67(7), 672–678.
- Vecera, S. P., Vogel, E. K., & Woodman, G. F. (2002). Lower region: A new cue to figure-ground segregation. *Journal of Experimental Psychology: General*, 131, 194–205.
- Versace, E., Schill, J., Nincini, A. M., & Vallortigara, G. (2016). Naïve chicks prefer hollow objects. *PLoS One*, 11, e0166425.
- Viguier, A., Clément, G., & Trotter, Y. (2001). Distance perception within near visual space. *Perception*, 30, 115–124.
- Von Noorden, G. K. (1961). Reaction time in normal and amblyopic eyes. *Archives of Ophthalmology*, 66(5), 695–701.
- Vreven, D., McKee, S. P., & Vergheze, P. (2002). Contour completion through depth interferes with stereoacuity. *Vision Research*, 42, 2153–2162.
- Wade, N. J. (1974). The effect of orientation in binocular contour rivalry of real images and afterimages. *Perception & Psychophysics*, 15(2), 227–232.
- Wade, N. J., Weert, C. M. M. D., & Swanston, M. T. (1984). Binocular rivalry with moving patterns. *Perception & Psychophysics*, 35(2), 111–122.
- Wagner, M. (1985). The metric of visual space. *Perception & Psychophysics*, 38, 483–495.
- Wallach, H., & O'Connell, D. N. (1953). The kinetic depth effect. *Journal of Experimental Psychology*, 45(4), 205–217.
- Wandell, B. A., Chial, S., & Backus, B. (2000). Visualization and measurement of the cortical surface. *Journal of Cognitive Neuroscience*, 12(5), 739–752.
- Wandell, B. A., Dumoulin, S. O., & Brewer, A. A. (2007). Visual field maps in human cortex. *Neuron*, 56(2), 366–383.
- Wardle, S. G., & Gillam, B. J. (2016). Gradients of relative disparity underlie the perceived slant of stereoscopic surfaces. *Journal of Vision*, 16(5):16, 1–13.
- Warren, W. H., & Hannon, D. J. (1990). Eye movements and optical flow. *Journal of The Optical Society of America A*, 7(1), 160–169.
- Warren, W. H., Morris, M. W., & Kalish, M. (1988). Perception of translational heading from optical flow. *Journal of Experimental Psychology: Human Perception and Performance*, 14(4), 646.
- Wasserman, E. A., Kiedinger, R. E., & Bhatt, R. S. (1988). Conceptual behavior in pigeons-Categories, subcategories, and pseudocategories. *Journal of Experimental Psychology-Animal Behavior Processes*, 14, 235–246.
- Watanabe, K., Paik, Y., & Blake, R. (2004). Preserved gain control for luminance contrast during binocular

- rivalry suppression. *Vision Research*, 44, 3065–3071.
- Watanabe, T., & Cavanagh, P. (1991). Texture and motion spreading, transparency and the aperture problem. *Perception & Psychophysics*, 50, 459–464.
- Watson, A. B., & Ahumada, A. J. Jr., (1985). Model of human visual-motion sensing.
- Watson, D. G., & Humphreys, G. W. (1997). Visual marking: Prioritizing selection for new objects by top-down attentional inhibition of old objects. *Psychological Review*, 104, 90–122.
- Watt, S. J., Akeley, K., Ernst, M. O., & Banks, M. S. (2005). Focus cues affect perceived depth. *Journal of Vision*, 5(10):7, 834–862.
- Weiner, K. S., & Grill-Spector, K. (2010). Sparsely-distributed organization of face and limb activations in human ventral temporal cortex. *Neuroimage*, 52(4), 1559–1573. Oct 1.
- Weiss, Y., Simoncelli, E. P., & Adelson, E. H. (2002). Motion illusions as optimal percepts. *Nature Neuroscience*, 5(6), 598–604.
- Welchman, A. E. (2016). The human brain in depth: how we see in 3D. *Annual Review of Vision Science*, 2, 2.6.1–2.6.32.
- Welchman, A. E., Lam, J. M., & Bühlhoff, H. H. (2008). Bayesian motion estimation accounts for a surprising bias in 3d vision. *Proceedings of the National Academy of Sciences*, 105(33), 12087–12092.
- Welchman, A. E., Tuck, V. L., & Harris, J. M. (2004). Human observers are biased in judging the angular approach of a projectile. *Vision Research*, 44(17), 2027–2042.
- Wells, W. C. (1792). *An essay upon single vision with two eyes: Together with experiments and observations on several other subjects in optics*. London: Cadell.
- Wensveen, J. M., Harwerth, R. S., Hung, L.-F., Ramamirtham, R., Kee, C., & Smith, E. L. III, (2006). Brief daily periods of unrestricted vision can prevent form deprivation amblyopia. *Investigative Ophthalmology & Visual Science*, 47, 2468–2477.
- Westendorf, D. H., Langston, A., Chambers, D., & Allegretti, C. (1978). Binocular detection by normal and stereo-blind observers. *Perception & Psychophysics*, 24, 209–214.
- Westheimer, G., & McKee, S. P. (1978). Stereoscopic acuity for moving retinal images. *Journal of the Optical Society of America*, 68, 450–455
- Westheimer, G., & McKee, S. P. (1980). Stereoscopic acuity with defocused and spatially filtered retinal images. *Journal of the Optical Society of America*, 70(7), 772–778.
- Westwood, D. A., & Goodale, M. A. (2003). Perceptual illusion and the real-time control of action. *Spatial Vision*, 16(3–4), 243–254.
- Westwood, D. A., Chapman, C. D., & Roy, E. A. (2000). Pantomimed actions may be controlled by the

- ventral visual stream. *Experimental Brain Research*, 130(4),545–548.
- Weymouth, A. E., & McKendrick, A. M. (2012). Shape perception is altered by normal aging. *Investigative Ophthalmology and Visual Science*, 53(6), 3226–3233.
- Whitney, D., & Levi, D. M. (2011). Visual crowding: A fundamental limit on conscious perception and object recognition. *Trends in Cognitive Science*, 15(4),160–168.
- Wiesenfelder, H., & Blake, R. (1990). The neural site of binocular rivalry relative to the analysis of motion in the human visual system. *The Journal of Neuroscience*, 10(12), 3880–3888.
- Wilcox, L. M., & Hess, R. (1995). Dmax for stereopsis depends on size not spatial frequency content. *Vision Research*, 35, 1061–1069.
- Wilcox, L. M., & Hess, R. (1998). When stereopsis does not improve with increasing contrast. *Vision Research*, 38, 3671–3679.
- Wilcox, L. M., & Hess, R. F. (1996). Is the site of non-linear filtering in stereopsis before or after binocular combination? *Vision Research*, 36, 391–399.
- Wilcox, L. M., & Hess, R. F. (1997). Scale selection for second-order (non-linear) stereopsis. *Vision Research*, 37, 2981–2992.
- Wilson, H. R. (1999). Non-Fourier cortical processes in texture, form, and motion perception. In P. S. Ulinski & E. G. Jones (Eds.), *Cerebral cortex. Models of cortical circuitry* (Vol. 13, pp. 445–477). New York: Plenum.
- Wilson, H. R. (2003). Computational evidence for a rivalry hierarchy in vision. *Proceedings of the National Academy of Sciences, USA*, 100(24),14499–1450.
- Wilson, H. R. (2007). Minimal physiological conditions for binocular rivalry and rivalry memory. *Vision Research*, 47(21), 2741–2750.
- Wilson, H. R. (2009). Requirements for conscious visual processing. In L. Harris & M. Jenkin (Eds.), *Cortical mechanisms of vision* (pp. 399–417). Cambridge: Cambridge University Press.
- Wilson, H. R., & Bergen, J. R. 1979 A four mechanism model for threshold spatial vision. *Vision Research*, 19, 19-32.
- Wilson, H. R., Blake, R., & Lee, S. H. 2001 Dynamics of traveling waves in visual perception. *Nature*, 412, 907–910.
- Wilson, H. R., Ferrera, V. P. & Yo, C 1992 A psychophysically motivated model for two-dimensional motion perception. *Visual Neuroscience*, 9, 79-97.
- Winawer, J., Horiguchi, H., Sayres, R. A., Amano, K., & Wandell, B. A. (2010). Mapping hV4 and ventral occipital cortex: The venous eclipse. *Journal of Vision*, 10(5),1–22.

- Wolf, M., & Hochstein, S. (2011). High-level binocular rivalry effects. *Frontiers in Human Neuroscience*, 5: 129.
- Wolfe, J. M. (1983). Afterimages, binocular rivalry, and the temporal properties of dominance and suppression. *Perception*, 12(4), 439–445.
- Wolpert, D. M., & Miall, R. C. (1996). Forward models for physiological motor control. *Neural Networks*, 9(8), 1265–1279.
- Wu, B., Ooi, T. L., & He, Z. J. (2004). Perceiving distance accurately by a directional process of integrating ground information. *Nature*, 428, 73–77.
- Wu, J., He, Z. J., & Ooi, T. L. (2008). Perceived relative distance on the ground affected by the selection of depth information. *Perception & Psychophysics*, 70, 707–713.
- Wunderlich, K., Schneider, K. a, & Kastner, S. (2005). Neural correlates of binocular rivalry in the human lateral geniculate nucleus. *Nature Neuroscience*, 8(11), 1595–1602.
- Xia, L., Pont, S. C., & Heynderickx, I. (2014). The visual light field in real scenes. *i-Perception*, 5, 613–629.
- Xu, J., He, Z. J., & Ooi, T. L. 2010 Surface boundary contour strengthens image dominance in binocular competition. *Vision Research*, 50, 155–170.
- Yang, Y., & Blake, R. (1991). Spatial frequency tuning of human stereopsis. *Vision Research*, 31(7–8), 1177–1189.
- Yang, Y., & Blake, R. (1995). On the accuracy of surface reconstruction from disparity information. *Vision Research*, 35, 949–960.
- Yang, Y., Rose, D., & Blake, R. (1992). On the variety of percepts associated with dichoptic viewing of monocular stimuli. *Perception*, 21, 47–62.
- Yantis, S., & Jonides, J. (1984). Abrupt visual onsets and selective attention: Evidence from visual search. *Journal of Experimental Psychology: Human Perception and Performance*, 10, 601–621.
- Yellott, J. I. Jr, (1981) Binocular depth inversion. *Scientific American*, 245(1), 118-125.
- Yellott, J. I. Jr. & Kaiwi, J. I. (1979) Depth inversion despite stereopsis: the appearance of random-dot stereograms on surfaces seen in reverse perspective. *Perception*, 8, 135-142.
- Yin, R. K. (1969). Looking at upside-down faces. *Journal of Experimental Psychology*, 81(1), 141–145.
- Yuille, A. L., & Grzywacz, N. M. (1989). A mathematical analysis of the motion coherence theory. *International Journal of Computer Vision*, 3, 155–175.
- Zeki, S., Watson, J. D., Lueck, C. J., Friston, K. J., Kennard, C., & Frackowiak, R. S. (1991). A direct demonstration of functional specialization in human visual cortex. *The Journal of Neuroscience*, 11(3), 641–649.

Zhang, P., Bobier, W., Thompson, B., & Hess, R. F. (2011). Binocular balance in normal vision and its modulation by mean luminance. *Optometry & Vision Science*, 88(9), 1072–1079.

Zhaoping, L. (2014) *Understanding vision: theory, models, and data*. Oxford, UK: Oxford University Press.

Zhou, H., Friedman, H. S., & von der Heydt, R. (2000). Coding of border ownership in monkey visual cortex. *Journal of Neuroscience*, 20, 6594–6611.

Zhou, H., Friedman, H. S., & von der Heydt, R. 2000 Coding of border ownership in monkey visual cortex. *Journal of Neuroscience*, 20, 6594–6611.

Zhou, Y., Huang, C., Xu, P., Tao, L., Qiu, Z., Li, X., & Lu, Z. L. (2006). Perceptual learning improves contrast sensitivity and visual acuity in adults with anisometropic amblyopia. *Vision Research*, 46(5), 739–750.

Zipser, K., Lamme, V. A., & Schiller, P. H. (1996). Contextual modulation in primary visual cortex. *Journal of Neuroscience*, 16, 7376–7389.

Zou, J., He, S., & Zhang, P. (2016). Binocular rivalry from invisible patterns. *Proceedings of the National Academy of Sciences*, 113(30), 8408–8413. <http://dx.doi.org/10.1073/pnas.1604816113>.

de Jong, M. C., Hendriks, R. J. M., Vansteensel, M. J., Raemaekers, M., Verstraten, F. A. J., Ramsey, N. F., van Ee, R. (2016). Intracranial recordings of occipital cortex responses to illusory visual events. *The Journal of Neuroscience*, 36(23), 6297–6311.

de Labra, C., & Valle-Inclán, F. (2001). Electrical activity in primary visual area due to interocular suppression. *Neuroreport*, 12, 4099–4102.

de Weert, C. M. M., Snoeren, P. R., & Koning, A. 2005 Interactions between binocular rivalry and Gestalt formation. *Vision Research*, 45, 2571–2579.

van Bogaert, E. A., Ooi, T. L., & He, Z. J. 2008 The monocular boundary contour mechanism in binocular surface representation and suppression. *Perception*, 37(8), 1197–1215.

van Boxtel, J. J. A., Knapen, T., Erkelens, C. J., & van Ee, R. (2008). Removal of monocular interactions equates rivalry behavior for monocular, binocular, and stimulus rivalries. *Journal of Vision*, 8, 1–17.

van Boxtel, J. J. A., Wexler, M., & Droulez, J. 2003 Perception of plane orientation from self-generated and passively observed optic flow. *Journal of Vision*, 3(5), 318–332.

van Damme, W. J., & Brenner, E. (1997). The distance used for scaling disparities is the same as the one used for scaling retinal size. *Vision Research*, 37(6), 757–764.

van Ee, R. (2005). Dynamics of perceptual bi-stability for stereoscopic slant rivalry and a comparison with grating, house-face, and Necker cube rivalry. *Vision Research*, 45(1), 29–40.

van Ee, R. (2009). Stochastic variations in sensory awareness are driven by noisy neuronal adaptation: Evidence from serial correlations in perceptual bistability. *Journal of the Optical Society of America A*,

26, 2612–2622.

- van Ee, R., Adams, W. J., & Mamassian, P. (2003). Bayesian modeling of cue interaction: Bistability in stereoscopic slant perception. *Journal of the Optical Society of America B*, 20, 1398–1406.
- van Ee, R., van Dam, L. C. J., & Brouwer, G. J. (2005). Voluntary control and the dynamics of perceptual bi-stability. *Vision Research*, 45, 41–55.
- van Elk, M., van Schie, H. T., Hunnius, S., Vesper, C., & Bekkering, H. (2008). You'll never crawl alone: Neurophysiological evidence for experience-dependent motor resonance in infancy. *Neuroimage*, 43, 808–814.
- van Lier, R., & de Weert, C. 2003 Intra- and interocular colour-specific activation during dichoptic suppression. *Vision Research*, 43, 1111–1116.
- van Loon, A. M., Knapen, T., Scholte, H. S., St John-Saaltink, E., Donner, T. H., & Lamme, V. A. F. (2013). GABA shapes the dynamics of bistable perception. *Current Biology: CB*, 23(9), 823–827.
- van der Willigen, R. F., Harmening, W. M., Vossen, S., & Wagner, H. (2010). Disparity sensitivity in man and owl: Psychophysical evidence for equivalent perception of shape-from-stereo. *Journal of Vision*, 10(1):10, 1–11.
- van der Zwan, R., & Wenderoth, P. (1994). Psychophysical evidence for area V2 involvement in the reduction of subjective contour tilt aftereffects by binocular rivalry. *Visual Neuroscience*, 11, 823–830.
- von der Heydt, R., Friedman, H. S., & Zhou, H. 2003 Searching for the neural mechanisms of color filling-in. In L. Pessoa & P. De Weerd (Eds.), *Filling-in: From perceptual completion to cortical reorganization* (pp. 106–127). Oxford, UK: Oxford University Press.
- von der Heydt, R., Zhou, H., & Friedman, H. S. (2000). Representation of stereoscopic edges in monkey visual cortex. *Vision Research*, 40, 1955–1967.